Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental



# **Government of India** Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Director VILAS JAVDEKAR INFINITEE DEVELOPERS PRIVATE LIMITED 306, Siddharth Towers, Sangam Press Road, Kothrud, Pune - 411038 -411038

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/442489/2023 dated 30 Aug 2023. The particulars of the environmental clearance granted to the project are as below.

1.	EC Identification No.	EC24B039MH110544

SIA/MH/INFRA2/442489/2023 2. File No.

3. **Project Type** Expansion 4. Category В

5. Project/Activity including 8(b) Townships and Area Development Schedule No. projects.

6. Name of Project Expansion in Environmental Clearance of Protects Residential Project at New G. No. 1321/1 to 7/2, Village: Wagholi, Taluka Haveli, District Pune, Maharashtra by M/s. Vilas

Javdekar Infinitee Developers Pvt. Ltd. VILAS JAVDEKAR INFINITEE 7. Name of Company/Organization **DEVELOPERS PRIVATE LIMITED** 

8. **Location of Project** MAHARASHTRA

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé, I.A.S. Date: 06/02/2024 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/442489/2023 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

To M/s Vilas Javdekar Infinitee Developers Pvt. Ltd., New G. No. 1321/1 to 7/2, Village: Wagholi, Taluka Haveli, District Pune.

Subject

: Environmental Clearance for Expansion in EC for Proposed Residential project at New G. No. 1321/1 to 7/2, Village: Wagholi, Taluka Haveli, District Pune, Maharashtra by M/s Vilas Javdekar Infinitee Developers Pvt. Ltd.

Reference: Application no. SIA/MH/INFRA2/442489/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 183<sup>rd</sup> meeting under screening category 8 (b) B1 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 272<sup>nd</sup> (Day-2) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 14<sup>th</sup> December, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA	SIA/MH/INFRA2/442489/2023			
2	Name of Project	Expansion in EC for Proposed Residential project at New G. No. 1321/1 to 7/2, Village: Wagholi, Taluka Haveli, District Pune, Maharashtra by M/s Vilas Javdekar Infinitee Developers Pvt. Ltd.				
3	Project category	8 (b), B1				
4	Type of Institution	Private Limited				
5	Project Proponent	Name	M/s Vilas Javdekar Infinitee Developers Pvt. Ltd.			
		Regd. Office	306, Siddharth Towers, Sangam Press			
		address Road, Kothrud, Pune				
		Contact 9168216622				
		number				
1		e-mail	ec.vilasjavdekarwagholi@gmail.com			
6	Consultant	Sneha Hi-Tech Products				
		NABET				
		NABET/EIA/21	24/RA0235 dated 05.04.2022 valid till			
		15.02.2024				
7	Applied for	Expansion				
8	Details of previous EC	EC received vide letter no. EC22B038MH190938 dtd				
		06.08.2022				
9	Location of the project	New G. No. 1321/1 to 7/2, village Wagholi, Taluka				
		Haveli, District	Pune, Maharashtra			

10	Latitude and Longitude			Latitude: 18°	34'18.42"N. Long	itude: 73°5	8'20.29"E	
11	Total Plot Are			Latitude: 18°34'18.42"N, Longitude: 73°58'20.29"E 48,562.00				
12	Deductions (n			9619.31				
13	Net Plot area		<del></del>	38,942.69				
14	Proposed FSI	<del></del>	<del></del>	1,82,242.66				
15		-FSI area (m2)		1,07,855.94		-		
16	Proposed TBU			2,90,098.60				
$\frac{10}{17}$		approved by	Planning	2,90,098.60		<del></del>		
' '	Authority till		lammig	2,70,078.00	·			
18			respondent for	22425.00 & 5	57 50%			
19	Total Project		recents (Mills 5 T	Rs. 776.99 Cr			<del></del>	
20		loEF& CC circu	lar dated		emorandum 22-65/	2017 IA II	I dated 25th	
20	01/05/2018		iai daicu	February 202		201 / <b>-</b> 1/ <b>3</b> -11	1 dated 25th	
21		ilding Configura	tions	Teordary 202	i sa kili Salikili isa		Reason for	
21	Det alls of Bu		uon.				Modification /Change	
	Previous EC/	Existing Buildin	ıσ	Proposed Con	figuration			
	Building	Configuration	Height	Building	Configuration	Height		
	name	9	(m)	name		(m)		
	A-A2	B+LG+St+	69.95	A1-A2	B + LG + St +	69.95	No change	
		22 floors			22 floors			
	B1-B2	B + LG + St +	69.95	B1-B2	B + LG + St +	69.95		
		22 floors			22 floors			
	<b>C</b> 1-C2	B + LG + St +	69.95	C1-C2	B + LG + St +	69.95		
		22 floors			22 floors			
	D1-D2	B + LG/Shops	73.95	D1-D2	B+LG+23	73.95	Deletion of	
		+ 23 floors			floors	.5.5	shops and	
	E1-E2	B + LG/Shops	73.95	E1-E2	B + LG + 23	73.95	addition of	
		+ 23 floors	1		floors	,,,,,	floors on	
	F1-F2	B + LG/Shops	61.95	F1-F2	B + LG + 23	73.50	F1-F2 bldg	
4500		+ 19 floors	01.50		floors			
3.33			### TOTAL TOTAL	G1-G2	B + LG + St +	66.20	Newly	
			li Liligare de Maria		20 floors	0.20	proposed	
-				H1-H2	B + LG + St +	66.20	proposed	
			1600		20 floors	7,745		
				I1-I2	B + LG + St +	66.95		
					21 floors	00.55		
		The state of the s		J1 - J2	LG + St + 21	66.95		
					floors	00.55		
<b></b>				K1 – K2	LG + St + 21	66.95	:	
					floors	00.55		
	Club house	Podium + 3 <sup>rd</sup>	18.60	Club house	Podium + 3	18.60	No change	
	C140 110450	floor			floors	10.00	110 onungo	
23	Total number		1	Residential: 1	982 nos., Clubhou	se: 2373 14	5 sa.m	
	25 Total Ramour of tellements							
				Users: Residential: 9910 nos., Clubhouse: 396 nos. Total: 10,306 nos.				
24	Water Budget		<del></del>	Dry Season (C		Wet Seaso	on (CMD)	
	Baaget			Fresh Water	902 KLD	Fresh	902	
				Ticsh water	704 KLD	Water	KLD	
						water	KLD	
				Recycled	454 KLD	Recycled	454	
لـــا				Recycled	TJ4 IXLU	Recycled	1434	

					(Flushing)		<u>.                                    </u>		(Flushing)	KLD
					Recycled (Gardening)	23	KLD		Recycled (Gardenin	0 KLD
					Total	137	79 KLD		g) Total	1356 KLD
					Waste water generation	122	20 KLD		Waste water generation	1220 KLD
25	Water Storag	e Capa	acity for		Domestic tan	k		455	cum & 670	cum
	Firefighting /	UGT	(m3)		Raw water ta	nk		150	cum & 317	cum
!				Sec. of	Fire tank	lana.		500	cum & 600	cum
26	Source of wa	ter		<u> </u>	PMC/ PMRD	)A /T	reated wa	ter		
27	Rainwater	<del></del>	l of the Ground	d wate	<u> </u>				in post mon	soon
	Harvesting								L in pre mon	
	(RWH)	Size	and no of RWI	I tank	(s) and Quanti	ty:	Nil		· · · · · · · · · · · · · · · · · · ·	
	ii. Die	Quar	ntity and size o	f recha	arge pits:		18 nos., 3	3 m :	x 3 m x 1.8 m	1
		Deta	ils of UGT tanl	ks if a	ny:					
28	Sew age and	Waste	water		Sewage gene	ratio	n in CMD	:	1220 KLD	
					STP technology:			4	MBBR	
		Capacity of STI				STP (	(CMD): 1290 KLD (715 KLD, 575 KLD)			
29	Solid Waste		ype	Quar	itity (kg/d)	Tre	atment / d	ispo	sal	
	Management	D	ry waste:	1 400 1 11	30					
	during Construction		et waste:		20			<u> </u>		<u> </u>
, (F)	Phase	T	otal waste		50			zed on site at maximum extent. handed over to local body		
30	Solid Waste	Type		Ouar	ntity (kg/d)	Kes			r to local body / disposal	
30	Manageme nt during	<b>─</b> ──	waste:			· · ·	over to Authorized Agency			
	Operation	Wet	waste:	3013	3013 kg/day Tre		Treated	Treated in OWC		
	Phase		ardous waste:	1	igible				- 1 元。 - 1994 - (アル・174)	
			nedical waste	Bion Masl shiel	nedical waste like Shall be so glace near of		ear ( utho	egregated at designated OWC and shall be given orized vendor for nt		
		E-W	aste	14 kg/day Sh		Shall be handed over to Author recycler for further handling disposal purpose				
		STP	Sludge	258	kg/day				nure for gard	ening
31	Green Belt	Green Belt Total RG area		a (m2)	:				3894.27 sq.	m
	Developmen	t	Existing trees				Nil			
			Number of tro	ees to	be planted:				487 nos.	
			Number of tro	umber of trees to be cut:				Nil		
			Number of tro	of trees to be transplanted:			0			

32	Power	Source of power suppl	v:	MSEDCI		
		····	uring Construction Phase (Demand Load):		75 kW	
	L_	During Operation phase	13122 kV	<i></i>		
	<u></u>	During Operation phase		5719 kW		
	<u></u>	Transformer:		7 Nos. X	999 kVA	
	L	DG set:	1 X 600 kVA & 1 X		<u> </u>	
	l .   <u>-</u> -	Fuel used:		HSD		
33	Details of Energy sa	ving T	Otal energy savings: 21.27 % tenewable energy: 10.63%			
34	Environmental Ty	.,,	Cost			
J-T	l		ing, Personal Protective Equi	nment Site	10.00	
	plan budget		Iobile toilets & Debris Manag			
	during O8		st Suppression		0.14	
	Construction	Site Sanitatio	n, Disinfection & Safety		3.5	
	phase	Environment	al Monitoring		2.00	
		Health Check			0.6	
		30 30 11 V 15 (17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Management Cell		7.8	
		Total	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	A GA	14.28	
35	Environmental	Component	Details	Capital	O&M	
22	Management plan			(Rs.)	(Rs./Y)	
	Budget during Operation phase	Sewage treatment	STP Operation and its maintenance	408.6	78.68	
	•	RWH & Storm water	Recharging existing ground water table, SWD - Connection to external line	56.6	1.7	
		Solid Waste	Collection Segregation and management of MSW	59.50	11.37	
		Hazardous waste	NA	NA	NA	
		E-waste	Collection Segregation and hand over to authorized vendors	Included in	Solid waste	
		Green belt development	and maintenance of existing trees	58.91	13.14	
		Energy saving	Energy saving measures	358.33	21.61	
		Basement Ventilation		171.16	8.55	
		Basement Pumping		18	0.6	
	,	DG Set		84.38	11.21	
:		Environmental Monitoring	To monitor sustainability of Environmental Infrastructure	-	4.0	
		Environment Management Cell		_	8 .40	
		Disaster Management	Emergency preparedness plan to develop and	73.00	10.00	

			implement o	on site		
		Biomedical Wast Management		gregation and t of waste like ls, PPE kits		1.2
		Total			1288.48	170.46
36	Traffic Management		Type	Required as per DCR	Actual Provided	Area per parking (m2)
			4-Wheeler	1196	1727	30-35
			2-Wheeler	2112	2112	
37	Details of Court cas the project and proje		No			

# The comparative statement for the project is as below:

Sr. No.	Description	Detail as per EC received on 06.08.2022	Proposed amendment	Remarks For proposed changes
1	Total Plot Area	48,562.00 sq.m.	48,562.00 sq.m.	
2	Deductions	9619.31 sq.m.	9619.31 sq.m.	No Change
3	Net Plot Area	38,942.69 sq.m.	38,942.69 sq.m.	
4	Proposed FSI	80,465.50 sq.m.	1,82,242.66 sq.m.	Increase in FSI by 1,01,777.16 m <sup>2</sup>
5	Non FSI Area	67,284.74 sq.m.	1,07,855.94 sq.m.	Increase in Non FSI by 40,571.2 m <sup>2</sup>
6	Total Construction Area	1,47,750.24 sq.m.	2,90,098.60 sq.m.	Increased by 1,42,348.36 m <sup>2</sup>
		Total No. of Buildings: 6 nos. Residential bldg. & 1 club house	Total No. of Buildings: 11 nos. Residential bldg. & 1 club house	
7	Building Configuration	Building A1-A2: B+LG+St+22 floors Building B1-B2: B+LG+St+22 floors Building C1-C2: B+LG +St+22 floors	Building A1-A2: B+LG+St+22 floors Building B1-B2: B+LG+St+22 floors Building C1-C2: B+LG +St+22 floors	No change
		Building D1-D2: B+LG/Shops+23 floors Building E1-E2: B+LG/Shops+23 floors Building F1-F2: B+LG/Shops+19 floors	Building D1-D2: B+LG+23 floors Building E1-E2: B+LG+23 floors Building F1-F2: B+LG+23 floors	Deletion of shops for parking provision and addition of floors on F1-F2 bldg.
		-	Building G1-G2:	Newly Proposed

			B+LG+St+20 floors	
		-	Building H1-H2: B+LG+St+20 floors	
		÷	Building I1-I2: B+LG+St+21 floors	
<u>.</u>		-	Building J1-J2: LG+St+21 floors	
			Building K1-K2: LG+St+21 floors	
		Club house - Podium + 3 floor	Club house - Podium + 3 floor	No Change
IX :	No. of tenements & shops	Residential: 1082 nos. Commercial: 2386.37 sq.m Clubhouse: 1680 sq.m	Residential: 1982 nos. Clubhouse: 2373.15 sq.m	Increased in 900 nos. of residential flats. Deletion of commercial shops
	No. of expected users	Residential: 5410 nos. Commercial: 795nos. Club house: 280 Total: 6485 nos.	Residential: 9910 nos. Clubhouse: 396 nos. Total: 10,306 nos.	Increased by 3821 nos.
10	Water requirement	Domestic water: 514 KLD Flushing water: 265 KLD Landscaping: 31 KLD Total –810 KLD	Domestic water: 902 KLD Flushing water: 454 KLD Landscaping: 23 KLD Total – 1379 KLD	Increased by 569 KLD
11	Sewage Generation	701 KLD	1220 KLD	Increased by 519 KLD
12	STP capacity	715 KLD	715 KLD x 1 nos. and 575 KLD x 1 nos.	Increased by 575 KLD
13	Dry Waste	1243 kg/day	2042 kg/day	Increased by 799 kg/day
14	Wet Waste	1731 kg/day	3013 kg/day	Increased by 1282 kg/day
15	Parking	4-wheelers: 491 nos. 2-wheelers: 1798 nos.	4-wheeler- 1727 nos. 2-wheeler (Scooters)- 2112 nos.	Increased as per requirement
16	DG set provision	2 X 320 kVA	600 kVA & 500 kVA	Increased as per requirement
17	Total Connected Load	5939 kW	13122 kW	Increased as per requirement
18	Total Demand Load	2899 kW	5719 kW	Increased as per requirement
19	Transformer	6 X 630 kVA	7 X 999 kVA	Increased as per requirement
20	RG Area on Ground	3894.27 sq.m	3894.27 sq.m	No change
21	No. of trees after development	487 nos.	487 nos.	No change
22	Project Cost	Rs. 344.50 Cr	Rs. 776.99 Cr	Increased by Rs. 432.49 Cr.

3. The proposal has been considered by SEIAA in its 272<sup>nd</sup> Day-2) meeting held on 14th December, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

#### **Specific Conditions:**

#### A. SEAC Conditions-

- 1. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 2. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

#### **B. SEIAA Conditions-**

- 1. PP has provided mandatory RG area of 3894.27 m2 on mother earth without any construction. Local planning authority to ensure the compliance of the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 5. SEIAA after deliberation decided to grant EC for-FSI-1,82,242.66 m2, Non FSI-1,07,855.94 m2, total BUA-2,90,098.60 m2. (Plan approval No-5199/23-24, dated-10.10.2023)

#### **General Conditions:**

#### a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site:
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

#### B) Operation phase:-

I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved

- sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
  - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same

periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

### C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions,

Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

# Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation /PMRDA
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.