



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), MAHARASHTRA)

To,

The Director VILAS JAVDEKAR INFINITEE DEVELOPERS PRIVATE LIMITED 306, Siddharth Towers, Sangam Press Road, Kothrud, Pune - 411038 -411038

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/INFRA2/431548/2023 dated 30 May 2023. The particulars of the environmental clearance granted to the project are as below.

1. EC Identification No. EC23B038MH120932

2. File No. SIA/MH/INFRA2/431548/2023

New 3. **Project Type** 4. Category В

5. Project/Activity including 8(a) Building and Construction projects Schedule No.

6. Name of Project Proposed Commercial project at S. No. 122(P)- Plot B, village Wakad, Taluka Mulshi, District Pune by M/s. Vilas

Javdekar Infinitee Developers Pvt. Ltd.

7. Name of Company/Organization VILAS JAVDEKAR INFINITEE **DEVELOPERS PRIVATE LIMITED**

8. **Location of Project** MAHARASHTRA

N/A 9. **TOR Date**

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Daradé, I.A.S. Date: 01/11/2023 **Member Secretary** SEIAA - (MAHARASHTRA)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/431548/2023 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To
M/s.Vilas Javdekar Infinitee Developers Pvt. Ltd.,
S. No. 122(P)- Plot B, village Wakad,
Taluka Mulshi, District Pune.

Subject: Environmental Clearance for Proposed Commercial project at S. No. 122(P)-Plot B, village Wakad, Taluka Mulshi, District Pune, Maharashtra by M/s. Vilas Javdekar Infinitee Developers Pvt. Ltd.

Reference : Application no. SIA/MH/INFRA2/431548/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 176th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 266th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 20th September, 2023.

2. Brief Information of the project submitted by you is as below:-

1	Proposal Number	SIA/MH/INFRA2/431548/2023					
2	Name of Project	Proposed Commercial project at S. No. 122(P)- Plot					
		B, village Wakad, Taluka Mulshi, District Pune,					
	그림 얼룩 가는 그는 그는 독특	Maharashtra by M/s	s. Vilas Javdekar Infinitee				
	그러 그래 그 그 그 사람이 됐	Developers Pvt. Ltd.					
3	Project category	8 (a), B2					
4	Type of Institution	Private Limited					
5	Project Proponent	Name	M/s Vilas Javdekar Infinitee				
		Developers Pvt. Ltd.					
		Regd. Office address	306, Siddharth Towers,				
			Sangam Press Road, Kothrud,				
	(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Pune					
		Contact number	9168216622				
		e-mail	ec.vilasjavdekarwagholi@g				
	The second secon	mail.com					
6	Consultant	Sneha Hi-Tech Products					
		Certificate No. NABET/EIA/2124/RA0235 dated					
		05.04.2022 valid till 15.02.2024					
7	Applied for	New					
8	Details of previous EC	NA, it is a fresh project					
9	Location of the project	S. No. 122(P)- Plot B, village Wakad, Taluka Mulshi,					
		District Pune, Maharashtra					
10	Latitude and Longitude	Latitude: 18°36'25.70"N, Longitude: 73°45'0.79"E					
11	Total Plot Area (m2)	10,274.00					
12	Deductions (m2)	Nil					
13	Net Plot area (m2)	10,274.00					
14	Proposed FSI area (m2)	56,903.58					

15	Proposed non-FSI area (m2)			30,415.17					
16	Proposed TBUA (m2)			87,318.75					
17	TBUA (m2) approved by Planning								
1 /	Authority till date			87,318.75					
18	Ground coverage (m2) & %			4917.66 (47.87 %)					
19	Total Project Cost (Rs.)			Rs. 462.82 Cr.			<u>-</u>		
20	CER as per N		circular	NA, per Memorand	lum 22-65/20	17-IA-III d	dated 25th		
- "	dated 01/05/20			February 2021					
21	Det ails of Bu		guration:				Reason		
	<please for<="" th="" use=""><th>ollowing lege</th><th>ends: Floo</th><th>or = F, Parking = Pk,</th><th>Podium = P</th><th>o, Stilt</th><th>for</th></please>	ollowing lege	ends: Floo	or = F , Parking = Pk ,	Podium = P	o, Stilt	for		
		G, Lower G	round = I	LG, Upper Ground =	nt = B,	Modifica			
	Shops = Sh >		* 111000 * NO				tion		
					**************************************		/Change		
	Previous EC /			Proposed Configura					
	Building	Configura	Heigh	Building name	Configur	Height			
	name	tion	t (m)		ation	(m)	-		
	-	-	•	Commercial	B+GR+2	88.50	-		
23	Total number	of tonor-and	 	Building Commercial cornets	1 floors	00 sa m	<u> </u>		
23	Total number	or tenement	5	Commercial carpet a Users: 7359 Nos.	uca. 44,031.	zz sq.m.			
24	Water Budget			Dry Season (CMD)	esperatus. Periodoria	Wet Seaso	Wet Season (CMD)		
24	water budget			Fresh Water	147 KLD	Fresh	147		
				Fresh water	14/ KLD	Water	KLD		
						vv atci	KLD		
				Recycled	184 KLD	Recycled	184		
				(Flushing)	107100	(Flushin	KLD		
				(114511116)		g)	ILL		
				Recycled	5 KLD	Recycled	0 KLD		
				(Gardening)		(Gardeni			
					respirar de	ng)			
Av.				Swimming Pool	0	Swimmi	0		
				The magnify Capacify North		ng Pool			
				Total	336 KLD	Total	331		
							KLD		
				Waste water	316 KLD	Waste	316		
				generation		water .	KLD		
						generatio			
25	Water Storage	Capacity fo	or	Domestic tank		314 cum	<u> </u>		
	Firefighting /			Fire tank 200 cum					
26	Source of wat	er		PCMC/ treated water					
27	Rainwater Ha	rvesting (RV	VH)	Level of the Ground water $6-8 \text{ m BGL in post}$					
			•	table: monsoon					
					9-12 m E	n BGL in pre			
	Size and no of RWH tank(s) Nil								
	and Quantity:								
						ł.	5 nos.		
						2 m x 2 m	x 2 m x 2 m		
	Details of UGT tanks if any:								

28	Sew age and Wastewater	r	Sewage generation in CMD: 316			6 KLD		
			STP technology:		MBBR			
			Capacity of STP (CM	(ID): 330 K		LD		
29	Solid Waste Managemer Construction Phase	nt during	Type	Quantity (kg/d)	Treatment / disposal		
			Dry waste:	15				
			Wet waste:	10				
			Total waste	25		Utilized on		
		e. 1866 in				site at		
				Product the S		maximum		
						extent. Rest handed		
						over to local		
						body		
30	Solid Waste Managemer	nt during	Type	Quantity (kg/d)	Treatment /		
	Operation Phase					disposal		
			Dry waste:	1104 kg/d	ay	Handed over		
						to		
					\$4. 1. 1.	Authorized		
			Wet waste:	736 kg/da	7	Agency Treated in		
				, , , , , , , , , , , , , , , , , , , ,		OWC		
			Hazardous waste:	Negligible		19. 17.		
			Biomedical waste	Biomedica	ıl	Shall be		
				waste	like	segregated at		
				Mask, G		designated		
				Face shield		place near		
				(required Pandemic	for	OWC and shall be		
7.				situation)		given to		
						authorized		
6						vendor for		
						management		
		Special State	E-Waste	30 kg/day		Shall be		
						handed over to Authorized		
						recycler for		
						further		
						handling &		
		₹	Service Services			disposal		
					_	purpose		
			STP Sludge	66 kg/day		Used as		
						manure for		
31	Green Belt	Total RG area (m2):			gardening 610 sq.m.			
	Development					56 nos.		
	1	1			750 nos.			
		<u> </u>				750 nos. 156 nos.		
		Number of trees to be transplanted: 0						

32 Power requirement:			Source of power s	MSEDCL		
	20 requirement	During Construction Phase (Demand		150 kVA		
			Load):			
			During Operation	14,465.81 kW		
			load):	phase (Demand load):	10,471.73 kW	
		}	Transformer:	phase (Demand Ioau).	7 X 2000	
		}	DG set:		7 x 1500 kVA	
		-	Fuel used:		HSD	
33	Details of Energy	saving		nergy savings: 14.11%		
34		ype	Details			Cost
٠,		apital		; Personal Protective Eq	uipment.	0.78
	plan budget	up ruur		n- Mobile toilets &		••
	during		Management			
7	Construction phase	&M	Water for Dust S	was a market to the control of the c		0.14
	рнаѕе		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Disinfection & Safety		3.02
			Environmental N		ime.	2.00
			Health Check up	State of the state		0.72
			Environment Ma		8.4	
			Total			14.28
35	Environmental Component		Details	Capital	O&M	
	Management plan Budget				(Lakh)	(Lakh./ Y)
	during Operation	ng Operation Sewage treatment		STP Operation and its	121.12	25.30
	phase			maintenance		
	RW		I & Storm water	Recharging existing ground water table	15.6	0.47
a kaivid		Solid	Waste	Collection Segregation	16.75	4.47
	E-wa Greet devel Energy Base: DG S Envir			and management of MSW		
			rdous waste	NA	NA	NA
			ste	Collection Segregation and hand over to authorized vendors	Included in Solid waste	
			n belt lopment	Plantation of new trees and maintenance of existing trees		4.0
			gy saving	Energy saving measures	550.00	10.0
			ment Ventilation		20.0	2.0
			ment Pumping		3.0	0.3
			Set		700.0	70.0
				onitor sustainability of onmental Infrastructure	-	4.0
			ronment agement Cell		-	7.80
			ster Management	Emergency preparedness plan	46.72	12.5

		Biomedical Wast	e	-		-	1.2
		Total				1510.69	142.04
36	Traffic Manageme	nt Type	Req	uired as per DCR	Actu Prov	The state of the s	Area per parking (m2)
		4-Wheeler		660		660	32 - 33
		2-Wheeler		2422	2	2422	-
		Bus		=		50	-
37	Details of Court cases/litigations w.r.t. the project and project location if any.						

3. Proposal is a new construction project. proposal has been considered by SEIAA in its 266th (Day-1) meeting held on 20th September, 2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit the coordinated layout plan indicating green belt development plan.
- 2. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 3. PP to ensure that, the water proposed to be used for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP submitted that, as per the provisions of UDCPR, RG is not applicable to their project is development of reservation. Local planning authority to ensure the compliance of same.
- 2. PP to plant as many trees as cumulative age of trees to be cut and transplanted as per amended Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975.
- 3. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 4. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 5. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA III dt.04.01.2019.
- 6. SEIAA after deliberation decided to grant EC for-FSI-56,903.58 m2, Non FSI-30,415.17 m2, total BUA- 87,318.75 m2. (Plan approval No-BP/EC/Wakad/09/2023, dated-26.06.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during

- construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)

 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of

- stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely

- circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pimpri Chinchwad Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.