# Six Monthly Compliance Report for period January 2023 to June 2023 for project By M/s Vilas Javdekar Eco Shelters Pvt. Ltd

Ace Enviroment <info@aceenvironment.in> Tue 04/07/2023 15:58

To:EC Compliance Maharashtra <eccompliance-mh@gov.in>

Bcc:Ketakee Devdhar <ketakee.devdhar@javdekars.com>;prajakta.khamkar@javdekars.com <prajakta.khamkar@javdekars.com>;kiran.khamkar@javdekars.com <kiran.khamkar@javdekars.com>

1 attachments (7 MB)

\_Six Monthly Compliance Report\_173 Wakad\_Jan to June 2023.pdf;

#### Dear Sir/Madam

Please find the Post EC Compliance Report attached herewith for Period of January 2023 to June 2023 of Residential and Commercial project proposed on plot bearing Survey No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot 'A', Village Wakad, Tal. Mulshi, , Dist.-Pune, Maharashtra. by 'M/s. Vilas Javdekar Eco Shelters Pvt. Ltd'., with reference to Environmental Clearance Letter Identification No. EC22B038MH164277 dated – 09<sup>th</sup> June 2022.

Hope this is in line with your requirement.

Thanking you

Yours Sincere

M/s. Vilas Javdekar Eco Shelters Pvt. Ltd.

To,

Ministry of Environment and Forest & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building, Civil Line,

Nagpur- 440001

Subject : Post EC Compliance Report for Period of January 2023 to June 2023 residential & commercial project at S.No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village-Wakad, Taluka-Mulshi, District Pune Maharashtra by M/s Vilas Javdekar Eco Shelters Pvt.Ltd.

#### Ref.: 1. Environmental Clearance No. SEIAA-EC-0000002197 dated – 04.12.2019

### 2. Environmental Clearance No. EC22B038MH164277 dated - 09.06.2022

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No EC22B038MH164277 dated – 09.06.2022 for our above mentioned residential & commercial project at S.No, 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village Wakad, Taluka Mulshi, District Pune Maharashtra by M/s. Vilas Javdekar Eco Shelters Pvt.Ltd.

In accordance to your requirement please find enclosed herewith following documents for post EC for the subject project for your kind reference:

- 1. Compliance report
- 2 Environment Clearance Letter
- 3. Budgetary provision for EMP
- 4. Consent to Establish Copy
- 5. Advertisement Copy
- 6. Monitoring Report

Hope you will find the above in line with your requirement.

Yours Sincerely,

uthorized Signatory

CO SHE IA \*

For, M/s Vilas Javdekar Eco Shelters Pvt.Ltd.

CC to:

1. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3<sup>rd</sup>& 4<sup>th</sup> Lever, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India

महाराष्ट्र प्रदूषण नियंत्रण मंडळ कल्पतरु पॉईट, २ रा मज्स्सा, सायन सर्वल, सिनेप्लनेट समोर, सायन (पूर्व), मुंबई - ४०० ०२२.

फोन :-२४०१०४३७ / २४७२०७८१ Website www.mpcb.gov.in +91 20 6764 8000 www.javdekars.com

Vilas Javdekar Eco Shelters Pvt. Ltd.

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411 038 INDIA CIN : U45200PN2013PTC146349

admin@javdekars.com

Τo,

Ministry of Environment and Forest & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building, Civil Line,

Nagpur- 440001

Subject : Post EC Compliance Report for Period of January 2023 to June 2023 residential & commercial project at S.No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village-Wakad, Taluka-Mulshi, District Pune Maharashtra by M/s Vilas Javdekar Eco Shelters Pvt.Ltd.

#### Ref.: 1. Environmental Clearance No. SEIAA-EC-0000002197 dated – 04.12.2019

#### 2. Environmental Clearance No. EC22B038MH164277 dated – 09.06.2022

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. **EC22B038MH164277 dated – 09.06.2022** for our above mentioned residential & commercial project at S.No, 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village Wakad, Taluka Mulshi, District Pune Maharashtra by **M/s**. **Vilas Javdekar Eco Shelters Pvt.Ltd**.

In accordance to your requirement please find enclosed herewith following documents for post EC for the subject project for your kind reference:

- 1. Compliance report
- 2. Environment Clearance Letter
- 3. Budgetary provision for EMP
- 4. Consent to Establish Copy
- 5. Advertisement Copy
- 6. Monitoring Report

Hope you will find the above in line with your requirement.

O SHI

-

Yours Sincerely,



For, M/s Vilas Javdekar Eco Shelters Pvt.Ltd.

CC to:

1. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3<sup>rd</sup>& 4<sup>th</sup> floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India

Vilas Javdekar Eco Shelters Pvt. Ltd.

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411 038 INDIA CIN : U45200PN2013PTC146349

### SIX MONTHLY COMPLIANCE REPORT

### OF

# **RESIDENTIAL & COMMERCIAL PROJECT**

## AT

## S. NO. 173/2/2B/1+2+3+4,173/2/2A/1+3+4+5 PLOT A, VILLAGE WAKAD, TALUKA MULSHI, DISTRICT PUNE, MAHARASHTRA

**BEING DEVELOPED BY** 

## M/S VILAS JAVDEKAR ECO SHELTERS PVT.LTD. FOR

JANUARY 2023 TO JUNE 2023

### TABLE OF CONTENTS

Sections	Particulars
Section 1	Purpose of the Report
Section 2	Project Details
Section 3	Present Site Conditions
Section 4	Post Environment Clearance Compliance Report
Section 5	Monitoring and Analysis

#### LIST OF ANNEXURES

Annexures	Particulars
Annexure 1	Compliance Report
Annexure 2A	Environment Clearance Letter-2019
Annexure 2B	Environment Clearance Letter-2022
Annexure 3	Monitoring Reports
Annexure 4	Budgetary provision for EMP
Annexure 5	Advertisement Copy
Annexure 6A	Consent to Establish Copy
Annexure 6B	Consent to Operate (Part – 1) Copy
Annexure 6C	Consent to Operate (Part – II) Copy
Annexure 7	SEAC compliance annexures- (Architect Certificate)
Annexure 8	SEAC compliance annexures- (water NOC)
Annexure 9	SEAC compliance annexures-(Drainage NOC)
Annexure 10	CGWA NoC

#### Section1: Purpose of the Report

As per the 'Sub Para (i)' of 'Para 10' of EIA Notification 2006 and Condition mentioned General condition Sr. No. IV of Environmental Clearance (EC) letter (SEIAA-EC-0000002197) dated 04<sup>th</sup> December 2019 (**Annexure 2A**) & (EC22B038MH164277) 09<sup>th</sup> June, 2022 (**Annexure 2B**), it is mandatory to submit six monthly compliance report to show the status & compliance of all the conditions mentioned in EC letter, along with monitoring of various environmental parameters. Therefore, based on the general conditions mentioned in EC letter detail compliance report is prepared.

#### Section 2: Project Details

M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. have proposed Residential & Commercial project at S. No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5 Plot A, village Wakad, Taluka Mulshi, District Pune, Maharashtra. Project is designed as self-sufficient establishment wherein infrastructure facilities such as water supply, power supply and communication facilities are proposed. Further the project proponent has made provision for waste collection and disposal, rain water harvesting and sewage treatment to ensure that project is environment friendly. The project proponent also proposes arrangement for safety, maintenance and security of residents. The main features of the project are as follows:

1.	Clearance letter (s)/OM no. and date	:	EC22	EC22B038MH164277 dated - 09.06.2022	
2.	Location	:		S. No. 173/2/2B/1+2+3+4,173/2/2A/1+3+4+5 Plot A village Wakad, Taluka Mulshi, District Pune, Maharashtra	
3.	Salient Features				
	Total Plot Area (As per DC)	:	15,353	3.09 m <sup>2</sup>	
	Construction BUA	:	80,69	7.74 m <sup>2</sup>	
	(FSI + Non FSI)				
4.	No. of buildings			A: P+22 Floors B: P+22 Floors C: P+22 Floors	
				D: P+22 Floors	
				E: 2B+GP+4 Floors	
				F: B+G+1 <sup>st</sup> +3 Parking Floors+16 Upperfloors	
				Club House – G+1 floor	
				Covered Parking Structure: G.P only	
	Total Water Requirement			During Dry season –556 m <sub>3</sub> /day	
	Treated Water			Flushing: 188 m3/day	
				Gardening: 20 m3/day	
	Sewage Generation			502 m3/day	
	No. & Capacity of STP			280 KLD & 235 KLD	
	Solid Waste Generation			Non Bio-degradable Waste: 868 kg/day	
				Bio-degradable Waste: 1189 kg/day	

5.	Breakup of the project area	
	(a) Submergence area: forest & non forest	Nil
	(b) Others	The entire project area is non-agricultural land.
with enumeration of those losing houses /dwelling units only, agricultural land only, r		The Proposed Project is located at the vacant land only clearing of small sized vegetation. Therefore, no population was dislocated or affected due to proposed Project.
	(a) SC, ST /Adivasis	Nil
	(b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures, if a survey is carried out give details and years of survey)	Nil
8.	Forest land requirement.	There is no forest land involved.
	(a) The status of approval for diversion of forest land for non-forestry use	Not applicable.
	(b) The status of clearing felling	Not applicable
	(c) The status of compensatory afforestation, if any	Not applicable
	(d) Comments on the viability & sustainability of compensatory afforestation programme in the light of actual field experience so far	Not applicable
9.	The status of clear felling in non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information	Not applicable
10.	Status of construction	As attached
	a) Date of commencement (Actual and/or planned)	10.06.2022
	b) Date of completion (Actual and/or planned)	09.06.2027
11.	Reason for the delay if the project is yet to start.	Not applicable
12.	Dates of site visits	
	(a) The dates on which the project was monitored by the Regional Office on previous occasions, if any	Nil
	(b) Date of site visit for this monitoring report	-

		-
13.	Details of correspondence with project	EC No. SEIAA-EC-0000002197 dated -
	authorities for obtaining action plans /	04.12.2019. (Attached as Annexure 2A)
	information on status of compliance to	Now we have obtained expansion in EC vide letter
	safeguards other than the routine letters	no.
	for logistic support for site visits.	EC22B038MH164277 dated - 09.06.2022.
		(Attached as Annexure 2B)
	(The first monitoring report may contain	
	the details of all the letters issued so far,	CTE : Format1.0/BO/JD(WPC)/UAN
	but the later reports may cover only the	No.083046/CE/CC 2003000677 dated- 12/03/2020
	letters issued subsequently)	(Attached as Annexure 6A)
		(
		CTO (Part I): Format1.0/CC/UAN
		No.0000131473/CO/2208000452 dated-
		10/08/2022 (Attached as <b>Annexure 6B</b> )
		10/00/2022 (Muched us Minexure ob)
		CTO (Renewal of Consent to Operate(part-I)
		with amalgamation of Consent
		to Operate(Part-II): Format1.0/CC/UAN
		No.0000161568/CR/2305001634 dated 22.05.2023
		(Attached as Annexure 6C)

#### **Section 3: Present Site Conditions**

Sr. No.	Name of Buildings	Current Status
1	A	Complete and Handover
2	В	Complete and Handover
3	С	Complete and Handover
4	D	Complete and Handover
5	Е	Construction Complete
6	F	Construction Complete
7	Club House	Complete and Handover.

#### Section 4: Post Environment Clearance Compliance Report

The proposal has been considered by SEIAA in its 243<sup>rd</sup> (Day-1) meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subjected to implementation of the following terms and conditions:

Sr. No.	EC Conditions	Compliance Status
Specific (	Conditions	
SEAC Co	onditions	

I.	PP to submit Architect Certificate in compliance with earlier EC vis a vis construction carried out.	Noted and complied. Reply to the same was presented in 233 <sup>rd</sup> SEIAA meeting dated 26.11.2021. Attached same as <b>Annexure 7.</b>
II.	PP to submit water NOC.	Noted and complied. Reply to the same was presented in 233 <sup>th</sup> SEIAA meeting dated 26.11.2021. Attached same as <b>Annexure 8</b> .
III.	Sewer NOC presented by PP was without signature. PP informed that it is digital NOC hence signature not required, however no proof regarding digital NOC was observed. PP to submit either revised NOC or Clarification from planning authority.	Noted and complied. Reply to the same was presented in 233 <sup>th</sup> SEIAA meeting dated 26.11.2021. Attached same as <b>Annexure 9</b> .
IV.	PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.	Condition Noted. Reply to the same was presented in 233 <sup>th</sup> SEIAA meeting dated 26.11.2021.
V.	An Architect Certificate shall be submitted stating that since appraisal of the project there is no change in the project.	Condition is noted and shall be complied with.
<b>SEIAA</b>	Conditions	
I.	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective tender movement.	Condition is noted and shall be complied with.
II.	PP to achieve at least 5% of total energy requirement from solar/other renewable sources.	We will comply the same.
III.	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.	We will comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt. 04.01.2019.
IV	SEIAA after deliberation decided to grant EC for- FSI area of 4154.42 m2, Non FSI area of 39150.32 m2, Total BUA of 80697.74 m2. (Plan approval-BP/Wakad/31/2021. Dated- 26.03.2021).	Condition is noted and agreed.
	al Conditions	
a) Const	ruction Phase :-	
I.	The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	During completed construction, the solid waste is segregated and recyclable material is sold to recyclers. Inert material is used for site leveling. The same will be adopted in proposed construction.

II.	communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.	and segregated properly at site and most of it will be reused for construction activity.
III.	Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.	Used oil generated at site will be disposed through MPCB authorized vendors.
IV.	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.	Drinking water and mobile toilets are provided for labors on site.
V.	Arrangement shall be made that waste water and storm water do not get mixed.	Separate drainage and storm water system / network will be provided to ensure wastewater and storm water do not get mixed.
VI.	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices	1
VII.	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.	
VIII.	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project	We have obtained permission to withdraw ground water from CGWA. Attached as <b>Annexure 10</b> .
IX.	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	
X.	The Energy Conservation Building code shall be strictly adhered to.	We will strictly adhere to Energy Conservation Building code.
XI.	development within the project site.	Yes, we are storing excavated topsoil on site. Same shall be used for horticulture / landscape development within the project site.
XII.	Additional soil for levelling of the proposed site shall	Construction debris will be used for base preparation of the road and for
XIII.	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic	Soil testing was done, according to reports all the parameters are within limit and Monitoring reports are

### Six Monthly Compliance Report of M/s. Vilas Javdekar Eco Shelters Pvt. Ltd

	contaminants.	attached as Annexure 3.
XIV.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	
21.4.	The diesel generator sets to be used during construction phase should be low Sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	DG (as per availability) during
XVI.	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Condition is noted.
XVII.	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.	Construction vehicles will be checked for PUC certificate before entry.
XVIII.	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	Care is taken to maintain the noise level within limits at site. Construction activities are limited to daytime only. Noise shields provided for heavy construction equipment's. PPE is provided to labors.
XIX.	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	•••
XX.	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.	Dedicated site engineer and supervisory staff is appointed to take care of the monitoring and overall implementation.
B) Opera	ation phase:-	

I.	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	We are ready to follow the following practices on site. a) The solid waste generated shall be properly collected and segregated. b) Wet waste will be treated by organic waste converter and compost will be utilized in the existing premises for gardening. c) Dry/inert waste shall disposed of to the approved sites for land filling after recovering recyclable material.
II.	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	Noted and will be complied.
III.	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100% treatment to sewage/Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	Noted.
IV.		All environmental infrastructure shall be in place before giving occupation.
V.	The occupancy certificate shall be issued by the	Condition is noted and we will comply the same.
VI.	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site	Condition is noted, all parking will be internalized and no public space

	must be avoided. Parking should be fully internalized and no public space should be utilized.	shall be utilized.
VII.	PP to provide adequate electric charging points for electric vehicles (EVs).	Condition is noted.
VIII.	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agricultural Dept.	We will develop Green belt as per Local planning authority as they have set up a garden department to ensure compliance guidelines.
IX.	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment Management cell is prepared for implementation of the environmental safeguards.
Х.	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Separate funds have been allocated for implementation of environmental protection measures/EMP, copy of same is attached as <b>Annexure 4</b> .
XI.	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra pollution control board and may also be seen at website at http:// parivesh.nic.in	Advertisement was published in Marathi and English Newspaper. The copy of same is attached as
XII.	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard and soft copies to the MPCB and this department, on 1 <sup>st</sup> June and 1 <sup>st</sup> December of each calendar year.	compliance report time to time.
XIII.	A copy of the clearance letter shall be sent by proponent to the concerned Municipal corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Condition noted and shall be complied.

XIV.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM. SO <sub>2</sub> , NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Condition is noted & agreed.
	al EC Conditions:-	
I.	PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.	We will strictly abide by the conditions stipulated by SEAC & SEIAA.
II.	5	Maharashtra Pollution Control Board is obtained on 12.03.2020; a copy of the same is attached as an <b>Annexure</b> <b>6A.</b> .
III.	Under the provisions of Environment (protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance. The project proponent shall also submit six	obtained Environmental Clearance before starting construction for our Project, copy of EC attached as Annexure 2A & 2B.
	monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal office of CPCB and the SPCB.	
V.	The environmental statement for each financial year ending 31 <sup>st</sup> March in Form-V as is mandated to be submitted by the project proponent to the concerned state pollution control Board as prescribed under the Environment (protection) Rules, 1986, as amended subsequently shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be put on the status of compliance of EC conditions and shall also be sent to the respective Regional offices of MoEF by e-mail.	We are submitting environmental statement for each financial year.

VI.	No further expansion or modifications, other than mentioned in the EIA notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
VII.	This environmental clearance is issued subject to obtaining NOC from forestry & wild life angle including clearance does not necessarily implies that forestry & wild life as if applicable & wild life clearance granted to the project which will be considered separately on merit.
4	The environmental clearance is being issued Condition is noted & agreed. without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
5	The Environmental Clearance is issued purely Condition is noted & agreed. from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6	In case of submission of false document and non- compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7	Validity of Environment Clearance:TheCondition is noted & agreed.environmental clearance accorded shall be validas per EIA Notification, 2006, amended fromtime to time.
8	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act. 1974, the Air (Prevention and Control of Pollution) Act. 1981. The Environment (Protection) Act. 1986 and rules

	there under. Hazardous Wastes (Management and Handling) Rules. 1989 and its amendments, the public liability Insurance Act, 1991 and its amendments.	
9	Any appeal against this environmental clearance shall lie with the National Green Tribunal (western zone Bench, Pune), New Administrative Building, 1 <sup>st</sup> Floor, D-Wing, Opposite council Hall, Pune, if preferred, within 30 days as prescribed, within 30 days as prescribed under section 16 of the National Green Tribunal, Act, 2010.	Condition is noted.

#### Section 5: Monitoring and Analysis

Monitoring of Air quality, Water quality, Soil quality, Noise level at construction site. Monitoring was done and samples were collected as per standard norms. All samples were analyzed in NABL accredited laboratory. The details of sampling parameters were given in following table.

Sr. No.	Environmental	Monitoring Parameters
	Components	
1	Air	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> , NO <sub>2</sub> , O <sub>3</sub> , Pb, CO, NH <sub>3</sub> , C <sub>6</sub> H <sub>6</sub> , Benzo
		(a) Pyrene – Particulate Phase only, As, Ni
2	Water	Colour, Odour, Turbidity, pH, TDS, Total Alkalinity, Total Hardness, Ca, Mg, Cl <sup>-</sup> , SO <sub>4</sub> , NO <sub>3</sub> , Fe, Mn, F, Pb, Cu, Zn, Cr <sup>6+</sup> , As, B, Residual Chlorine, Al, Cd, Se, Hg, Pesticides, Mineral Oil
3	Noise	Leq
4	Soil	pH, Electrical Conductivity, Total Nitrogen as N, Phosphate as P, Potasium as K, Exchangeable Calcium as Ca, Exchangeable Magnesium as Mg, Exchangeable Sodium as Na, Organic Matter, Texture

Monitoring results are attached as **Annexure 3** which indicates that parameters of all environmental components are within standard limit and there is no pollution at site.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:December 4, 2019

To, Mr. Sunil Khandu Kalamkar & others through POA Holder M/s Vilas Javdekar Eco Shelters Pvt.Ltd. at S.No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot 'A'

Subject:Environment Clearance for Residential & Commercial Project- 'YashONE Wakad Central ' at S.No.<br/>173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5 , Plot 'A', village: Wakad, Taluka: Mulshi, Pune by M/s Vilas<br/>Javdekar Eco Shelters Pvt.Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 95th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 181st meetings.

2. It is noted that the proposal is considered by SEAC-III under screening category 8 (a), B2 as per EIA Notification 2006.

#### Brief Information of the project submitted by you is as below :-

1.Name of Project	Residential & Commercial Project- 'YashONE Wakad Central '
2.Type of institution	Private
3.Name of Project Proponent	Mr. Sunil Khandu Kalamkar & others through POA Holder M/s Vilas Javdekar Eco Shelters Pvt.Ltd.
4.Name of Consultant	Sneha Hi Tech Products
5.Type of project	Housing Project
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Yes. EC was obtained from Envt. Dpt. Govt. of Maharashtra vide no. SEIAA-EC-0000000644 dated 19.01.2019
8.Location of the project	S.No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5 , Plot 'A'
9.Taluka	Mulshi
10.Village	Wakad
Correspondence Name:	Mr. Sarvesh Javdekar (M/s. Vilas Javdekar Eco Shelters Pvt. Ltd.)
Room Number:	306
Floor:	3rd floor
Building Name:	Siddharth Towers,
Road/Street Name:	Sangam Press Road,
Locality:	Near Karishma Housing Society,
City:	Pune- 411038
11.Whether in Corporation / Municipal / other area	Pimpri Chinchwad Municipal Corporation
	Building plan was sanctioned from PCMC. Latest sanction date is 17.07.2019 IOD received.
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: IOD received - BP/EC/ Wakad/13/2019 dated 20.09.2019
	Approved Built-up Area: 32754.80
13.Note on the initiated work (If applicable)	Work was initiated on site as per the earlier EC. Till 1st July 2019, excavation for buildings A $\&$ B was done and footings work for same is in process
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	NA
15.Total Plot Area (sq. m.)	15,074.32m2
16.Deductions	2,653.67 m2

17.Net Plot area	12,420.65 m2
	<b>FSI area (sq. m.):</b> 32,754.80 m2
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): 35,015.19 m2
	Total BUA area (sq. m.): 67769.99
	Approved FSI area (sq. m.): 32,754.80 m2
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.): 35,015.19 m2
	Date of Approval: 20-09-2019
19.Total ground coverage (m2)	2704.81 m2
20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	21.78 %
21.Estimated cost of the project	158000000



# Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197



Page 2 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

Serial Number	Pro	roduct Existing		(MT/M)	Proposed (MT/M)	Total (MT/M)		
1	Not an	plicable	Not apj	olicable	Not applicable	Not applicable		
		-			r Requirement			
		Source of			nchwad Municipal Corporati	on/ Recycled		
		Fresh wat	er (CMD):	Residential 15m3/ day	: 191m3/day, MHADA+ stud Total : 271 m3/day	io : 65 m3/day , Commercial :		
		Recycled Flushing	water - (CMD):	Residential m3/day Tot	: 96m3/day, MHADA+Studic al : 147m3/day	: 32 m3/day , Commercial: 19		
		Recycled Gardening	water - g (CMD):	20 m3/day				
		Swimming make up	g pool (Cum):	Nil	HME			
Dry season:		Total Wat Requirem :	er ent (CMD)	438 m3/day	féfer Jan			
		Fire fight Undergro tank(CMI	und water	Residential: 400 m3/day, MHADA+comm.: 75 m3/day				
		Fire fight Overhead tank(CMI	water	Residential: 100m3/day, MHADA+comm. : 25 m3/day				
		Excess tre	eated water					
		Source of	water	Pimpri Chin	nchwad Municipal Corporati	on / Recycled		
		Fresh water (CMD):Residential :191 m3/day, MHADA+ studio : 65 m3/day , Commerci 15 m3/ day Total : 271 m3/day						
		Recycled Flushing	water - (CMD):	<ul> <li>Residential : 96 m3/day, MHADA+Studio : 32 m3/day , Commercia m3/day Total : 147 m3/day</li> </ul>				
		Recycled Gardening	water - g (CMD):	NI				
Mat accord	_	Swimming make up	g pool (Cum):	Nil	TTEL STA			
Wet season	:	Total Wat Requirem :	er ent (CMD)	418 m3/day				
		Fire fight Undergro tank(CMI	und water	Residential: 400 m3/day, MHADA+comm.: 75 m3/day				
		Fire fight Overhead tank(CMI	water	Residential: 100m3/day, MHADA+comm. : 25 m3/day				
		Excess tre	eated water	245 m3/day				
Details of S pool (If any	wimming )	NA			1.1			

# wanarashtra

Page 3 of 13



		2	4.Detail	s of Tota	l water o	consume	d			
Particula rs	Cons	Consumption (CMD)		Loss (CMD)			Effluent (CMD)			
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
		Level of th water table		7-10 m.						
		Size and national states of the second states of th		NA	$\sim$					
		Location o tank(s):	f the RWH	NA	KUJ,	M				
		Quantity o pits:	f recharge	4aaa	धिक	L'an				
25.Rain V Harvestin (RWH)		Size of rec :	harge pits	2.0 X 2.0 X	2.5 m.	No. C	久			
(KWII)		Budgetary (Capital co	allocation ost) :	Rs.10 Lakhs						
		Budgetary (0 & M cos	allocation st) :	Rs. 0.75 Lakhs						
		Details of if any :	UGT tanks	Residential: Domestic : 287.55m3 Firefighting : 400 m3 MHADA+ commercial: Domestic: 122 m3 Firefighting : 75 m3						
		4	A			5	$\square$			
		Natural wa drainage p		From East	to west	R A	F.			
26.Storm drainage		Quantity o water:	f storm	637.8 Cum/Hr.						
		Size of SW	D: Z( ))	450-600 mm						
			5	74())1	(( ))	$\sim$				
		Sewage ge in KLD:	neration	Residential	: 268 KLD M	IHADA & Co	mm. : 124 K	LD Total : 39	92 KLD	
		STP techn	ology:	MBBR technology						
27.Sewa Waste w	hac on	Capacity o (CMD):	f STP	1 STP of 280 m3/day 1 STP of 130 m3/day						
	ater	Location & the STP:	area of		Area: Reside l (130KLD) -		LD) -99.25 m	12 MHADA&		
		Budgetary (Capital co		Rs. 77.18 L commercia		idential STP	Rs. 41.70 L	akhs for MH	ADA +	
			Budgetary allocation       Rs. 16.11 Lakhs/ Annum for Residential STP, Rs. 10.32 Lakhs/ Annum for MHADA + commercial STP							

Page 4 of 13

	28.Soli	d waste Management			
Waste generation in the Pre Construction and Construction	Waste generation:	Construction waste will be generated from the building, mainly comprising of waste concrete, excavated soil, broken bricks, waste plaster, metallic scrap etc. Debris chute will be used to channelize the waste from the building to the point of pick up on ground.			
phase:	Disposal of the construction waste debris:	Construction debris will be used for base preparation of road and for site leveling. Dry waste will be handed over to PCMC Ghantagaadi			
	Dry waste:	422 kg/day for Residential, 258 kg/day for MHADA& Commercial Total - 680 kg/day			
	Wet waste:	633kg/day for Residential, 292 kg/day for MHADA& Commercial Total - 925 kg/day			
Waste generation	Hazardous waste:	NA			
in the operation Phase:	Biomedical waste (If applicable):	NA			
	STP Sludge (Dry sludge):	82 kg/ day			
	Others if any:	E-waste - 2172 kg/year			
	Dry waste:	Handed over to PCMC Ghantagadi/SWACH for further handling & disposal purpose.			
	Wet waste:	Disposed through Organic Waste Convertor. Generated manure will be used for gardening.			
Mode of Disposal	Hazardous waste:	NA			
of waste:	Biomedical waste (If applicable):	NA			
	STP Sludge (Dry sludge):	Will be used as manure for gardening purpose.			
	Others if any:	E-waste : 2172 kg/year			
	Location(s):	On ground			
Area requirement:	Area for the storage of waste & other material:	OWC 1 -13.5 sq.m OWC 2 - 8.4 sq.m			
	Area for machinery:	OWC 1 -54 sq.m OWC 2 - 27.6 sq.m			
Budgetary allocation (Capital cost and	Capital cost:	Rs. 20.75 Lakhs for Residential OWC, Rs. 12.75 Lakhs for MHADA & commercial OWC			
O&M cost):	O & M cost:	Rs. 4.30 Lakhs for Residential OWC, Rs. 2.79 Lakhs for MHADA $\&$ commercial OWC			

# Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197



**Page 5 of 13** 

Shri. Anil Diggikar (Member Secretary SEIAA)

29.Effluent Charecterestics								
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)			
1	-	-	-	-	-			
2	-	-	-	-	-			
3	-	-	-	-	-			
4	-	· · · · ·						
Amount of effluent generation (CMD):		Not applicable						
Capacity of	the ETP:	Not applicable						
Amount of t recycled :	reated effluent	Not applicable						
Amount of v	water send to the CETP:	Not applicable						
Membershi	p of CETP (if require):	Not applicable						
Note on ET	P technology to be used	Not applicable						
Disposal of	the ETP sludge	XM						



# Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197



Page 6 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

0			30.Па		Waste D	etalls				
Serial Number	Description           Not applicable		Cat	UOM	Existing	Proposed	Total	Method of Disposa		
1			Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable		
			31.St	t <mark>acks em</mark>	ission De	etails				
Serial Number	Section	a & units		ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases		
1		KVA DG idential)	H	SD	S1	3	0.125	425 deg C		
2		VA(MHADA omm.)	H	SD M	S1,S2	3	0.125	425 deg C		
			32.De	tails of H	<sup>7</sup> uel to be	e used				
Serial Number	Туј	pe of Fuel	Uza	Existing	fef	Proposed		Total		
1		HSD		lot applicabl	e	HSD	7	HSD		
Source of F	uel	<u>S</u>	Trans	sportation		Y2X	2			
Mode of Tra	ansportation	of fuel to sit	e By ve	ehicle 🔍	þ	1.10	EL.			
		$\sum$	F	7.		2				
		X.		<b>33.E</b>	nergy	2	F			
		Source of particular supply :	power	Maharasht	ra State Elec	tricity Distri	bution Comp	any Ltd.		
		During Co Phase: (De Load)	nstruction emand	156.50 KW		ې بر	H			
		back-up du	DG set as Power back-up during construction phase		01 nos. X 125 KVA					
_		During Op phase (Cor load):	eration nnected	3751.24KW	मदार्भ		<u>y</u>			
Pov require	wer ement:	During Op phase (Der load):	eration mand	2009.34 KV	V	Q.				
		Transform	er:	04 nos. X 6	30KVA					
		DG set as l back-up du operation	iring	Residential 500 KVA	- 01 nos. X 3	320KVA . MH	IADA & com	m. building- 2 nos. x		
		Fuel used:		HSD		THE		· · · · · ·		
		Details of tension lin through th any:								
		34.Ene	ergy savi	ng by no	n-conver	ntional m	ethod:			
Solar photo LED lights f Timer switc	heating system voltaic gene for common hes for stre cient pumps	tems @ 125 eration panels areas. et lights.	litres per ap		uo					
		3	6.Detail	<u>calculati</u>	ions & %	of saving	g:			
Serial Number	E	Energy Cons				Saving %				
1	Energy S Against Co	aving using H onventional C Ballast fo	Energy effici CFL/T8 fixtur r Common A	e with Elect	fixtures Electronic 45.85 %					
	Energy	Saving using	Automatic T tion for Exte	imer operati	ion		35.85 9			

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197	Page 7 of 13	Shri. Anil Diggikar (Member Secretary SEIAA)
---	--------------	---

	<b>P Q</b> · · ·							
3	Energy Saving using Elect	g Solar PV System Agains rical Supply	st	66.04 %				
4	Energy Saving us AgainstElect	ing Solar Water Heater crical water Heater		74.29 %				
5	Energy saving using Low Loss Transformer 5.00 %							
	37	.Details of pollut	ion control Syste	ms				
Source		tion control system		posed to be installed				
Dust	Not	Not applicable Water sprinklers						
Sewage	Not	applicable	Sewage Treatment Plant					
Solid Waste	Not	applicable	Organic Waste Composter					
Vehicular	Not	applicable	M	PUC check				
(Capital O&M	allocation cost and cost): Capital cost 0 & M cost	t: Rs. 2.15 La	khs/annum	atom Allocation				
30				etary Allocation				
Contal		Construction pha	ise (with Break-u	ip):				
Serial Number	Attributes	Parameter	Total Cost p	per annum (Rs. In Lacs)				
1	Water For Dust Suppression	Sprinklers system	RA	2				
2	Site Sanitation & Safety	Mobile toilets, fumigation, Personal protective equipments		10				
3	Environmental Monitoring	Air, noise, water & soil	te te	2				
4	Health Check Up	Hospital		2				
5	Environment Management cell	Formation of cell		8.40				
6	NA 🗸	TOTAL	24	24.4				
	b	) Operation Phas	e (with Break-up	):				
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)				
1	Rain Water Harvesting	04 nos. of recharge pits	10.00	0.75				
2	Sewage Treatment Plant	280 KLD + 130 KLD STP	103.60	15.56				
3	Organic Waste Composter	633 + 292kg/ day	33.5	7.10				
4	Tree plantation	245 nos. of trees	11.10	3.33				
5	Energy Conservation	LED lighting ,Solar water heating systems, Solar photo voltaic generation,Low loss transformer	166.45	2.15				
	<b>D</b> :	Comprising of society	0.00	6.48				
6	Environment Management Cell	Comprising of society & technical staff						
6 7		& technical staff Exhaust fans (4 nos.)	100.00	6.66				
	Management Cell			6.66 4.00				
7	Management Cell Basement ventilation Environment	Exhaust fans (4 nos.)	100.00					

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
40.Any Other Information							
No Information Availa	able						



# Government of Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197



Page 9 of 13

Shri. Anil Diggikar (Member Secretary SEIAA)

CRZ/ RRZ clearance obtain, if any:	NA
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
Category as per schedule of EIA Notification sheet	8 (a), B2
Court cases pending if any	NA
Other Relevant Informations	NA
Have you previously submitted Application online on MOEF Website.	No
Date of online submission	

3. The proposal has been considered by SEIAA in its 181st meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions: G

Specific	Conditions:
----------	-------------

Ι	PP to ensure that CER plan get approved from Municipal Commissioner/District Collector.
II	PP to upload the scheme of basement ventilation.
III	PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF & CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
IV	SEIAA decided to grant EC for -FSI: 32754.80 m2, Non-FSI: 35015.19 m2 and Total BUA: 67769.99 m2 ( Plan Approval no- BP/ENV/Wakad/13/2019, Date-20.09.2019)

<b>General Conditions:</b>	
I	E-waste shall bedisposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
Ш	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
ш	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.

SEIAA Meeting No: 181 Meeting Date: November 15, 2019	(
SEIAA-STATEMENT-0000003662)	
SEIAA-MINUTES-000002736	
SEIAA-EC-0000002197	

Page 10 of<br/>13Shri. Anil Diggikar (Member<br/>Secretary SEIAA)

	-			
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.			
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.			
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.			
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.			
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.			
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.			
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.			
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase Adequate measures should be made to reduce ambient air and noise level during construction phase, so as conform to the stipulated standards by CPCB/MPCB.			
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).			
XXIII	Ready mixed concrete must be used in building construction.			
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.			
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.			
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.			
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line.Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line.Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.			
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.			
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.			
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.			
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.			
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.			
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.			
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.			
XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.			
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.			
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.			
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.			

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197

- En Page 11 of<br/>13Shri. Anil Diggikar (Member<br/>Secretary SEIAA)

<

XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective

# Maharashtra

SEIAA Meeting No: 181 Meeting Date: November 15, 2019 ( SEIAA-STATEMENT-0000003662) SEIAA-MINUTES-0000002736 SEIAA-EC-0000002197

Secretary SEIAA)

13

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.


10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune),New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Shri. Anil Diggikar (Member Secretary SEIAA)

#### Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- **5.** SECRETARY MOEF & CC
- 6. IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. MUNICIPAL COMMISSIONER PUNE
- **10.** MUNICIPAL COMMISSIONER SATARA
- **11.** REGIONAL OFFICE MPCB PUNE
- **12.** REGIONAL OFFICE MIDC PUNE
- 13. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- **14.** COLLECTOR OFFICE PUNE
- **15.** COLLECTOR OFFICE SATARA
- 16. COLLECTOR OFFICE SOLAPUR





This is a computer generated cover page.

#### STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/258454/2022 Environment & Climate Change Department Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

То

M/s Vilas Javdekar Eco Shelters Pvt. Ltd. S. No., 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village Wakad, Tal. Mulshi, Dist.- Pune

> Subject: Expansion in Environmental Clearance of Residential and Commercial Project at S. No., 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, village Wakad, Tal. Mulshi, Dist.- Pune, Maharashtra. by M/s Vilas Javdekar Eco Shelters Pvt. Ltd.

#### Reference: Application no. SIA/MH/MIS/258454/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC- 3in its 125<sup>th</sup> & 138<sup>th</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 233<sup>rd</sup> & 243<sup>rd</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2.		the project sublittled b	· · · · · · · · · · · · · · · · · · ·				
1.	Proposal Number	SIA/MH/MIS/215610	//2021				
2.	Name of Project	Proposed expansion in	Residential and Commercial Project				
		1 S S 🖷	+2+3+4, 173/2/2A/1+3+4+5, Plot				
1		"A",					
		village Wakad, Tal. Mulshi, Dist. Pune-4110					
		An alter 🗸 🗸	al. Mulshi, Dist. Pulle-411037,				
		Maharashtra					
	Project category	8(a), B2					
4.	Type of Institution	Private					
5.	Project Proponent	Name	M/s. Vilas Javdekar Eco Shelters				
			Pvt.Ltd.				
		Regd. Office address					
			PressRoad, Kothrud, Pune- 411038				
		Contact number	020-67648000				
	n an the second seco						
	~ .	e-mail	sarvesh.javdekar@javdekars.com				
	Consultant	Sneha Hi-Tech Prod					
7.	Applied for	Expansion in existing	project				
8.	Details of previous EC	EC No. SEIAA-EC-00	000002197 dated 04.12.2019 for				
	-	Total					
		Built-up area of 67,76	9.99 sq.m. by M/s Vilas Javdekar				
		EcoShelters Pvt. Ltd.					
9.	Location of the project	S. No., 173/2/2B/1+2-	+3+4, 173/2/2A/1+3+4+5, Plot				
-		"A",	,				
			al. Mulshi, Dist. Pune-411057,				
		village wakau, 1	ai. muisili, Dist. rulie-411037,				

2. Brief Information of the project submitted by you is as below: -

· · · · · · · · · · · · · · · · · · ·		-			
	Maharashtra	a			
10 Latitude and Longitude	Latitude: 18	3°35'55.25"N,	Longitude: 73°	45'45.59	9"E
11 Total Plot Area(m <sup>2</sup> )	15,353.09 s	q.m.			
•					
12 Deductions(m <sup>2</sup> )	1,230.19 sq	.m.			
•	Sector de	rtege (Sam)			
13 Net Plot area(m <sup>2</sup> )	14,122.90 s	q.m.		Septer,	
		North Carl	the second		
14 Proposed FSI area(m <sup>2</sup> )	41,547.42 s	q.m.			
	NARS!	- NAS Draines.			
15.Proposed non-FSL	39,150.32 s	a.m.	Can Man Mar		
area(m2)	1			. ` 4 <sup>9</sup>	ria.
16.Proposed TBUA (m <sup>2</sup> )	80,697.74 s	q.m.			
17.TBUA (m <sup>2</sup> ) approved by			SI area 41,547.4	2 sa.m.	Approval
Planning Authority till date			ated 26.03.2021		TT
18.Ground coverage (m <sup>2</sup> ) & %	1697.74 sq.				N
19. Total Project Cost (Rs.)	Rs. 181.24				
20 CER as per MoEF Activity	<u>µ(3. 101.2  </u>	Location	Cost (	Re )	Duration
& CC		Location		1.3.)	Duration
circular					
Dated 01/05/2018					
NA				<u>ras a</u>	
		i a a chuir a c	r <i>AR</i> (97)	NE A	
21 Details of Building Config	uration:				Reasonfor
. < Pleaseusefollowinglegend		,Parking=Pk,	Podium=Po,S	tilt=St,	
Lower					
Ground=LG,UpperGround	=UG,Base	ment=B,Sho	os=Sh>		Modifica
					tion/
		No.			Change
		<b>b</b>		F S	
Previous EC/ Existing Buil		Proposed Co			
Building Configurati		Building		Height	
Name on	(m)	Name	on	(m)	N9958
	<u>×   · · · · · · · · · · · · · · · · · · </u>	s - 1 dages - die ereter		7 W L	
Duilding A D		Building A	and the second second	2012 A	
Building A,B,	60.00	Building A, $P \cap \mathcal{E} $	D197 Elager	60 00	No Change
C & D P+22 Floors	69.90	Building A, B, C & D	P+22 Floors	7. j	No Change
	69.90		P+22 Floors 2B+GP+4	69.90 19.55	No Change No Change
C & D P+22 Floors	69.90 17.10	B, C & D Building E	h dir	7. j	
C & DP+22 FloorsBuilding E2B + P + 4		B, C & D Building E	2B+GP+4	7. j	No Change
C & D P+22 Floors Building E 2B + P + 4 (Parking) Floors	17.10	B, C & D Building E	2B+GP+4	7. j	No Change Increase in
C & D P+22 Floors Building E 2B + P + 4 (Parking) Floors Building F 2B + Gr.+	17.10	B, C & D Building E	2B+GP+4 Floors	19.55	No Change Increase in
C & D P+22 Floors Building E 2B + P + 4 (Parking) Floors Building F 2B + Gr.+ (MHADA + Mezz. + 12	17.10	B, C & D Building E	2B+GP+4 Floors B+G+1st+3	19.55	No Change Increase in 7 nos. of floors,
C & D P+22 Floors Building E 2B + P + 4 (Parking) Floors Building F 2B + Gr.+ (MHADA + Mezz. + 12	17.10	B, C & D Building E	2B+GP+4 Floors B+G+1st+3 Parking floors +16	19.55 68.10	No Change Increase in 7 nos. of floors, decrease in
C & DP+22 FloorsBuilding E2B + P + 4(Parking)FloorsBuilding F2B + Gr.+(MHADA +Mezz. + 12	17.10	B, C & D Building E	2B+GP+4 Floors B+G+1st+3 Parking floors +16 uppe	19.55 68.10	No Change Increase in 7 nos. of floors, decrease in 1 nos.
C & D P+22 Floors Building E 2B + P + 4 (Parking) Floors Building F 2B + Gr.+ (MHADA + Mezz. + 12	17.10	B, C & D Building E	2B+GP+4 Floors B+G+1st+3 Parking floors +16	19.55 68.10	No Change Increase in 7 nos. of floors, decrease in

_		<u> </u>						
1	Covered	<b>a b</b> 1		Covered				
		G.P only	3.15	Parking	G.P only	3.15	No Change	
	Structure			Structure				
22	Total number o	f tenemer	nts	- <b>I</b>	Tenements A, B, C, D F – MHAI (co-living) Commercia	– 414 nos. DA: 57, R units - 424	esidential	
			n statistic Statistics		offices			
					Total Tene Population			
23	Water Budget	Dry	Season (CM	D)	Wet Seasor	n (CMD)		
1		Fres	h Water	348	Fresh Wate	er	348	
			cled (flushir		Recycled (		188	
			cled water rdening)	20	Recycled v (Gardening			
-		Swii	nming Pool		Swimming	; Pool		
		Tota	1	556	Total		536	
		Was	te watergener	ation 502	Waste wate generation		502	
	WaterStorage Capacity	for						
- CC	Firefighting/UG		R		Residential	Residential Bldg. F		
		Fire	Fire Fighting Tank 3		300 m <sup>3</sup>	00 m <sup>3</sup> 100 m <sup>3</sup>		
		Fre	sh water tank		285 m <sup>3</sup>	237 m <sup>3</sup>		
	Sourceofwater		C/Tanker wa					
1	Rainwater Harvesting(RWH	I)	antanan antana Antanan antanan antana a	e: 7 m BGL (	pre monso	on)		
			and no. of ] Quantity:	RWH tank(s)	) NA			
		pits:				06 nos., 2 X 2 X 2.5 m.		
		Deta	ils of UGT ta	inks if any:	NA			
27	Sewage and Wastewater		Sewage generation in CMD:					
			STP technology:			MBBR		
		Cap	acity of STH	' (CMD):	280 KLD &	e 235 KLI	)	

	Solid Waste	Туре		Quantity(kg/d)	Treatment/disposa		
	Management	Drywaste:		15 kg/day 10 kg/day			
	during Construction	Wetwaste:					
	Phase	Constructionwaste		At actual	Utilized on site at		
					maximum extent.		
					Rest handed over		
					tolocal body		
29	Solid Waste	Туре		Quantity(kg/day)	Treatment/disposa		
	Management during	Dry waste:		868 kg/day	Handed over to		
	OperationPhase 🔗	Wet waste:		ar fillinge.	Authorized Agenc Treated in OWC		
				1189 kg/day			
		Hazardous waste:		NA			
	State State	<b>Biomedical</b> waste	and Alman	NA			
	16. CQ _	E-Waste		7.51 kg/day	Handed over 1 Authorized		
	a se de		- waste				
					recycler for furthe		
	t de des				handling		
			allas.		disposal purpose.		
		STP Sludge (dry)	<u> </u>	103 kg/day	Used as manure for		
		STI Sludge (dry)		105 Kg/ddy	gardening		
					Barabanag		
30	Green Belt Developr	nent 🖉 👘					
			Total D(	2600.00 m <sup>2</sup>			
				G area (m <sup>2</sup> ):	28 nos.		
				trees on plot:	23  Hos. 217 nos.		
				of trees to be	217 1105.		
			planted:				
				of trees to be cut:	0 nos.		
			a second second second second second	of trees to be	0 nos.		
<u>.</u>			transplar		NACED		
31	Power			f power supply:	MSEB		
				Construction Pha	e 78.25 KW		
			<u> </u>	d Load):			
				Operation phase	3252.41 KW		
			· · · · · · · · · · · · · · · · · · ·	cted load):			
				Operation phase	2297.87 KW		
				d load):			
			Transfo	rmer:	2 X 630		
					KVA, 2		
		물 수입니다. 지원 이 가장에 있는 것이 있는 것이 있다.		A A NO	X 630 KVA		
					+ 1		
		<u>- 10~ 첫 대왕</u> - 왕			X 315 KVA		
			DG set:		1 X 200		
			•		KVA, 1		
					X 62.5 KVA,		
			1		1 X		
					125 KVA, 1		
			Fuel use		X600 KVA HSD		

32 Details of Energy saving	4		ing = 14% ily due to		ompon	ent = 1	1.52
33 Environmental		Constru					
Management plan budget during		Construction phase Type Details				Total C	lost
Construction phase		Туре	Details			Total Cost	
۔ بین ایک	, in ( 78 ) - 74					(Rs. La	ıkhs )
		Capita		Barricad		30.00	
		Cost (R		nal Prot			
	한다. 1984 -	Lakhs	n da Pierra 🔺	ipment,			
				ation- M ets& De			
				inageme			
				mageni	-110	an artan T	
		O & M Cost (R	1.1			2	-
		Lakhs p	er Site	Sanitati	on ,	1.	5
		annum		infection		10	
				Safety	· .		
				ironme		2	
				onitorir	-		
				Check ı	-	2.:	5
			12.5	ronment ement C		13.20	
		uni in t		total		51.20	
· · · · · · · · · · · · · · · · · · ·		<b>1</b>	and a second sec			<b>I</b>	- 294
34 Environmental Management plan Budget during							
Operation phase		tion phas	e		-	n Maria	
	Com	onent	Details		-	ıl O&I	
						ks. (Rs.i	
					Lakhs	) Lak	hs/Y
	Storm	Water	Connectio external li		3.00	0.3	
	Sewaş treatm		STP Oper and its maintenar		143.84	33.70	6
	Water treatm		Treatment ground wa its portabi	ater for	NA	NA	

1

٢.

	· · · ·	· · · · · · · · · · · · · · · · · · ·		
		Recharging existing ground water table	13.40	0.4
		NA		
	Pool			
	6200	Collection Segregation and management of MSW	23.50	6.44
	Hazardous waste	NA	NA	NA
	e-waste	Collection Segregation and hand over to authorized vendors		0.15
	Green belt development	Plantation of new trees and maintenance of existing trees	11.88	3.96
	Energy saving	Energy saving measures	160.88	2.13
₩.×	Environmental Monitoring	To monitor sustainability of Environmental Infrastructure		4
And Andrewson	Disaster Management	Emergency preparedness plan to develop and implement on site	46.56	2.37
	Basement ventilation	Ventilation for basements	15.00	8.10
	Basement pumping + Sewage pumping	Dewatering of basements and pumping of excess treated water upto sewerline	7.50	1.00

		Biomedical Waste Management	Handling segregation and management of waste like mask, shields, PPE kits etc.		Considere din solid waste
		Total		426.06	62.61
	Traffic Management	Required as per DCR	Actual Provided	Area p (m <sup>2</sup> )	er parking
	4-Wheeler	318	318		n range of to 35 m <sup>2</sup>
	2-Wheeler	2011	2011		
	Cycle	816	816	1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	······
•	Details of Court cases/ litigations w.r.t .the project and project location if any.	No			

3. Proposal is an amendment in existing residential and commercial project. PP obtained earlier EC vide letter dated 04th December, 2019 for FSI area 32,754.80 sq.m., Non FSI area 35,015.19 sq.m. with total built up area 67,769.99 sq.m. The proposal has been considered by SEIAA in its 243<sup>rd</sup> (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

## **Specific Conditions:**

## A. <u>SEAC Conditions-</u>

- 1. PP to submit Architect Certificate in compliance with earlier EC vis a vis construction carried out.
- 2. PP to submit water NOC.
- 3. Sewer NOC presented by PP was without Signature. PP informed that it is digital NOC hence signature not required, however no proof regarding digital NOC was observed. PP to submit either revised NOC or Clarification from planning authority.
- 4. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- 5. An Architect Certificate shall be submitted stating that since appraisal of the project there is no change in the project.

## B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI- 41547.42 m2, Non-FSI-39150.32 m2, Total BUA-80697.74 m2. (Plan approval-BP/Wakad/31/2021, dated-26.03.2021).

#### <u>General Conditions:</u>

## A. Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
  - X. The Energy Conservation Building code shall be strictly adhered to.
  - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the

stipulated standards by CPCB/MPCB.

- XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

#### B. **Operation phase:-**

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely

circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in

- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

#### C. General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
  - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
  - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
  - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

3. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

4. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

7. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

8. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar, Mhaiskar (Member Secretary, 14,2022)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

EC Identification No. - EC22B038MH164277 File No. - SIA/MH/MIS/258454/2022 Date of Issue EC - 09/06/2022



## **GREEN CIRCLE, INC.**

Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (F. No. - 15018 / 06 / 2016 - CPW) (ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

#### Report No: GCI/V/Lab/EM-SP/23-24/May-00/0200

Date: 30/05/2023

## ANALYSIS REPORT

Client details		Sample Details			
Name	M/s Vilas Javdekar Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/AA1		
	173/2/2B/1+2+3+4,	Location	NEAR SECURITY GATE		
Address	173/2/2A/1+3+4+5, Plot 'A', village Wakad, Tal. Mulshi, , Dist Pune, Maharashtra.	Date of Sampling	23/05/2023		
Sampling Done By	Mr. Mukesh Patel	Date of Sample Received	24/05/2023		
Analysis Starts On	24/05/2023	Sampling Instrument	RDS, FPS		
Analysis Completion On	29/05/2023	Sampling Method	IS 5182 : Part 5 : 1975		

## **AMBIENT AIR ANALYSIS RESULTS**

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM10)	µg/m³	72.3	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m³	44.9	60	NAAQS Guidelines
3	Sulphur dioxide (SO <sub>2</sub> )	µg/m³	18.9	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NOx)	µg/m³	24.9	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m <sup>3</sup>	.50	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O <sub>3</sub>	µg/m³	18.8	100	NAAQS Guidelines
7	Lead as Pb	µg/m³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m <sup>3</sup>	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m <sup>3</sup>	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH3	µg/m³	BDL (<5)	400	NAAQS Guidelines
11	Benzene , C <sub>6</sub> H <sub>6</sub>	µg/m³	BDL (<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m <sup>3</sup>	BDL (<0.1)	1.0	Gas Chromatography



**Authorized Signatory** 

- Analysis is subject to the condition in Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

	GOA	PUNE	BENGA	LURU	U.K.	HYDERABA	AD	KOLKATA		MUMBAI	PORT	
AUSTRALIA	OMA		UWAIT	AFRI		VIETNAM	-	NGLADESH	MYANMA		ANKA	UAE



Date: 30/05/2023

## ANALYSIS REPORT

Client details		Sample Details			
Name	M/s Vilas Javdekar Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/AA2		
Address	173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot 'A',	Location	SOUTHWEST CORNER OF SITE		
Address	village Wakad, Tal. Mulshi, , Dist Pune, Maharashtra.	Date of Sampling	23/05/2023		
Sampling Done By	Mr. Mukesh Patel	Date of Sample Received	24/05/2023		
Analysis Starts On	24/05/2023	Sampling Instrument	RDS, FPS		
Analysis Completion On	29/05/2023	Sampling Method	IS 5182 : Part 5 : 1975		

## **AMBIENT AIR ANALYSIS RESULTS**

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1	Particulate Matter (PM10)	µg/m³	77.1	100	IS 5182 : Part 23 : 2006
2	Particulate Matter (PM <sub>2.5</sub> )	µg/m³	45.1	60	NAAQS Guidelines
3	Sulphur dioxide (SO <sub>2</sub> )	µg/m³	20.1	80	IS 5182 : Part 2 : 2001
4	Oxides of Nitrogen (NOx)	µg/m³	18.4	80	IS 5182 : Part 6 : 2006
5	Carbon Monoxide CO	mg/m <sup>3</sup>	0.61	2.0	IS 5182 : Part 10 : 1999
6	Ozone as O <sub>3</sub>	µg/m³	13.1	100	NAAQS Guidelines
7	Lead as Pb	µg/m³	BDL (<0.1)	1.0	NAAQS Guidelines
8	Nickel as Ni	ng/m <sup>3</sup>	BDL (<1)	20	NAAQS Guidelines
9	Arsenic as As	ng/m <sup>3</sup>	BDL (<1)	6.0	NAAQS Guidelines
10	Ammonia as NH3	µg/m <sup>3</sup>	BDL (<5)	400	NAAQS Guidelines
11	Benzene , C6H6	µg/m <sup>3</sup>	BDL(<0.01)	5.0	IS 5182 (Part 11):2006
12	Benzo (a) Pyrene	ng/m <sup>3</sup>	BDL (<0.1)	1.0	Gas Chromatography



**Authorized Signatory** 

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

NEW DELHI	GOA PU	NE BENGALUR	U U.K.	HYDERABAD	KOLKATA	DHARWAD	MUMBAI	PORT BLAIR
AUSTRALIA	OMAN		RICA		ANGLADESH	MYANMA		



Date: 30/05/2023

## ANALYSIS REPORT

Client details		Sample Details			
Name	M/s Vilas Javdekar Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/AA3		
Address	173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot 'A',	Location	NORTHEAST CORNER OF		
Address	village Wakad, Tal. Mulshi, , Dist Pune, Maharashtra.	Date of Sampling	23/05/2023		
Sampling Done By	Mr. Mukesh Patel	Date of Sample Received	24/05/2023		
Analysis Starts On	24/05/2023	Sampling Instrument	RDS, FPS		
Analysis Completion On	29/05/2023	Sampling Method	IS 5182 : Part 5 : 1975		

## **AMBIENT AIR ANALYSIS RESULTS**

Sr. No.	Parameters	Unit	Results	National Ambient Air Quality Standards (NAAQS) amended 2009	Reference Method
1.	Particulate Matter (PM10)	µg/m³	59.9	100	IS 5182 : Part 23 : 2006
2.	Particulate Matter (PM <sub>2.5</sub> )	µg/m³	48.8	60	NAAQS Guidelines
3.	Sulphur dioxide (SO <sub>2</sub> )	µg/m³	29.1	80	IS 5182 : Part 2 : 2001
4.	Oxides of Nitrogen (NOx)	µg/m³	26.9	80	IS 5182 : Part 6 : 2006
5.	Carbon Monoxide CO	mg/m <sup>3</sup>	0.48	2.0	IS 5182 : Part 10 : 1999
6.	Ozone as O <sub>3</sub>	µg/m³	21.1	100	NAAQS Guidelines
7.	Lead as Pb	µg/m³	BDL (<0.1)	1.0	NAAQS Guidelines
8.	Nickel as Ni	ng/m <sup>3</sup>	BDL (<1)	20	NAAQS Guidelines
9.	Arsenic as As	ng/m <sup>3</sup>	BDL (<1)	6.0	NAAQS Guidelines
10.	Ammonia as NH3	µg/m³	BDL (<5)	400	NAAQS Guidelines
11.	Benzene , C6H6	µg/m³	BDL(<0.01)	5.0	IS 5182 (Part 11):2006
12.	Benzo (a) Pyrene	ng/m <sup>3</sup>	BDL (<0.1)	1.0	Gas Chromatography



**Authorized Signatory** 

- Analysis is subject to the condition in Which the Sample is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

NEW DELHI	GOA	PUNE	BENGA	LURU	U.K.	HYDERAB	AD	KOLKATA	DHARWAD	MUMBAI	PORT	BLAIR
AUSTRALIA	OMA		UWAIT	AFRI		VIETNAM		NGLADESH	MYANMA		ANKA	UAE



Date: 30/05/2023

## ANALYSIS REPORT

Client Det	ails		Sample Details		
Name	M/s Vilas Javde Ltd.	kar Eco Shelters Pvt.	Sample Code	GCI/V/23/VJE/N1-3	
	472/2/20/4.2.	2.4	Location	As per table	
	173/2/2B/1+2+	3+4, 4+5, Plot 'A', village	Quantity	NA	
Address		ilshi, , Dist Pune,	Date of Measurement	23/05/2023	
	Maharashtra.		Sampling Instrument	Sound Level Meter	
				(HTC/SL-1352)	
Measurem	nent Done By	Mr. Mukesh Patel	Sampling Method HTC/SL-1352 Inst. Manua		

## **NOISE MONITORING RESULTS**

			Day	y Time	Night Time		
Sr. No.	Location Name	Units	Results	MPCB Permissible Limit	Results	MPCB Permissible Limit	
1.	Near Security Gate	dB (A)	54.6	55	41.9	45	
2.	Southwest Corner of the Site	dB (A)	53.9	55	38.6	45	
3.	Northeast Corner of the Site	dB (A)	50.4	55	35.1	45	

Limits: Maharashtra pollution Control Board has prescribed 55 dB (A) as an upper limit of noise level during day time and 45 dB (A) during night time for residential area.



Authorized Signatory

- Analysis is subject to the condition in Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

								2008		179 NO		
	GOA	PUNE	BENG	ALURU	U.K.	HYDERABA	D	KOLKATA	DHARWAD	MUMBAI	PORT	BLAIR
AUSTRALIA	OM		UWAIT	AFRI				NGLADESH			ANKA	UAE



## **GREEN CIRCLE, INC.**

Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (F. No. - 15018 / 06 / 2016 - CPW) (ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

#### Report No: GCI/V/Lab/EM-SP/23-24/May-00/0200

Date: 30/05/2023

## ANALYSIS REPORT

Client Deto	ails		Sample Details				
Name	M/s Vilas Javdekar	Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/S1			
		4, 173/2/2A/1+3+4+5,	Location	SOIL – Project site			
Address	Plot 'A', village Wa Dist Pune, Maha	akad, Tal. Mulshi, , rashtra.	Quantity	2.0 kg			
Sampling I	Done By	Mr. Mukesh Patel	Date of Sampling	23/05/2023			
Analysis St	arts on	24/05/2023					
Analysis Completion On		29/05/2023	Sample Received Date	24/05/2023			

#### SOIL ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Test Procedure
1	pH (1:5 Soil Suspension)	-	7.4	IS 2720 (Part 26):1987
2	Electrical Conductivity (1:5 Soil Suspension)	m\$/cm	0.50	EPA Method 9045
3	Total Nitrogen as N	mg/kg	45.6	Kjeldahl Method
4	Phosphate as P	mg/kg	58.2	Olsen Method
5	Potassium as K	mg/kg	124	ЕРА 3050 В
6	Exchangeable Calcium as Ca	meq/100g	11.3	EPA 3050 B
7	Exchangeable Magnesium as Mg	meq/100g	9.2	ЕРАЗО50 В
8	Exchangeable Sodium as Na	meq/100g	0.87	ЕРА3050 В
9	Organic Matter	%	1.72	Walkey and Black Method
10	Texture	-	Sandy Clay	Robinson Pipette Method

**BDL =Below Detectable Limit** 

DL =Detectable Limit



**Authorized Signatory** 

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

				. ALOU AI .				
	2015-01-02-02 HT 10-02-02-03-03	E BENGALURU	<ul> <li>S.220 (SFET)(2.5)</li> </ul>				전 가지 잘 없다는 것이 다 것을 가지 않는 것을 했다.	경기는 법칙 여행의 사람이 가지 않는 것 같아요. 이 가지 않는 것이
AUSTRALIA	OMAN		RICA		ANGLADESH	MYANMA		



#### GREEN CIRCLE, INC. Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (F. No. - 15018 / 06 / 2016 - CPW) (ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

#### Report No: GCI/V/Lab/EM-SP/23-24/May-00/0200

Date: 30/05/2023

## ANALYSIS REPORT

Client Det	ails		Sample Details				
Name	M/s Vilas Javdekar	Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/DW1			
	173/2/2B/1+2+3+	4, 173/2/2A/1+3+4+5,	Location	Municipal Water at Project Site			
Address	Plot 'A', village Wa Dist Pune, Maha	akad, Tal. Mulshi, , rashtra.	Quantity	2000 ml			
Sampling	Done By	Mr. Mukesh Patel	Date of Sampling	23/05/2023			
Analysis St	arts on	24/05/2023	Sampling Method	APHA 1060			
Analysis Completion On		29/05/2023	Sample Received Date	24/05/2023			

#### **DRINKING WATER ANALYSIS RESULTS**

Sr. No.	Parameter	Unit	Results	Permissible Limit as per IS 10500-	Reference Method
1	Colour	Hazen	Nil	5	APHA 22nd EDITION
2	Odour	-	No Odour	Unobjectionable	APHA 22nd EDITION
3	Taste	-	Agreeable	Agreeable	APHA 22nd EDITION
4	Turbidity	NTU	BDL(<0.5)	1	IS : 3025 Part 10-1984 (Reaff: 2002)
5	pH at 25 °C	-	7.2	6.5-8.5	IS : 3025 Part 11- 1983 (Reaff:2002)
6	Total Dissolved Solids	mg/l	260	500	IS : 3025 Part 16-1984 (Reaff:2003)
7	Total Alkalinity as CaCO3	mg/l	134	200	IS : 3025 Part 23- 986(Reaff:2003)
8	Total Hardness as CaCO3	mg/l	81	200	IS : 3025 Part 21-2009
9	Calcium as Ca	mg/l	60	75	IS : 3025 Part 40-1991 (Reaff:2003)
10	Magnesium as Mg	mg/l	31	30	APHA 22nd EDITION-3500 Mg-B
11	Chloride as Cl-	mg/l	91	250	IS : 3025 Part 32-1988 (Reaff:2003)
12	Sulphate as SO4	mg/l	61	200	APHA 22nd EDN-4500- SO42- E
13	Nitrate as NO3	mg/l	31	45	APHA 22nd EDN -4500- NO3- B
14	Iron as Fe	mg/l	0.29	0.30	IS : 3025 Part 53-2003
15	Manganese as Mn	mg/l	BDL (<0.02)	0.10	APHA 22nd EDN -3500-Mn D
16	Fluoride as F	mg/l	0.45	1.00	APHA 22nd EDN -4500-F B&D
17	Lead as Pb	mg/l	BDL (<0.03)	0.05	IS:3025 Part 47 (Reaff:2003)
18	Copper as Cu	mg/l	BDL (<0.03)	0.05	IS:3025 Part 42 (Reaff:2003)

NEW DELHI	GOA	PUNE	BENGA	LURU	U.K.	<ul> <li>ALSO AT : HYDERABAL</li> <li>OVERSEAS</li> </ul>	KOLKA	ATA	DHARWAD	MUMBAI	PORT	BLAIR	-
AUSTRALIA	OMA		UWAIT	AFRI			BANGLAD						



## **GREEN CIRCLE, INC.**

Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (F. No. - 15018 / 06 / 2016 - CPW) (ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

19	Zinc as Zn	mg/l	0.86	5.00	IS:3025 Part:49 (Reaff:2003)
20	Hexavalent Chromium as Cr <sup>6+</sup>	mg/l	BDL (<0.03)	0.05	IS:3025 Part:37 (Reaff:2003)
21	Residual Free Chlorine as Cl2	mg/l	BDL (<0.10)	0.20	APHA 22nd EDN -4500-CI B
22	Cadmium as Cd	mg/l	BDL (<0.03)	0.003	IS:3025 Part 48(Reaff:2003)
23	Aluminum	mg/l	BDL (<0.03)	0.03	IS:3025 Part:55 (Reaff:2003)

BDL =Below Detectable Limit



#### Authorized Signatory

- Analysis is subject to the condition in Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

	500 C 00 C 00 C	UNE BENGA		.K. HYDE	RABAD		DHARWAD	MUMBAI	PORT	BLAIR
AUSTRALIA	OMAN	KUWAIT	AFRICA	VIETN		ANGLADESH	MYANMA		ANKA	UAE



Date: 30/05/2023

## ANALYSIS REPORT

Client Det	ails		Sample Details					
Name	M/s Vilas Javdekar	Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/WW1				
Address		4, 173/2/2A/1+3+4+5, Wakad, Tal. Mulshi, , rashtra.	Location	Outlet sample of STP				
Sampling	Done By	Mr. Mukesh Patel	Date of Sampling	23/05/2023				
Analysis S	tarts on	24/05/2023	Sampling Method	APHA 1060				
Analysis Completion On		29/05/2023	Sample Received Date	24/05/2023				

## TREATED WATER ANALYSIS RESULTS

Sr. No.	Parameter	Unit	Results	Concentration not to be exceeded	Reference Method
1	pH at 25 °C	-	7.5	6.5-9.0	IS 3025 (Part 11) (1983)
2	BOD (3 days @ 27ºC)	Mg/I	9.4	10	IS 3025 part 44 (1993 Reaffirmed 2003)
3	Total Suspended Solids	Mg/l	8.8	<20	APHA 2540 D (22nd Edition)
4	COD	Mg/I	47	50	USEPA 410.4
5	Oil & Grease	Mg/l	5.9	NS	IS 3025 (Part 39) (1991)

BDL =Below Detectable Limit



Authorized Signatory

- Analysis is subject to the condition in Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

NEW DELHI	GOA	PUNE	BENGA	ALURU	U.K.	HYDERABA	D KOLKATA	DHARWAD	MUMBAI	PORT	BLAIR
AUSTRALIA	OMA		UWAIT	AFRI		VIETNAM	BANGLADESH			ANKA	UAE



## **GREEN CIRCLE, INC.**

Integrated HSEQR Consulting Engineers, Scientists & Trainers (Recognised By Ministry of Environment, Forest and Climate Change, New Delhi Under EPA 1986) (F. No. - 15018 / 06 / 2016 - CPW) (ISO 9001, 14001, 45001 & NABL / 17025 Certified Organisation)

#### Report No: GCI/V/Lab/EM-SP/23-24/May-00/0200

Date: 30/05/2023

## **ANALYSIS REPORT**

Client Deta	iils		Sample Details		
Name	M/s Vilas Javdeka	r Eco Shelters Pvt. Ltd.	Sample Code	GCI/V/23/VJE/M1	
Address	173/2/2B/1+2+3+4 Plot 'A', village Wa Dist Pune, Maha		Location	Manure from OWC	
Sampling D	one By	Mr. Mukesh Patel	Date of Sampling	23/05/2023	
Analysis Starts on 24/05/2023		24/05/2023			
,		29/05/2023	Sample Received Date	24/05/2023	

### MANURE ANALYSIS RESULTS

Sr.	Parameter	Unit	Results	Limits as per FCO	Test Procedure
1	рН	-	7.8	6.5-7.5	IS 2720 (Part 26):1987
2	Moisture		26.7	<25	
3	Colour		Blackish Brown	Dark brown to Black	
4	Odour		Absence of Foul	Absence of Foul smell	
5	Bulk Density		0.48	<1.0	
6	Total Organic		25.6	>14.0	
7	Total Nitrogen as N	mg/kg	1.4	>0.8	Kjeldahl Method
8	Phosphate as P	mg/kg	0.5	>0.4	Olsen Method
9	Potassium as K	mg/kg	0.8	>0.4	EPA 3050 B
10	C:N ratio		17.4	<20:1	
11	Particle Size		82 % pass through	Min 90% material pass	



**Authorized Signatory** 

- Analysis is subject to the condition In Which the Sample Is received at our Laboratory.
- Reports cannot be used as an evidence anywhere including judiciary purpose without our prior permission.
- Sample will be retained till one month from the date of sampling.

NEW DELHI	GOA PUN	U.K.	- : ALSO AT : HYDERABAD - : OVERSEAS :	KOLKATA	DHARWAD	MUMBAI	PORT BLAIR
AUSTRALIA		RICA		ANGLADESH	MYANMAR		

## **Budget for Environment Management Plan**

## M /S. Vilas Javdekar Eco Shelters Pvt. Ltd

## **Construction Phase:**

Sr. No.	Parameter	Total cost in Lakhs per annum
1	Capital Cost-Site Barricading,	30.00
	Personal Protective Equipment, Site	
	Sanitation-Mobile toilets & Debris	
	Management.	
2	O & M cost	
1	Water for Dust suppression	2
2	Site Sanitation, Disinfection & Safety	1.5
3	Environmental Monitoring	2
4	Health Check up	2.5
5	Environment Monitoring cell	13.20
7	Total Cost	51.20

## **Operation Phase:**

Sr. No.	Pollution Control Measures	Capital Cost (Rs.Lakhs)	O&M (Rs.Lakhs/Y)
1.	Storm Water	3.00	0.3
2.	Sewage treatment	143.84	33.76
3.	Rain Water Harvesting	13.40	0.4
4.	Solid Waste	23.50	6.44
5.	e-waste	-	0.15
6.	Green belt development	11.88	3.96
7.	Energy saving	160.88	2.13
8.	Environmental Monitoring	-	4
9.	Disaster Management cost	46.56	2.37
10.	Basement ventilation	15.00	8.10
11.	Basement pumping+ Sewage pumping	7.50	1.00
12.	Biomedical Waste Management	0.5	-
	Total	426.06	62.61

# Economy: Macro, Micro & More

The Economic Times, Pune, Saturday, 23 July 2022

#### PUBLIC NOTICE

We, M/s. Vilas Javdekar Infinitee Developers Pvt. Ltd. hereby bring to the kind notice of general Public that, Environment Department, Government of Maharashtra has accorded Environmental Clearance for our Residential and Commercial project located at S.no 21/7, 21/8(P), Village Punawale, Taluka. Mulshi, Pune, Maharashtra vide letter dated 11 July 2022 bearing EC identification no. EC22B038MH155303. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra at http://parivesh.nic.in M/s. Vilas Javdekar Infinitee Developers Pvt. Ltd.

#### **PUBLIC NOTICE**

We, M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. (POH) hereby bring to the kind notice of general Public that, Environment Department, Government of Maharashtra has accorded Environmental Clearance for our **Residential and Commercial project** located at S.no 111/1/1, Village Wakad, Taluka. Mulshi, Pune, Maharashtra vide letter dated 11 July 2022 bearing EC Identification no. EC22B038MH191362. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra ahttp://parivesh.nic.in

M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. (POH)

#### PUBLIC NOTICE

We, M/s. Vilas Javdekar Lifestyle Developers Pvt. Ltd. (PAH) hereby bring to the kind notice of general Public that, Environment Department, Government of Maharashtra has accorded Environmental Clearance for our **Building Construction Project** located at S.no. 172/1B(P), 172/1C, Village Wakad, Taluka. Mulshi, Pune, Maharashtra vide letter dated 08 July 2022 bearing EC identification no. EC22B038MH182834. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra at http://parivesh.nic.in

M/s. Vilas Javdekar Lifestyle Developers Pvt. Ltd. (PAH)

#### PUBLIC NOTICE

We, M/s. Vilas Javdekar Eco Homes hereby bring to the kind notice of general Public that, Pune Metropolitian Regional Development Authority (P.M.R.D.A) has issued Integrated Environmental Clearance for our Residential project located at S.no. 25(P), 26/1, 26/2, 26/4, 26/5, 26/2/B/1, 26/2/B/2, 26/2/B/3, 26/2/B/4, 26/2/B/5, 26/2/B/6, 26/2/B/7, 26/2/B/8, 26/2/B/9, Village Sus, Taluka. Mulshi, Pune, Maharashtra vide letter dated 10 July 2017 bearing file No. BMU/Mou. Sus/S. no. 25(P)/Pra. Kra. 170/17-18. Validity received from SEIAA vide letter SEIAA-2019/CR-14/SEIAA dated 24/01/2019. The copy of the clearance letter is available at PMRDA Pune Office.

M/s. Vilas Javdekar Eco Homes

## PUBLIC NOTICE

Notice is hereby given to the general public that, following mentioned property belonged to Sayyad Faiyyaj Hajimir Ajimoddin Kavijang Jahagirdar, R/o. Gulmohar Road, Ahmednagar and he has derived the title to the same by virtue of purchase. Old Sale Deed bearing No. 982/1973 dated 16.08.1973, Sale Deed No. 1618/1993 dated 11.06.1993, Sale Deed No. 8296/2001 dated 24.12.2001 and Sale Deed No. 2563/2005 dated 13.07.2005 in respect of below mentioned property are lost. Present owner has assured our client Bank that the below mentioned property is free from all types of encumbrances.

If anybody is having any objection, claim, right, title and/or interest, dispute in respect of below mentioned property or part or portion thereof by way of sale, exchange, mortgage, pledge, charge, gift, trust, inheritance, succession, possession, lease, maintenance, easement, share, assignment, lien, attachment, decree or any order of any court of law, development rights, right of way, lis-pendence, reservation, agreement, or otherwise or demand of any nature whatsoever are requested to inform the same in writing with the original documents on below mentioned address within seven days from the date of publication of this notice, failing which the claim, or

#### **PUBLIC NOTICE**

We, M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. hereby bring to the kind notice of general Public that, Environment Department, Government of Maharashtra has accorded Environmental Clearance for our Residential and Commercial project located at S.no. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, Village Wakad, Taluka. Mulshi, Pune, Maharashtra vide letter dated 09 June 2022 bearing EC identification no. EC22B038MH164277. The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra at http://parivesh.nic.in M/s. Vilas Javdekar Eco Shelters Pvt. Ltd.

> SBI State Bank Of India SATARA MAIN BRANCH. PRATAPGANJ PETH. SATARA

#### POSSESSION NOTICE (U/s 13(4) SARFAESI ACT 2002)

Notice is hereby given under Securitization and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 (54 of 2002) and in exercise of powers conferred under section 13 (12) read with rule 9 of the Security Interest (Enforcement) Rules 2002, a demand notice was issued on the dates mentioned against each account and stated hereinafter calling upon them to repay the amount within 60 days from the date of receipt of said notice.

The borrower having failed to repay the amount, notice is hereby given to the Borrower and the public in general that the undersigned has taken symbolic possession of the property described herein below in exercise of powers conferred on him U/s. 13 (4) of the said Act read with Rule 9 of the said Rules on the date mentioned below.

The Borrower in particular and the public in general is hereby cautioned not to deal with the property and any dealings with the property mentioned below will be subject to the charge of State Bank of India for the amount given below and interest and other expenss thereon.

#### Name and Address of the Borrower/Guarantors

BORROWER- Mr. Vijay Kumar Jagannath Bhoite R/at- "Adarsh Shivneri B", Flat No. F-3, Opp. Modern High School, Rahimatipur, Tal. Koregaon, Dist. Satara.

GUARANTORS- Mr. Vikram Mahadeo Borate R/at-At Post Budh, Tal. Khatav, Dist. Satara.

Amount Due- Rs.7,65,534/- as on 27/05/2019 + interest + expenses

Discription of Assets- All the part and parcel of the residential flat property bearing Flat No. 601, on the 6 th floor, B- Wing, in the building known as "Adarsh Kratika", constructed on the Plot No. 9, S. No. 87A/8+9, in the village Saidapur, Tal. & amp; Dist. Satara, which is bounded as; On or towards East:- By Duct and B- Wing Flat No. 602 On or towards South:- By Duct and Common Passage On or towards West:- By B- wing Flat No. 607 On or towards North:- By Duct

Date of Demand Notice-13/06/2019

Symbolic possession taken on- 19/07/2022.

Place-Satara Date-21/07/2022 Authorised Officer of State

stamp

Bank of India, Satara Main Branch, Satara

Dank of mula, Satara Main Dianon, Satara

#### SBI State Bank Of India SATARA MAIN BRANCH, SATARA

#### POSSESSION NOTICE (U/s 13(4) SARFAESI ACT 2002)

Notice is hereby given under Securitization and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 (54 of 2002) and in exercise of powers conferred under section 13 (12) read with rule 9 of the Security Interest (Enforcement) Rules 2002, a demand notice was issued on the dates mentioned against each account and stated hereinafter calling upon them to repay the amount within 60 days from the date of receipt of said notice.

The borrower having failed to repay the amount, notice is hereby given to the Borrower and the public in general that the undersigned has taken symbolic possession of the property described herein below in exercise of powers conferred on him U/s. 13 (4) of the said Act read with Rule 9 of the said Rules on the date mentioned below.

The Borrower in particular and the public in general is hereby cautioned not to deal with the property and any dealings with the property mentioned below will be subject to the charge of State Bank of India for the amount given below and interest and other expenses thereon. पटकावला. दक्ष सुमरपूर दुसऱ्या, तर पृथ्वीराज केसकर तिसऱ्या क्रमांकावर राहिला. वीस वर्षांखालील मुलींत श्रेया शेडगेने १०० मी. धावण्याची शर्यत जिंकली. श्रेयाने १२.४८ सेकंद वेळ नोंदवली. दिया सुमेरपूरने दुसरा, तर साहना ताम्हणकरने तिसरा क्रमांक मिळवला. दाामागरान १२.२ सकद वळ नॉदवून जिंकली. गौरवी नाईकने दुसरा, तर पार्थवी साळुंखे यांनी तिसरा क्रमांक मिळवला.

अंतिम निकाल : २० वर्षांखालील गट : १५०० मी. धावणे : मुले - सुजल सावंत (४ मि. ३०.११ से.), ईश्वर पाटील, राहुल उत्तेकर. मुली - प्रांजली

आले आहे. शनिवारवाड्यापासन

प्रारंभ होणाऱ्या या १२० किलोमीटर

अंतराच्या शर्यतीत महाराष्ट्रासह

कर्नाटक, चंडीगड, रेल्वे, एअर

फोर्स, तमिळनाड, सेनादल, दिल्ली

आणि गुजरातचे सायकलपट कौशल्य

पणाला लावणार आहेत.

सं.), विश्वप्रताप. मुली - अवनी आपटे (११ मि. ३७.५ से.), बौद्धकुमारी रामकरण, मानसी करके. गोळा फेक : मुले - प्रणव सातपुते (११.७० मी.), अथर्व बोगन, ऋषीकेश गोलाणे. १८ वर्षांखालील गट : १५०० मी. धावणे : मुले - इंदर कनोजी (४ मि. १४.४९ से.), भागोजी झोरे, लक्ष्मण झोरे. निर्धारित वेळेअखेर ४५-४५ अशी बरोबरी होतो. २ पाच-पाच चढायांमध्ये शिवनेरी जुन्नर संघाने स मिळवून बाजी मारली. पिंपरी-चिंचवड संघाला पाच मिळवता आले. शिवनेरी जुन्नर संघाच्या विजयात कोमकर, प्रतीक्षा कन्हेकर, दिव्या गोगावले, श्वेत यांनी मोलाचा वाटा उचलला. पिंपरी-चिंचवड संघ सलोनी गजमल, निकिता पडवळ, ऐश्वर्या पन्हाड, र आवळे यांनी कडवी झूंज दिली होती.

#### जाहीर सूचना

आम्ही, मे. विलास जावडेकर लाईफस्टाईल डेव्हलपर्स प्रा. लि. सामान्य जनतेच्या निदर्शनास आणून देत आहोत की, पर्यावरण विभाग, महाराष्ट्र सरकार यांनी आमच्या सर्वे न. १७२/१ब(पार्ट), १७२/१क, गाव वाकड, तालुका. मुळशी, पुणे, महाराष्ट्र येथील इमारत बांधकाम प्रकल्पाला दिनॉक ०८ जुलै २०२२ रोजी पत्र क्रमांक EC22B038MH182834 अन्वये पर्यावरणीय मान्यता दिली आहे. सदर पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडे उपलब्ध आहे तसेच महाराष्ट्र सरकारच्या पर्यावरण विभागाच्या http://parivesh.nic.in या संकेतस्थळावर उपलब्ध आहे.

मे. विलास जावडेकर लाईफस्टाईल डेव्हलपर्स प्रा. लि.

#### जाहीर सूचना

आग्ही, मे. विलास जावडेकर इको होम्स याद्वारे सर्वसामान्य जनतेच्या निदर्शनास आणून देत आहोत की, पुणे महानगर प्रादेशिक विकास प्राधिकरणाने (P.M.R.D.A.) आमच्या सर्वे नं. २५(पार्ट), २६/१, २६/२, २६/२, २६/२, २६/२, २६/२, १६/२/ब/२, २६/२/ब/३, २६/२/ब/४, २६/२/ब/५, २६/२/ब/६, २६/२/ब/९, २६/२/ब/२, गाव सुस, तालुका. मुळशी, पुणे, महाराष्ट्र येथील निवासी प्रकल्याला एकात्मिक पर्यावरण मंजुरी दिनांक १० जुलै २०१७ रोजी पत्र क्र. बीमयु/मी. सुस/ स.न. २५पे/प. १७०/१७-१८ द्वारे जारी केली आहे आणि SEIAA कडून वेधता पत्र SEIAA-२०१९/सीआर-१४/SEIAA दिनांक २४/०१/२०१९ च्या पत्रद्वारे प्राप्त झाली आहे. सदर पत्राची प्रत पीएमआरडीए पुणे कार्यालयात उपलब्ध आहे.

मे. विलास जावडेकर इको होम्स

#### जाहीर सूचना

आम्ही, मे. विलास जावडेकर इको शेल्टर्स प्रा. लि. (POH) याद्वारे सर्वसामान्य जनतेच्या निदर्शनास आणून देत आहोत की, पर्यावरण विभाग, महाराष्ट्र सरकार यांनी आमच्या सर्वे नं. ११९/१/१, गाव वाकड, तालुका. मुळशी, पुणे, महाराष्ट्र येथील निवासी आणि व्यावसायिक प्रकल्पाला दिनांक ११ जुलै २०२२ रोजी पत्र क्रमांक EC22B038MH191362 अन्वये पर्यावरणीय मान्यता दिली आहे. सदर पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडे उपलब्ध आहे तसेच महाराष्ट्र सरकारच्या पर्यावरण विभागाच्या http://parivesh.nic.in या संकेतस्थळावर उपलब्ध आहे.

मे. विलास जावडेकर इको शेल्टर्स प्रा. लि. (POH)

सायकल शर्यत आज

#### म. टा. प्रतिनिधी, पुणे

पुणे जिल्हा शिक्षण मंडळाच्या वतीने महाराष्ट्र ऑलिम्पिक संघटनेचे अध्यक्ष अजित पवार यांच्या वाढदिवसानिमित्त शनिवारी (आज) पुणे-बारामती सायकल शर्यतीचे आयोजन करण्यात

#### जाहीर सूचना

आम्ही, मे. विलास जावडेकर इको शेल्टर्स प्रा. लि. सामान्य जनतेच्या निदर्शनास आणून देत आहोत की, पर्यावरण विभाग, महाराष्ट्र सरकार यांनी आमच्या सर्वे नं. १७३/२/२बी/१+२+३+४, १७३/२/२अ/१+३+४+५, भूखंड अ, गाव वाकड, तालुका. मुळशी, पुणे, महाराष्ट्र येथील निवासी आणि व्यावसायिक प्रकल्पाला दिनांक ०९ जून २०२२ रोजी पत्र क्रमांक EC22B038MH164277 अन्वये पर्यावरणीय मान्यता दिली आहे. सदर पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडे उपलब्ध आहे तसेच महाराष्ट्र सरकारच्या पर्यावरण विभागाच्या http://parivesh.nic.in या संकेतस्थ्ळावर उपलब्ध आहे.

मे. विलास जावडेकर इको शेल्टर्स प्रा. लि.

#### जाहीर सूचना

आम्ही, मे. विलास जावडेकर इन्फिनिटी डेव्हलपर्स प्रा. लि. याद्वारे सर्वसामान्य जनतेच्या निदर्शनास आणून देत आहोत की, पर्यावरण विभाग, महाराष्ट्र सरकार यांनी आमच्या सर्वे नं. २१/७, २१/८ (पार्ट), गाव पुनावळे, तालुका. मुळशी, पुणे, महाराष्ट्र येथील निवासी आणि व्यावसायिक प्रकल्पाला दिनांक ११ जुलै २०२२ रोजी पत्र क्रमांक EC22B038MH155303 अन्वये पर्यावरणीय मान्यता दिली आहे. सदर पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडे उपलब्ध आहे तसेच महाराष्ट्र सरकारच्या पर्यावरण विभागाच्या http://parivesh.nic.in या संकेतस्थळ्ावर उपलब्ध आहे.

मे. विलास जावडेकर इन्फिनिटी डेव्हलपर्स प्रा. लि.

महाराष्ट्र शासन महाराष्ट्र लोकसेवा आयोग मुख कार्यालय : अ. ७. ८ मा पजला, कृषांज टेलिकोन लिमा इमारत. महर्थि कर्ते भागे, कृपरेज, पुंचर्ड - ४०००६६ ८९१७९ कोई कार्यालय : अ. अफ इंडिया इमारत. ३ स मजला, फोर्ट, पुंचर्ड-४००००१ ८१२१०२६२२ mail ID : contact-secretury/ampic.gov.in No.E

KSH



IN	AHARASHT	RA POLLUT	ION CON	TROL BOAR
Phone		CONTRACTOR AND A DESCRIPTION OF A DESCRI	Kalpataru Point, 3	
Fax	/24037124/2403527 : 24044532/2402406	BARARASHIRA	Sion- Matunga Sch Opp. Cine Planet (	Cinema, Near Sion Circle,
· ux	/24023516		Sion (E), Mumbai	
Email	: jdwater @mpcb.gov	v.in		
Visit At	: http://mpcb.gov.in		10-14 - 12 - 14 - 14 - 14 - 14 - 14 - 14 -	
Conser	ructure /Red/LSI nt order No: Format1.0/ 02/ 03 /2020	BO/JD (WPC)/UAN-08304	46/CE/CC- 200	3000677
To,				
	ash ONE Wakad Cent			
		3/2/2A/1+3+4+5, Plot A,	13 A. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	1
Village	e – Wakad, Tal: Mulshi	i, Dist: Pune.		0.
Sub:		ent to Establish with Ex	pansion for Con	struction of Residential
	Projects granted un	ider Red Category.		0.00
Ref:	1. Consent to Establish	sh vide no Format1.0/BO/	RO-HQ/CC-19010	02160 dt 29/01/2019.
	2. Your Application vie	de UAN No0000083046	Dated: 18/11/20	19.
	3. Minutes of 11th Cor	nsent Committee meeting	held on 13/01/202	20.)
For (	Amondment in Concon	to Establish with Expan	cion for Cal	tion of Peridential project
				tion of Residential project 974 & under Section 21 of
				er Rule 5 of the Hazardous
				s hereby granted subject to
the foll	owing terms and condit	ions and as detailed in the	schedule I, II, III	& IV annexed to this order:
		14	0.	
		a period up to commission	ning of the project	t or of 5 years whichever
is e	earlier.	110	March 1970	
	e proposed capital inve	stment of the project is Rs	23.60 Cr	
2 10	e proposed capital live.	strictly of the project is ite		
2. In (A	s per CA Certificate s	ubmitted by project proj	ponenti	
(A	s per CA Certificate s			
(A Ameno	dment in Consent to Est	tablish with Expansion is	valid for construct	on of Residential Project
(A Ameno named	dment in Consent to Est as M/s. Yash ONE W	tablish with Expansion is v (akad Central', S.No. 17	valid for constructi 3/2/2B/1+2+3+4,	173/2/2A/1+3+4+5, Plot
(A Ameno named A, Villa	dment in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07	173/2/2A/1+3+4+5, Plot 4.32 Sgm and Proposed
(A Amend named A, Villa total co	dment in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total a 67,769.99 Sqm, as per	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20	173/2/2A/1+3+4+5, Plot 4.32 Sgm and Proposed
(A Amend named A, Villa total co	dment in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20	173/2/2A/1+3+4+5, Plot 4.32 Sgm and Proposed
(A Ameno named A, Villa total co service 3. Co	dment in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement anditions under Water	tablish with Expansion is v (akad Central', S.No. 17) shi, Dist: Pune, for total p a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt:
(A Ameno named A, Villa total co service 3. Co Sr.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement anditions under Water Description	tablish with Expansion is v (akad Central', S.No. 17 shi, Dist: Pune, for total a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and
(A Ameno namedi A, Villa total co service 3. Co Sr. No.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description	tablish with Expansion is v (akad Central', S.No. 17 shi, Dist: Pune, for total p a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD)	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal
(A Amence named A, Villa total co service 3. Co Sr. No. 1.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description Trade effluent	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total j a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA
(A Ameno namedi A, Villa total co service 3. Co Sr. No.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description	tablish with Expansion is v (akad Central', S.No. 17 shi, Dist: Pune, for total p a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD)	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused a
(A Amence named A, Villa total co service 3. Co Sr. No. 1.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description Trade effluent	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total j a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused a recycled and remaining
(A Amenco named A, Villa total co service 3. Co Sr. No. 1.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description Trade effluent	tablish with Expansion is v /akad Central', S.No. 17 shi, Dist: Pune, for total j a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused a recycled and remaining
(A Ameno named A, Villa total co service 3. Co Sr. No. 1. 2.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement anditions under Water Description Trade offluent Domestic effluent	tablish with Expansion is v (akad Central', S.No. 17) shi, Dist: Pune, for total a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL 89.00	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per Schedule –I	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused a recycled and remaining should be discharged in
(A Ameno named A, Villa total co service 3. Co Sr. No. 1. 2.	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement anditions under Water Description Trade offluent Domestic effluent	tablish with Expansion is v (akad Central', S.No. 17 shi, Dist: Pune, for total a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL 89.00	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per Schedule –I	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused & recycled and remaining should be discharged in municipal sewer
(A Amenci named A, Villa total co service 3. Co Sr. No. 1. 2. 4. Co	ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description Trade effluent Domestic effluent Domestic effluent	tablish with Expansion is v (Akad Central', S.No. 17 shi, Dist: Pune, for total a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis (P&CP), 1974 Act for dis 89.00	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per Schedule –I	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused a recycled and remaining should be discharged in
(A Amenci named A, Villa total co service 3. Co Sr. No. 1. 2. 4. Co Sr.	Ament in Consent to Est as M/s. Yash ONE W age – Wakad, Tal: Mul onstruction built up are as as per Commencement inditions under Water Description Trade effluent Domestic effluent	tablish with Expansion is v (akad Central', S.No. 17 shi, Dist: Pune, for total a 67,769.99 Sqm, as per ent Certificate issued by lo (P&CP), 1974 Act for dis Permitted quantity of discharge (CMD) NIL 89.00	valid for constructi 3/2/2B/1+2+3+4, plot area of 15,07 r EC dt. 04/12/20 ocal body. scharge of efflue Standards to be achieved NA As per Schedule –I missions: Number Of	173/2/2A/1+3+4+5, Plot 4.32 Sqm and Proposed 19 including utilities and nt: Disposal NA 60% should be reused & recycled and remaining should be discharged in municipal sewer

M/s. 'Yash ONE Wakad Central'

Kindly verify the document on the Maharashtra Pollution Control Board Blockchain by scanning the QR code. https://blockchain.ecmpcb.in/docs/5e69cf8a1cb48b12ced86284

UAN 083046

Page 1 of 6



5.	Conditions	under	Solid	Waste	Management	Rules,	2016:

Sr. no.	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Wet garbage	203.00 Kg/Day	Organics waste Converter with composting facility / Biogas digester with composting facility	Used as Manure
2	Dry garbage	199.00 Kg/Day		Segregate and Hand over to Local Body for recycling
3.	STP sludge	51.00 Kg/day	STP	Used as manure

 This consent is granted with overriding effect of earlier consent granted by board vide no. Format1.0/BO/RO-HQ/CC-1901002160 dt. 29/01/2019.

- 7. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste; NIL.
- The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same should be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- 11. Project Proponent shall submit an affidavit in Board's prescribed format within 15 days regarding the compliance of conditions of EC/CRZ clearance and C to E.
- 12. Project Proponent shall install online monitoring systems for BOD, TSS and flow at the outlet of STP.
- Project Proponent shall provide Organic waste digester with composting facility or Biogas digester with composting facility.
- 14. The applicant should comply with the conditions stipulated in Environmental Clearance Obtained from SEIAA, Environment Department, Government of Maharashtra, dt.04/12/2019 for total plot area 15,074.32 Sqm and total construction BUA 67,769.99 Sqm.

For and on behalf of the Maharashtra Pollution Control Board

> (E. Ravendiran, IAS) Member Secretary

#### Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction . No.	Date	Drawn On
1	50,000/-	RBOM8223151600	21/11/2019	Online
1.	Regional Officer	MDCD Dura and C L		
2.	Chief Accounts O	to ensure the complian fficer, MPCB, Mumbai. rd & website updating p	ice of the consent co	CB, Pimpri Chinchwad - Inditions.



#### Schedule-I

Terms & conditions for compliance of Water Pollution Control:

 A] As per your application, you have proposed to install of Sewage Treatment Plants (STP) with the design capacity of 410.00 CMD

B) The Applicant shall operate the effluent treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

1.	pH	Between	6.5 to 9.0
2.	Total Suspended Solids	Not more than	20 mg/l.
3.	BOD 3 Days 27 degree C	Not more than	10 mg/l.
4.	Chemical oxygen Demand (COD)	Not to more than	50 mg/l
5.	NH4 N	Not more than	5 mg/l.
6.	N Total	Not more than	10 mg/l.
7.	Fecal Coliform MPN/100 MI	Less than	100.0

C) The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, firefighting, on land for gardening etc and remaining shall be discharged in to the municipal sewerage system.

D] Project proponent shall operate STP for five years from the date of obtaining occupation certificate.

The Board reserves its rights to review plans, Specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant should obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto

- The industry should ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act.

Sr.	Purpose for water consumed	Water consumption
no.	V. Sector Constants	quantity (CMD)
1.	Domestic purpose	93.00

4) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

	1	
1	1	
(		
1	1	

M/s. 'Yash ONE Wakad Central'

UAN 083046

Page 3 of 6



#### Schedule-II

Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have proposed to install the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type Of Fuel	Quantity	UOM	S%	SO2
1.	DG Set (320 KVA)	Acoustic enclosure	4.00	Diesel	47.00	Lit/Hr	-	-
2.	DG Set (500 KVA)	Acoustic enclosure	4.47	Diesel	74.00	Lit/Hr	-	-
3.	DG Set (500 KVA)	Acoustic enclosure	4.47	Diesel	74.00	Litter	-	-

\* Above roof of the building in which it is installed.

12/12/25/110

The applicant should operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Particulate matter	Not to exceed	150 mg/Nm <sup>3</sup> .	
--------------------	---------------	--------------------------	--

3. The Applicant should obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement alteration well before its life come to an end or erection of new pollution control equipment. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

M/s. 'Yash ONE Wakad Central'

UAN 083046

Page 4 of 6



Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submissio n Period	k Guarantees Purpose of BG	Compliance	Validity
1	Consent to Establish	Rs. 10 lakh	15 Days	Towards Compliance of EC and consent conditions.	Period Up to Commissioning of the project	Date Up to Commiss of the pro
				Ĩ	Tai	5
				25	1800	
				Con		
				01		
			111	J		
		14	80/11			
		18Sht	80/11			
	No.	Al Shir	80/11)			
	Non	oloshir.	80/11)			
	Nan	olosur.	80/11J			



#### Schedule-IV

#### General Conditions:

The following general conditions shall apply as per the type of the industry.

- The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and environmental protection Act 1986 and Solid Waste Management Rules, 2016 and E-Waste (Management) Rules, 2016.
- 3) Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.

4) Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.

- 5) Conditions for D.G. Set
  - Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) The industry shall take adequate measures for control of noise levels from its own sources within the premises in respect of noise to less than 55 dB(A) during day time and 45 dB(A) during the night time. Day time is reckoned between 6 a.m. to 10 p.m and night time is reckoned between 10 p.m to 6 a.m.
  - d) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - f) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - g) D.G. Set shall be operated only in case of power failure.
  - h) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MOEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rules, 2016 & E-Waste (M) Rules, 2016.
- Affidavit undertaking in respect of no change in the status of consent conditions and compliance
  of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8) The treated sewage shall be disinfected using suitable disinfection method
- 9) The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992
- 10) The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

M/s. 'Yash ONE Wakad Central'

UAN 083046

Page 6 of 6

## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I No:- Format1.0/CC/UAN No.0000131473/CO/2208000452 To, M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. 'CTO' for Residential and Commercial Project -Yash ONE Wakad Central, (Buildings A, B, C, D , E - Part & F - Part) S. No., 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Wakad, Tal Mulshi, Dist Pune

Date: 10/08/2022



### Sub: Consent to Operate(Part-I) for residential construction project under Red category

- Ref: 1. Consent to Establish with Expansion granted vide no. Format1.0/CC/UAN No 0000124463/CE/2204000905 dtd 17.04.2022
  - 2. Minutes of 7th Consent Committee Meeting held on 27.06.2022

Your application NO. MPCB-CONSENT-0000131473

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal ofAuthorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- 1. The Consent to Operate(part-I) is granted for period upto 30.06.2023
- 2. The capital investment of the project is Rs.154.37 Cr (Total CI Rs 181.24 Cr) Cr. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate (part-I) is valid for residential consstruction project named as M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. 'CTO' for Residential and Commercial Project, Yash ONE Wakad Central, (Buildings A, B, C, D, E - Part & F - Part), S. No., 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot 'A', Wakad, Tal Mulshi, Dist Pune on Total Plot Area of 15074.32 SqMtrs for completed construction BUA of 64,416 out of 67,769.99 SqMtrs as per EC granted dated 04.12.2019 including utilities and services.

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to Establish dtd 12.03.2020	15074.32	67769.99
2	Consent to Establish dtd 17.04.2022	15353.09	80697.74
3	Environmental Clearance dtd 4.12.2019	15074.32	67769.99

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA

Sr No	Description	Permitted	Standards to	Disposal
	Domestic effluent	316	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be used on land for gardening and connected to the sewerage system provided by local body

## 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set-500kVA	01	As per Schedule -II
S-2	DG Set-320kVA	01	As per Schedule -II

## 6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio degradable waste		Organic waste Converter with composting facility	As Manure
2	Non – Biodegradable	559 Kg/Day	Segregation	Handed over to Local Body
3	STP Sludge	103 Kg/Day	Dewatering	As Manure

## 7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	50	Ltr/A	Reprocessing	Sale to authorized Recycler

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. PP shall install online monitoring system for BOD, TSS and flow at the outlet of STP with connectivity to MPCB Server.
- 11. PP shall operate the organic waste digester along with composting facility/biodigester (biogas) with composting facility effectively for the treatment of wet garbage
- 12. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- 13. The project proponent shall make provision of charging of electric vehicles in atleast 40 % of total available parking area.

- 14. PP shall comply with the Environmental Clearance obtained vide No SEIAA-EC-0000002197 dtd 04.12.2019 for construction project on Total plot area -15074.32 sqmtr & Total Construction BUA-67769.99 sqmtr.
- 15. PP shall submit an affidavit in Board's prescribed format within 15 days regarding compliance of C to O and Environmental Clearance.

## **Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	308740.00	TXN2202001706	12/02/2022	Online Payment

## Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



### **SCHEDULE-I**

## Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided 2 Sewage Treatment Plants with the design capacity of 280 CMD & 235 CMD based on MBBR Technology
  - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	рН	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	338.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

## SCHEDULE-II

## Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have provided the Air pollution control (APC)system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Content(in	Pollutant	Standard
S-1	DG Set-500 kVA	Acoustic Enclosure	4.50	HSD 100 Ltr/Hr	1	SO2	48.0 Kg/Day
S-2	DG Set-320 kVA	Acoustic Enclosure	4.00	HSD 68 Ltr/Hr	1	SO2	30.72 Kg/Day

2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
-------------------------	---------------	------------

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

## 5) Conditions for utilities like Kitchen, Eating Places, Canteens:-

- a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
- b) The toilet shall be provided with exhaust system connected to chimney through ducting.
- c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
- d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

	SCHEDULE-III Details of Bank Guarantees:						
Sr. No.	Consent(C2E/C2 O/C2R)	Amt of BG Imposed	Submission	Purpose of BG	Compliance Period	Validity Date	
1	C to O(Part-I)	Rs 10 Lakhs	15 Days	Towards compliance of consent conditions	upto Commissioning of the Project	upto Commissioning of the Project	

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

**BG Forfeiture History** 

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture	
			NA				
	BG Return details						
Srno.	Srno. Consent (C2E/C2O/C2R) BG imposed Purpose of BG Amount of BG Returned						
	NA						



## **SCHEDULE-IV**

#### **General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.

- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.



## MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Date: 22/05/2023

Infrastructure/RED/L.S.I No:- Format1.0/CC/UAN No.0000161568/CR/2305001634 To, M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. Residential and Commercial Project -Yash ONE Wakad Central, S. No.,173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Wakad, Tal Mulshi, Dist Pune



#### Sub: Renewal of Consent to Operate(part-I) with amalgamation of Consent to Operate(Part-II) for Residential & Commercial construction project under Red Category

- **Ref:** 1. Amendment in Consent to Establish with Expansion granted vide no. Format1.0/BO/JD(WPC)/UAN-083046/CE/CC-2003000677 dtd. 12.03.2020
  - 2. Consent to establish for expansion vide No Forma1.0/CC/UAN NO 0000124463/CE/2204000905 dtd 17.04.2022
  - 3. Consent to operate (part-I) granted vide No Format1.0/CC/UAN No.0000131473/CO/2208000452 dtd 10.08.2022
  - 4. Minutes of 1st Consent Committee Meeting of 2023-24 held on 19.04.2023
  - 5. Minutes of 5th Consent Committee Meeting of 2023-24 held on 12.05.2023

Your application NO. MPCB-CONSENT-0000161568

For: grant of Consent to Renewal under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal ofAuthorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- 1. The Renewal of Consent to Operate(part-I) with amalgamation of Consent to Operate(Part-II) is granted for period upto 31.03.2024
- 2. The capital investment of the project is Rs.154.37 Cr Cr. (As per C.A Certificate submitted by industry).
- 3. The Renewal of Consent to Operate(part-I) with amalgamation of Consent to Operate(Part-II) for Residential & Commercial construction project is valid for construction project named as M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. Yashone Wakad Central., S. No. 173/2/2B/1+2+3+4, 173/2/2A/1+3+4+5, Plot A, Wakad, Tal Mulshi, Dist Pune on Total Plot Area of 15353.09 SqMtrs & total construction BUA of 80697.74 SqMtrs as per EC granted dated 09.06.2022 including utilities and services

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to Establish dtd 12.03.2020	15074.32	67769.99
2	Environmental Clearance dtd 4.12.2019	15074.32	67769.99
3	Consent to Establish dtd 17.04.2022	15353.09	80697.74
4	Environmental Clearance dtd 09.06.2022	15074.32	80697.74

## 4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA
	Domestic effluent	502	Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be used on land for gardening and connected to the sewerage system provided by local body

## 5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1, S-2	DG Sets-2 Nos, 500 kVA each	02	As per Schedule -II
S-3	DG Set-320kVA 🛛 🚽	01	As per Schedule -II

## 6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Bio degradable waste		Organic waste Converter with composting facility	As Manure
2	Non – Biodegradable	868 Kg/Day	Segregation	Handed over to Local Body
3	STP Sludge	103 Kg/Day	Dewatering	As Manure

## 7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	200	Ltr/A	Reprocessing	Sale to authorized Recycler

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. PP shall install online monitoring system for BOD, TSS and flow at the outlet of STP with connectivity to MPCB Server.
- 11. PP shall operate the organic waste digester along with composting facility/biodigester (biogas) with composting facility effectively for the treatment of wet garbage

- 12. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
- 13. PP shall comply with the Environmental Clearance obtained vide No SIA/MH/MIS/258454/2022 dtd 09.06.2022 for construction project having total plot area of 15353.09 SqM & proposed total Construction BUA 80697.74 Sq.Mtrs
- 14. This consent is issued with overriding effect on earlier Consent to operate (part-I) vide No Format1.0/CC/ UAN No.0000131473/CO/2208000452 dtd 10.08.2022.
- 15. PP shall submit an affidavit in Board's prescribed format within 15 days regarding compliance of C to O and Environmental Clearance.

This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.

## **Received Consent fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	362480.00	TXN2302001158	07/02/2023	Online Payment

## Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pimpri Chinchwad

- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai

### **SCHEDULE-I**

## Terms & conditions for compliance of Water Pollution Control:

- 1) A] As per your application, you have provided 2 Sewage Treatment Plants with the design capacity of 280 CMD & 235 CMD based on MBBR Technology
  - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	рН	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	338.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

## SCHEDULE-II

## Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have provided the Air pollution control (APC)system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Content(in	Pollutant	Standard
S-1,S-2	DG Set-500 kVA-2 Nos	Acoustic Enclosure	4.50	HSD 100 Ltr/Hr	1	SO2	48.0 Kg/Day
S-3	DG Set-320 kVA	Acoustic Enclosure	4.00	HSD 68 Ltr/Hr	1	SO2	30.72 Kg/Day

2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3
		130 mg/mm3

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



	SCHEDULE-III Details of Bank Guarantees:											
Sr. No.	Consent(C2E/ C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date						
1	C to R	Rs 10 Lakhs	Existing	Compliance of Consent Conditions & Operation and maintenance of Pollution Control Systems	Continious	31.03.2024						

\*\* The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

#### **BG Forfeiture History**

Srno.		Amount of BG imposed	Submission Period	of PC	Amount of BG Forfeiture	bu				
NA										

#### **BG** Return details

Srno. Consent (C2E/C2O/C2R) BG imposed Purpose of BG Amount of BG Returned



## **SCHEDULE-IV**

#### **General Conditions:**

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
  - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
  - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
  - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - f) D.G. Set shall be operated only in case of power failure.
  - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.

- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.



Contact No. : 8408880898 Email : <u>milind.laxmanthite@gmail.com</u>



Ref : 163 /VJESPL/21/1585 Date: November 25, 2021

To, The Member Secretary, SEIAA, Room No. 217 Mantralaya, Mumbai - 400032

## Subject : Completed Built Up area of Residential & Commercial project located at S. No.173/2/2A/1 +3+4+5, 173/2/2B/1+2+3+4, Plot-A, Wakad, Pune. by M/s Vilas Javdekar Eco Shelters Pvt. Ltd.

Respected Sir,

We the Architect of above mentioned project would like to mentioned that the total construction area completed on site till date is as follows.

S.No.	Building	Configuration	Area Constructed on site		Remarks (mentioned whether completed/not
	Name	completed as on site	FSI	Non FSI	completed/occupied/not occupied etc.)
1	A	P + 22 Floors	7831.41	5481.79	Under Construction
2	В	P + 22 Floors	5183.27	3754.95	Under Construction
3	C	P + 22 Floors	5183.27	3754.95	Under Construction
4	D	P + 21 Floors	6836.95	5236.44	Under Construction
5	E	2 Basement + G + 4 Floors	-	8177.57	Under Construction
6	F	Basement + G + 5 Floors	2908.93	6454.70	Under Construction
7	Services	-	-	511.66	-
	Tota	l Built Up Area			61315.89

Building configuration and Construction completed on site is as per earlier EC dated 04.12.2019 with letter No. 0000002197 SEIAA EC.

Thanking you Yours Faithfully,

nd p Rog. Mc. CA | 89 | 12285 "chite" Ar. Milind Patil

(Reg.No. CA/89/12285)

Disclaimer: While every effort has been made to check the correctness of the matter mentioned in this certificate, it is provided with no warranties whether expressed\_statutory or implied. The actual condition on site may differ with respect to details and minor items. The information and the matter in this certificate are given in reliance of the oral or written report received from the client or his representative and irrespective of the agreement/s and commitments between purchaser of the said premises and the client or his representative. Milind patil – Architect or his employees shall not be responsible for the discrepancies, ambiguities, inaccuracies, any errors and/or omissions in this certificate and shall not be involved in any dispute arising out of this certificate.



पिंपरी चिंचवड महानगरपालिका पाणीपुरवठा विभाग क्र. पापु/ water / कावि / 449 / 2021 दि. 23 March, 2021

प्रति ,

Applicant Name

श्री./ मे. Shrimati Subhadra Khandu Kalamkar & others ThroughM/s. Vilas Javdekar Eco Shelters Pvt. Ltd. Through Mr. Aditya Vilas Javdekar.

306, Siddharatha Tower, Kothrud, Pune 411 038.

Architect / License Engineer / Structural Engineer Name

श्री./ मे. MILIND RAMCHANDRA PATIL

C/O-AR.Laxman Thite Sita Park, 18, Shivajinagar, Pune

विषय :- आपले नियोजित बांधकासाठी पाणीपुरवठा विभागाकडील ना हरकत प्रमाणपत्रा बाबत.

<u>संदर्भ</u> :- टोकन नं. INWD/WDD/WKD/PRB53/0068/18 दि. 23 March, 2021 चे पत्र.

उपरोक्त संदर्भ व पत्रानुसार नियोजित बांधकामाचे नकाशे दाखल केल्यावरून आपणास कळवण्यात येते की, मौजे Wakad येथील Village Name. : Wakad मधील नकाशात दाखवल्याप्रमाण खालील अटीस अ धिन राहून सोबतचा नकाशा , मिळणेसाठी बांधकाम विभागाकडे दाखल करण्याची या विभागाची हरकत नाही.

- 1. जमिनीखालील पाण्याची टाकी किमान 644934 लि. क्षमतेची घ्यावी.
- 2. इमारतीवरील पाण्याची टाकी किमान 429956 लि. क्षमतेची घ्यावी.
- 3. जमिनीखालील पाण्याची टाकी आर.सी.सी. ( M-20 Grade ) मध्ये करावी.
- 4. जमिनीखालील पाण्याची टाकीवर स्टॅन्ड बायसह योग्य त्या क्षमतेचा विदयुत पंप घ्यावा.
- 5. जमिनीखालील पाण्याची टाकी जमिनीच्या पातळीपेक्षा जास्तीतजास्त 0.30 ते 0.50 मी. ने उंच असावी.
- 6. जमिनीखालील व इमारतीवरील टाक्यावर सुरक्षितेच्या दृष्टीने झाकणे बसवावित.
- 7. उपरोक्त जमिनीखालील व इमारतीवरील पाण्याच्या टाक्यांची क्षमता ही अग्निशमनासाठी गरज असलेल्या पाण्याच्या आवश्यकतेखेरीज आहे.
- 8. उपरोक्त ठिकाणी रेन वॉटर हार्वेस्टींगची व्यवस्था मनपा नियमाप्रमाणे करण्यात यावी.
- सदर नियोजित गृहसंकुलांचे ठिकाणी म.न.पा. ची पाणीपुरवठा योजना ( नवीन पाण्याच्या उंचटाक्या वितरण व्यवस्था ) पूर्ण क्षमतेने विकसित होईपर्यंत होणा-या नविन गृहसंकुलांना संबंधीत विकासान स्वतंत्ररित्या पाणीपुरवठा सुविधा उपलब्ध करावी.
- 10. मनपाकडून इमारत बांधकामासाठी पाणीपुरवठा होऊ शकणार नाही.

NOC Remarks :

N.O.C. Issued for

1) 903 Tenements. (903 = 846 + 57 MAHADA)

2) 4470.59m2 Commercial Area.

3) 171.88m2 Club House Area. Developer has to provide water to the tenements after possession till PCMC develops water supply scheme satisfactorily. Rain water harvesting through borewells as per design is mandatory .Recirculation of treated water is mandatory hence separate storage and network for same shall be designed accordingly. Treated and Bore well water shall be counted for per capita usage, CGWA is mandatory.

तथापी वर नमुद केलेल्या अटीचे पालन न केल्यास बांधकाम पुर्णत्वाचा दाखला मिळण्याकरीता आवश्यक असलेला विभागाकडील नाहरकत दाखला

मिळणार नाही याची नोंद घ्यावी.

This certificate is digitally signed, it does not require handwritten signatures.

कार्यकारी अभियंता पाणीपुरवठा प्रभाग पिंपरी चिंचवड महानगरपालिका पिंपरी पुणे - 18.

प्रत :- 1) उप शहर अ भियंता , यांना मा हितीसाठी व पुढील कार्यवाहीसाठी. 2) मा. उप संचालक नगररचना

यांना मा हितीसाठी व पुढील कार्यवाहीसाठी.

जलनिःसारण विभाग



Pimpri Chinchwad Municipal Corporation

पिंपरी चिंचवड महानगरपालिका, पिंपरी - 18, पाणी पुरवठा व जलनिःसारण विभाग, क्र. : INWD/WDD/WKD/PRB53/0068/18 दि. :- 16 March, 2021

प्रति,

Applicant Name

输. Shrimati Subhadra Khandu Kalamkar & others ThroughM/s. Vilas Javdekar Eco Shelters Pvt. Ltd. Through Mr. Aditya Vilas Javdekar.

द्वारा 306, Siddharatha Tower, Kothrud, Pune 411 038.

Architect / License Engineer / Structural Engineer Name

श्री. /श्रीमती MILIND RAMCHANDRA PATIL

रा. C/O-AR.Laxman Thite Sita Park, 18, Shivajinagar, Pune

विषय :- आपले नियोजित बांधकामासाठी जलनिःसारण विभागाकडील ना हरकत दाखला बाबत.

संदर्भ :- टोकन क्र. INWD/WDD/WKD/PRB53/0068/18 दिनांक :- 19 March, 2021

महाशय,

N.O.C

0.0

आपण आपले नियोजित बांधकामाचे नकाशे व अर्ज दाखल केल्यावरून कळविण्यात येते की, आपण मौजे Wakad येथील Village Name. : Wakad या मिळकतीसाठी ड्रेनेज डेव्हलपमेंट चार्जेस महानगरपालिका नियमानुसार ठ रविणेत येतील त्याप्रमाणे भरणेचे मान्य केले. सबब या अटीवर सोबतच्या नकाशा व बांधकाम संमती मिळण्यास बांधकाम परवानगी विभागाकडे दाखल करण्यास या विभागाची हरकत नाही.

———— चौ. मी बांधकाम क्षेत्राकरीता / जागेच्या क्षेत्राकरिता.

विशेष अट :-	1.	प्रत्यक्ष काम सुरू करण्यापूर्वी ड्रेनेजचे नकाशे मान्य) करून घ्यावे लागतील व ड्रेनेज देव्हलपमेंट चार्जेस) भरल्याशिवाय ड्रेनेज पुर्णत्वाचा दाखला मिळणार नाही.
	2.	किमान घ.मी. क्षमतेचा सेप्टीक टॅंक बांधकाम व सोकपीट नंतरचे जादा पाणी बागेसाठी वापरावे.
. Remarks unicipal drainage line available.(NOT CHARGED)	3.	सदर इमारतीचे ड्रेनेज कनेक्शन मनपाची रितसर परवानगी घेऊन मनपाच्या ड्रेनेज लाईनला जोडावे.

Municipal drainage line available.(NOT CHARGED)
 Provide separate arrangement for disposal of Rain water. Do not connect it to drainage line.

3)As per government order dated 15 January 2016, it is mandetory to provide adequate capacity of sewerage treatment plant as suggested by MPCB and recycled water should be used for gardening ,car washing ,toilet flushing, irrigation, etc .and in no case for drinking bathing, washing , utensils, cloths, etc.

4) This revise NOC is issued to Shrimati Subhadra Khandu Kalamkar & others Through M/s. Vilas Javdekar Eco Shelters Pvt. Ltd. Through Mr. Aditya Vilas Javdekar. Survey no.173/2/2A/3+4(Part) & 173/2/2B/2+3+4(Part), 173/2/2B/1(Part),

173/2/2A/1+5(part) for plot area 15353.09 sq.m,builtup area 16803.59 sq.m, commercial area 4470.59 sq.m and tenaments (846+Madh 57)=903 as shown on drawing.

(Earlier nocref.Engg/sewerage/0228/20 date 16/62020 for plot area 15353.09 sqm,756 tenaments and builtup area 36308.75 sqm,commercial area1870.46 sq.m.)

5) Obtain to consent to establish and operate from MPCB.

*This certificate is digitally signed, it does not require handwritten signatures.* 

सोबतः एक नकाशा प्रत

उप. अभियंता, जलनिःसारण विभाग पिं. चिं. म.न.पा. , पिंपरी - 18.

प्रतः मा. उपशहर अभियंता, बांधकाम परवानगी, पिं. चिं. म.न.पा.



भारत सरकार जल शक्ति मंत्रालय जल संसाधन, नदी विकास और गंगा संरक्षण विभाग केन्द्रीय भूमि जल प्राधिकरण Government of India Ministry of Jal Shakti Department of Water Resources, River Development & Ganga Rejuvenation Central Ground Water Authority

## (भूजल निकासी हेतु अनापत्ति प्रमाण पत्र) NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Vilas Javdekar Eco Shelters Pvt. Ltd. (yashone Wakad Central)								
Project Address:	S.no. 173/2/2b/1+2+3+4 Dist-pune	+3+4, 173/2/2a/1+3+4+5, Plot A, Village- Wakad, Tal- Muls							
Town:	Hinjavadi (ct)	Block:	Mulshi						
District:	Pune	Maharashtra							
Pin Code:									
Communication Address:	306, Siddharth Tower,, Sangam Press Road, Kotharud, Pune City, Pune, Maharashtra - 411038								
Address of CGWB Regional Office :	Central Ground Water B Maharashtra - 440001	Central Ground Water Board Central Region, N.s. Building, Civil Lines, Nagpur, Maharashtra - 440001							

									6 5 1					
1.	NOC No.:		CGWA/NOC/INF/ORIG/2022/15932											
2.	Application	n No.:	21-4/8107/MH/INF/2022 3.					Category: (GWRE 2020)			Safe			
4.	Project Sta	atus:	New Proje	New Project 5.						NOC Type: New				
6.	Valid from	n:	05/07/202	2			$\sim$	7.	Valid u	up to:	04/	/07/202	7	
8.	Ground W	ater Abst	raction Per	nitted:		1	and a							
Fresh Water Saline Water						Dewatering			٦	Total				
	m³/day	m³/ye	ar i	n³/day	m	m <sup>3</sup> /year m <sup>3</sup> /day m <sup>3</sup> /year m <sup>3</sup> /day m <sup>3</sup> /yea				m³/year		/year		
	10.00	3650.	00		N.									
9.	Details of	ground w	ater abstra	ction /Dev	vatering	g struc	tures							
			Total Ex	isting No	0.:0				Total Proposed No.:1					
			DV	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
Abstraction Structure* 0			0	0	0	0	0	0	0	1	0	0	0	
*DW	/- Dug Well; D	CB-Dug-cu	n-Bore Well;	3W-Bore W	ell; TW-T	ube We	ll; MP-Mir	ne Pit;MP	u-Mine P	umps				
10.	Ground W	ater Abst	raction/Res	toration C	Charges	s paid (	(Rs.):			3650.00				
			and the second se											

#### (Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011 Phone: (011) 23383561 Fax: 23382051, 23386743 Website: cgwa-noc.gov.in

> पानी बचाये – जीवन बचाये SAVE WATER - SAVE LIFE

#### Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.

2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.

3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.

4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.

5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.

6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.

7) The firm shall report compliance of the NOC conditions online in the website (www.cqwa-noc.qov.in) within one year from the date of issue of this NOC.

8) Industries abstracting ground water in excess of 100 m 3 /d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.

9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.

10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

#### General conditions:

11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).

12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).

13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.

14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.

15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.

16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.

17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.

18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.

19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.

20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.

21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.

22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.

23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.

24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.

25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.

26) In case of new infrastructure projects having ground water abstraction of more than 20 m3/day, the firm/entity shall ensure implementation of dual water supply system in the projects.

27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.

28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.

29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)