Compliance Report for period of January 2023 to June 2023 - M/s. Vilas Javdekar Greenscape Developers LLP.

Ace Enviroment <info@aceenvironment.in> Tue 04/07/2023 15:59 To:EC Compliance Maharashtra <eccompliance-mh@gov.in>

Bcc:Ketakee Devdhar <ketakee.devdhar@javdekars.com>;prajakta.khamkar@javdekars.com <prajakta.khamkar@javdekars.com>;kiran.khamkar@javdekars.com <kiran.khamkar@javdekars.com>

1 attachments (11 MB)
 Compliance Report _67 kharadi_ Jan to June 2023.pdf;

Dear Sir/Madam,

Please find the Post EC Compliance Report attached herewith for Period January 2023 to June 2023 for Residential and Commercial project proposed on plot bearing Survey No. 67/2, 67/5/1, 67/5/2, Village Kharadi, Taluka-Haveli, Pune. Maharashtra by M/s. Vilas Javdekar Greenscape Developers LLP., with reference to Environmental Clearance Letter No. SIA/MH/MIS/211532/2021 dated 12th October 2021.

Hope this is in line with your requirement.

Thanking you

Yours Sincere M/s. Vilas Javdekar Greenscape Developers LLP.



Date: 01.07.2023

To,

Ministry of Environment and Forest & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building, Civil Line,

Nagpur- 440001

Subject : Post EC Compliance Report for Period of January 2023 to June 2023 of Residential & Commercial project at S No.67/2, 67/5/1, 67/5/2 Village: Kharadi, Haveli, Pune, Maharashtra. by M/s Vilas Javdekar Greenscape Developers LLP.

Ref.: 1. Environmental Clearance No. SIA/MH/MIS/134570/2020 dated - 31.03.2020.

2. Environmental Clearance No. SIA/MH/MIS/185071/2020 dated - 31.09.2021.

3. Environmental Clearance No. SIA/MH/MIS/211532/2021 dated - 12.10.2021.

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SIA/MH/MIS/134570/2020 dated – 31.03.2020 which is further amended on 31.09.2021, Environmental Clearance No. SIA/MH/MIS/185071/2020 which is again further amended on 12.10.2021, Environmental Clearance No. SIA/MH/MIS/211532/2021 for our above mentioned Residential & Commercial project at S.No.67/2, 67/5/1, 67/5/2 Kharadi, Haveli, Pune, Maharashtra. by M/s Vilas Javdekar Greenscape Developers LLP.

In accordance to your requirement please find enclosed herewith following documents for post EC for the subject project for your kind reference :

- 1. Compliance report
- 2. Environment Clearance Letter
- 3. Budgetary provision for EMP
- 4. Consent to Establish Copy
- 5. Advertisement Copy
- 6. Monitoring Report
- 7. Fire & Water NOC

Hope you will find the above in line with your requirement.

Yours Sincerely,

Authorized Signatory

For, M/s Vilas Javdekar Greenscape Developers LLP.

CC to:

1 The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd & 4th flod App. Cine Planet, Sion Circle, Mumbai- 400022, India

Vilas Javdekar Greenscape Developers LLP 306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411 038 INDIA LLP Identification No. : AAM - 1595 महाराष्ट्र प्रदूषण नियंत्रण मंडक कल्पतरु गॉईट, २ रा प्रदेशा, सायन सर्वल. सिनेप्लनेट समोर, धायन (पृत्रं).

+91 20 6764 8000 Www.javdekars.com





Date: 01.07.2023

Τo,

Ministry of Environment and Forest & Climate Change

Regional Office (WCZ), Ground Floor,

East Wing, New Secretariat Building, Civil Line,

Nagpur- 440001

Subject : Post EC Compliance Report for Period of January 2023 to June 2023 of Residential & Commercial project at S.No.67/2, 67/5/1, 67/5/2 Village: Kharadi, Haveli, Pune, Maharashtra. by M/s Vilas Javdekar Greenscape Developers LLP.

Ref.: 1. Environmental Clearance No. SIA/MH/MIS/134570/2020 dated – 31.03.2020.

2. Environmental Clearance No. SIA/MH/MIS/185071/2020 dated - 31.09.2021.

3. Environmental Clearance No. SIA/MH/MIS/211532/2021 dated - 12.10.2021.

Dear Sir,

This is in reference to the requirement stated in the Environmental Clearance No. SIA/MH/MIS/134570/2020 dated – 31.03.2020 which is further amended on 31.09.2021, Environmental Clearance No. SIA/MH/MIS/185071/2020 which is again further amended on 12.10.2021, Environmental Clearance No. SIA/MH/MIS/211532/2021 for our above mentioned Residential & Commercial project at S.No.67/2, 67/5/1, 67/5/2 Kharadi, Haveli, Pune, Maharashtra. by M/s Vilas Javdekar Greenscape Developers LLP.

In accordance to your requirement please find enclosed herewith following documents for post EC for the subject project for your kind reference :

- 1. Compliance report
- 2. Environment Clearance Letter
- 3. Budgetary provision for EMP
- 4. Consent to Establish Copy
- 5. Advertisement Copy
- 6. Monitoring Report
- 7. Fire & Water NOC

Hope you will find the above in line with your requirement.

Yours Sincerely,

uthorized Signatory

PERFERENCE OF THE OFFICE AND OFFI

For, M/s Vilas Javdekar Greenscape Developers LLP.

CC to:

1. The Environmental Secretary, Room No. 217, 2nd floor, Environment Department, Govt. of Maharashtra Mantralaya, Mumbai- 400 032

2. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd& 4th floor, Opp. Cine Planet, Sion Circle, Mumbai- 400022, India

Vilas Javdekar Greenscape Developers LLP

306, Siddharth Towers, Sangam Press Road, Kothrud, Pune 411 038 INDIA

SIX MONTHLY COMPLIANCE REPORT

OF

RESIDENTIAL & COMMERCIAL PROJECT

AT

S.NO.67/2, 67/5/1, 67/5/2, VILLAGE: KHARADI, TALUKA: HAVELI, DISTRICT: PUNE, MAHARASHTRA

BEING DEVELOPED BY

M/S. VILAS JAVDEKAR GREENSCAPE DEVELOPERS LLP

FOR

JANUARY 2023 TO JUNE 2023

Six Monthly Compliance Report of M/s Vilas Javdekar Greenscape Developers LLP.

TABLE OF CONTENTS

Sections	Particulars
Section 1	Purpose of the Report
Section 2	Project Details
Section 3	Present Site Conditions
Section 4	Post Environment Clearance Compliance Report
Section 5	Monitoring and Analysis

LIST OF ANNEXURES

Annexures	Particulars
Annexure 1	Compliance Report
Annexure 2A	Environment Clearance Letter-31.03.2020
Annexure 2B	Environment Clearance Letter- 03.09.2021
Annexure 2C	Environment Clearance Letter- 12.10.2021
Annexure 3	Budgetary provision for EMP
Annexure 4A	Consent to Establish Copy
Annexure 4B	Consent to Operate Copy – Part I
Annexure 5	Advertisement Copy
Annexure 6	Monitoring Report
Annexure 7A	Fire NOC
Annexure 7B	Water NOC
Annexure 8	CGWA NoC

Section1: Purpose of the Report

As per the 'Sub Para (i)' of 'Para 10' of EIA Notification 2006 and Condition mentioned General Condition Sr. No. IV. of Environmental Clearance (EC) letter dated 31st March 2020 (**Annexure 2A**), which was further amended on 03rd September 2021(**Annexure 2B**), which was again amended on 12th October 2021 (**Annexure 2C**). It is mandatory to submit six monthly compliance report to show the status & compliance of all the conditions mentioned in EC letter, along with monitoring of various environmental parameters. Therefore, based on the general conditions mentioned in EC letter detail compliance report is prepared.

Section 2: Project Details

M/s Vilas Javdekar Greenscape Developers LLP is proposing residential & commercial project at S.No.67/2, 67/5/1, 67/5/2, village Kharadi, Taluka Haveli, Dist. Pune Maharashtra. Project is designed as self- sufficient establishment wherein infrastructure facilities such as water supply, power supply and communication facilities are proposed. Further the project proponent has made provision for waste collection and disposal, rain water harvesting and sewage treatment to ensure that project is environment friendly. The project proponent also proposes arrangement for safety, maintenance and security of residents. Ongoing Construction on the site abides to the details and conditions mentioned in the Environmental Clearance letter dated 12.10.2021. The main features of the project according to recent EC are as follows.

Sr. No.	Particulars	Detai	ls
1	Total Plot Area (As per EC)	26,000.00 sq. m.	
2	Net Plot Area	22,530 sq. m.	
3	Construction BUA (FSI + Non FSI)	1,45,509.56 sq. m.	
4		Building Name & number	Number of floors
	No. of buildings	Buildings A	B+ Gr+ 22 floors.
		Buildings B	B+ Gr +22 floors.
		Buildings (MHADA)	B + Gr + 19 Floors
		Buildings D	B+Gr. + 29 Floors.
		Buildings E	B+Gr+29 Floors.
		Buildings C	B + Gr. + 29 Floors.
		Clubhouse	Stilt + 1 st floor (on
			Podium)
		Gymnasium	Ground Floor Only
		Multi-Purpose Hall	Ground + 3 Upper
			Floors.
5	No. of Tenements & Shops	Total Tenements – 976 N	Nos + 56 Nos Shops. =
		1032 Nos.	
6	Expected No. of residents/users	5693 Nos.	
7	Total Water Requirement	765 m ³ /day	

8	Sewage Generation	$650 \text{ m}^3/\text{day}$	
9	Capacity of STP	685 KLD	
10	Solid Waste Generation	Construction Phase:-	
		Dry Waste: 15 kg/day	
		Wet Waste: 10 kg/day	
		Operation Phase:-	
		Dry Waste: 1132 kg/day	
		Wet Waste: 1624 kg/day	
		E-Waste – 9 kg/day	
		STP Sludge (Dry) – 137 kg/day	
11	Power	Source of Power Supply - MSEDCL	
		During Construction Phase (Demand	
		Load) – 78.25 KW	
		During Operation Phase (Connected	
		Load) – 6170.06 KW During Operation Phase (Demand	
		Load) –2783.55 KW	
		Transformer – 4 X 1000 KVA	
		DG Set – 1 X 600 KVA, 1 X 320 KVA	
		Fuel Used - HSD	
12	Rain Water Harvesting Scheme	RWH pits- 9 nos., 1.5 X 1.5 X	
		2.5m.	
13	UGT Details	Fire Fighting Tank – 600 m ³	
		Fresh Water Tank – 683 m ³	
14	Parking 4W & 2W	4W- 609 nos.	

2W- Scooters- 2587 nos.

Six Monthly Compliance Report of M/s Vilas Javdekar Greenscape Developers LLP.

Name of Building	Current Status
А	Completed.
В	Completed.
С	Under Construction
D	Under Construction
Е	Under Construction
MHADA	Completed.
Club House	Work not started

Section 3: Present Site Conditions:

Section 4: Post Environment Clearance Compliance Report

Sr.	EC	Compliance Status	
No.	Conditions	-	
Specific C	onditions		
A. SE	AC Conditions -		
1	PP to provide Fire hydrants along with necessary equipment on top of the podium and basement. AlsoPP to explore to provide separate stair case which go direct to the podium for fire man.	Condition is noted and shall be complied with. Point was presented in 230 th Part B SEIAA meeting.	
2	It is noted that, proposed plantation is shown on amenity plot which will may handover to local body. PP to provide mandatory RG in their plot.	Condition is noted and shall be complied with. Point was presented in 230 th Part B SEIAA meeting.	
3	PP to submit the Water NoC, Fire NoC.	We have submitted Water NoC and Fire NoC. Copy of NoC is attached as Annexure 7A &7B .	
4	PP to increase road weidth near all the assembly points.	We have increased road width near all assembly points. Point was presented in 230th Part B SEIAA meeting.	
5	PP to provide minimum 25 % of total parking arrangement with electric charging facility by providing charging points at suitable places.	Condition is noted and shall be complied with. Point was presented in 230 th Part B SEIAA meeting.	
B. SE	B. SEIAA Conditions -		
1	PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of	Condition is noted and will be complied with.	

SI		
	uitable types & strength to increase the water	
-	ermeable area as well as to allow effective fire	
	ender movement.	
	PP to achieve at least 5% of total energy	Condition is noted and shall be
	equirement from solar/other renewable sources.	complied with.
	PP Shall comply with Standard EC conditions	We will comply with Standard
	nentioned in the Office Memorandum issued by	EC conditions mentioned in the
	MoEF& CC vide F.No.22-34/2018-IA.III	Office Memorandum issued by
a	lt.04.01.2019.	MoEF & CC vide F.No.22-
1 0	EIAA after deliberation desided to event EC for	34/2018-IA.IIIdt. 04.01.2019.
	EIAA after deliberation decided to grant EC for	Condition noted and we are
	SI-93178.07 m2, Non-FSI 52331.49 m2, Total	agreed to the same.
	BUA-145509.56 m2. (Plan approval- CC/0934121, lated 15.07.2021).	
General Con		
	truction Phase	
,	The solid waste generated should be properly	The solid waste is segregated and
	ollected and segregated. Dry/inert solid waste	recyclable material is sold to
	hould be disposed of to the approved sites for land	recyclers and inert material will
	illing after recovering recyclable material.	be used for site leveling.
	Disposal of muck, Construction spoils, including	All construction waste is
	ituminous material during construction phase	collected and segregated properly
	hould not create any adverse effect on the	at site and most of it will be
	eighbouring communities and be disposed taking	reused for construction activity
	he necessary precautions for general safety and	and we will ensure that no
	ealth aspects of people, only in the approved sites	neighboring community will get
	with the approval of competent authority.	affected.
III A	Any hazardous waste generated during construction	Used oil generated at site will be
	hase should be disposed off as per applicable rules	disposed of through MPCB
	nd norms with necessary approvals of the	authorized vendors.
	Aaharashtra Pollution Control Board.	
	Adequate drinking water and sanitary facilities	
	hould be provided for construction workers at the	labourers on site, Waste water
	ite. Provision should be made for mobile toilets.	generated is disposed of through
	The safe disposal of wastewater and solid wastes	urinals connected with septic
-	enerated during the construction phase should be	tank.
	nsured.	Arrangement will be made that
	Arrangement shall be made that waste water and torm water do not get mixed.	waste water and storm water will
SI		not get mixed.
VI V	Vater demand during construction should be	Water demand is reduced
	educed by use of pre-mixed concrete, curing	by adopting given practices:
	gents and other best practices.	1. Water reducing admixture in
	C	concrete
		2. Ready mix plaster containing
		curing chemical.
VII T	The ground water level and its quality should be	Condition is noted.

	monitored regularly in consultation with Ground Water Authority.	
VIII	Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.	Permission to draw ground Water is obtained from the CGWA. Attached as Annexure 8 .
IX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.	We will be using low flow fixtures in toilets to minimize wastage of water.
X	The Energy Conservation Building code shall be strictly adhered to.	We will strictly adhere to Energy Conservation Building code.
XI	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.	Condition is noted and shall be complied with.
XII	Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.	Construction debris will be used for base preparation of the road and for site leveling.
XIII	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.	Soil testing was done, according to reports all the parameters are within limit and so there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XIV	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Condition is noted.
XV	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.	• •
XVI	PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.	Condition is noted.
XVII	Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.	Construction vehicles are checked for PUC certificate before entry.
XVIII	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality	Care is taken to maintain the noise level within limits at site. Construction activities are limited

	should be closely monitored during construction	to daytime only. Noise shields
	phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.	will be provided for heavy construction equipment's. PPE provided to labours
XIX	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of allproposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.	DG set will be provided for power back up. DG set will be provided with silencer and acoustic enclosures. Stack height will as per MPCB norms.
XX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.	Dedicated site engineer and supervisory staff is appointed to take care of the monitoring and overall implementation.
B) Operat		
I	a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.	Condition is noted. Solid waste will be collected and segregated properly. OWC will be provided within premises for the treatment of wet waste.
II	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.	Condition is noted. SWACH NOC is taken for E waste management.
III	a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100% treatment to sewage /Liquid waste and explore the possibility to recycle at least 50% of water, Local authority should ensure this.	STP will be provided. Treated water will be used for flushing and gardening.
IV	Project proponent shall ensure completion of STP,	All Environmental Infrastructure

V	MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement. The Occupancy Certificate shall be issued by the	shall be in place before occupation.
	Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.	comply the same
VI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.	Parking will be fully internalized. No public space will be utilized.
VII	PP to provide adequate electric charging points for electric vehicles (EVS).	Condition is noted and shall be complied with.
VIII	Green Belt Development shall be carried out considering CPCB guidelines includingselection of plant species and in consultation with the local DFO/ Agriculture Dept.	We will provide green belt as per CPCB guidelines.
IX	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Environment Management cell is prepared for implementation of the environmental safeguards.
X	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.	Separate funds have been allocated for implementation of environmental protection measures/ EMP, copy of same is attached as Annexure 3 .
XI	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathilanguage of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in	Advertisement was published in Marathi and English Newspaper. The copy of same is attached as Annexure 5.
XII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard	New norms as per RO being followed.

	& soft conics to the MDCP & this department on	
	& soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	
XIII	A copy of the clearance letter shall be sent by	Condition is noted.
	proponent to the concerned Municipal Corporation	
	and the local NGO, if any, from whom	
	suggestions/representations, if any, were received	
	while processing the proposal. The clearance letter	
	shall also be put on the website of the Company by	
XIV	the proponent.The proponent shall upload the status of	Condition is noted.
	compliance of the stipulated EC conditions,	condition is noted.
	including results of monitored data on their website	
	and shall update the same periodically. It shall	
	simultaneously be sent to the Regional Office of	
	MoEF, the respective Zonal Office of CPCB and	
	the SPCB. The criteria pollutant levels namely:	
	SPM. RSPM. SO2, NOx (ambient levels as well as	
	stack emissions) or critical sector parameters,	
	indicated for the project shall be monitored and	
	displayed at a convenient location near the main gate of the company in the public domain.	
C) Gener	al EC Conditions:-	
I	PP has to strictly abide by the conditions stipulated	We will strictly abide by the
	by SEAC& SEIAA.	conditions stipulated by SEAC&
		SEIAA.
II	If applicable Consent for Establishment" shall be	'Consent for Establishment' is
	obtained from Maharashtra Pollution Control Board	obtained from Maharashtra
	under Air and Water Act and a copy shall be	Pollution Control Board having
	submitted to the Environment department before start of any construction work at the site.	Consent Order No.
	start of any construction work at the site.	Format1.0/CC/UAN-
		0000121089/CE/2202001254,
		dated 20.02.2022. Copy of same
		is attached as Annexure 4A.
		We have also obtained 'Consent
		to Operate – Part I' vide letter no.
		Format1.0/CC/UAN
		No.0000161703/CO/2304002107
		dated 28.04.2023. Attached as
III	Under the provisions of Environment (Protection)	Annexure 4B. Environment Clearance is
111	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the	obtained on 31.03.2020, revised
	project proponent if it was found that construction	Environment Clearance is
	of the project has beenstarted without obtaining	obtained on 03.09.2021 and
	environmental clearance.	revised Environment Clearance is

		same is attached as Annexure 2A, 2B & 2C.
IV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e- mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Yes, we are complying the same.
V	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	We are submitting Form V for each financial year.
VI	No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Condition is noted.
VII	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.	-
4	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Condition is noted.

_		
5	This Environment Clearance is issued purely from	Condition is noted.
	an environment point of view without prejudice to	
	any court cases and all other applicable	
	permissions/ NOCs shall be obtained before	
	starting proposed work at site.	
6	In case of submission of false document and non-	Condition is noted.
	compliance of stipulated conditions, Authority/	
	Environment Department will revoke or suspend	
	the Environment clearance without any intimation	
	and initiate appropriate legal action under	
	Environmental Protection Act, 1986.	
7	Validity of Environment Clearance: The	Condition is noted.
	environmental clearance accorded shall be valid as	
	per ELA Notification, 2006, amended time to time.	
8	The above stipulations would be enforced among	Condition is noted.
	others under the Water (Prevention and Control of	
	Pollution) Act, 1974, the Air (Prevention and	
	Control of Pollution) Act, 1981, the Environment	
	(Protection) Act, 1986 and rules there under,	
	Hazardous Wastes (Management and Handling)	
	Rules, 1989 and its amendments. the public	
	Liability Insurance Act, 1991 and its amendments.	
9	Any appeal against this Environment clearance	Condition is noted.
	shall lie with the National Green Tribunal (Western	
	Zone Bench, Pune), New Administrative Building,	
	1st Floor, D-Wing, Opposite Council Hall, Pune, if	
	preferred, within 30 days as prescribed under	
	Section 16 of the National Green Tribunal Act,	
	2010.	
	-	

Section 5: Monitoring and Analysis

Monitoring of Air quality, Water quality, Soil quality, Noise level and DG set stack emissions at construction site. Monitoring was done and samples were collected as per standard norms. All samples were analyzed in NABL accredited laboratory. The details of sampling parameters were given in following table.

Sr. No.	Environmental Components	Monitoring Parameters
1	Air	PM ₁₀ , PM _{2.5} , SO ₂ , NO ₂ , O ₃ , Pb, CO, NH ₃ , C ₆ H ₆ , Benzo
		(a) Pyrene – Particulate Phase only, As, Ni
2	Water	Colur, Odour, Turbidity, pH, TDS, Total Alkalinity,
		Total Hardness, Ca, Mg, Cl ⁻ , SO ₄ , NO ₃ , Fe, Mn, F, Pb,
		Cu, Zn, Cr ⁶⁺ , As, B, Residual Chlorine, Al, Cd, Se, Hg,
		Pesticides, Mineral Oil
3	Noise	Leq
4	Soil	pH, Electrical Conductivity, Total Nitrogen as N,

Phosphate as P, Potasium as K, Exchangeable Calcium
as Ca, Exchangeable Magnesium as Mg, Exchangeable
Sodium as Na, Organic Matter, Texture

Monitoring results are attached as **Annexure 6** which indicates that parameters of all environmental components are within standard limit and there is no pollution at site.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/134570/2020 Environment Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032. Date:31..03.2020.

To,

M/s Vilas Javdekar Lifestyle Developers Pvt. Ltd

S. No. 67/2, Village- Kharadi, Taluka- Haveli, Dist. Pune- 411014.

Subject : Environment Clearance for Proposed Residential and Commercial Project At S. No. 67/2, Village- Kharadi, Taluka- Haveli, Dist. Pune- 411014, Maharashtra by M/s Vilas Javdekar Lifestyle Developers Pvt. Ltd

Reference : Application no. SIA/MH/MIS/134570/2020.

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC - 3 in its 101st meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 192nd meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Project name	Proposed Residential and Commercial Project At S. No. 67/2, Village- Kharadi, Taluka- Haveli, Dist. Pune- 411014, Maharashtra by M/s Vilas Javdekar Lifestyle Developers Pvt. Ltd
Plot Area (sq. m)	11,500.00
FSI Area (sq. m)	27,816.29
Non-FSI Area (sq. m)	23,782.77
Proposed built-up area (FSI + Non FSI) (sq. m)	51,599.06
Building Configuration	Building A: B+LG/shops+UG/shops+21 upper floors Building B: B+LG+UG+21 upper floors Building C (MHADA): St+10 upper floors
No. of Tenements & shops	Building A: 168 nos., Building B: 147 nos., Building C(MHADA): 40 nos., Shops: 15 nos. Total- Residential-315+40=355, Shops- 15
Total population	Residential: 1575, Shops: 264, MHADA: 200
Total Water Requirement CMD	269 CMD
Sewage Generation CMD	236CMD
STP Capacity & Technology	STP-1 : 210 CMD & STP-2 : 40 CMD capacity (MBBR Technology)

STP Location	On Ground
Total Solid waste Quantities	Wet Waste:473 kg/day for A & B bldgs.,86 kg/day for C/MHADA bldg.+shopsDry Waste:315 kg/day for A & B bldgs.,80 kg/day for C/MHADA bldg.+shopsTotal:954 kg/DayDisposal :OWC for wet waste
R.G Area in sq.m	1150 sq.m Location: on Ground
Power requirement	a) Demand Load : 1021.19 KW b) Connected Load : 2186.98 KW
Energy Efficiency	Total Energy Savings : 15.65%
D.G. set capacity	Inos.X 180 KVA (for A & B building) DG-2: Inos.X 160 KVA (for C/ MHADA building) DG-3: Inos.X 125 KVA (for shops)
Parking 4W & 2W	4W: 377 Nos; 2 W : Scooters: 821 nos. ; Cycles: 440 nos.
Rain water harvesting Scheme	RWH pits : 4 nos
Project Cost in (Cr)	Rs. 144 Cr
EMP Cost	Capital Cost – 285.50 Lakhs O & M Cost – 41.88 Lakhs
CER Details	Rs. 216 Lakhs
U.G tanks details:	Fire Tank: 200 cum, 50 cum Fresh water tank (Drinking + Domestic) : 213 cum, 35.22 cum

3. The proposal has been considered by SEIAA in its 192nd meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

- I. PP to ensure that CER plan gets approved from Municipal Commissioner.
- II. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- III. SEIAA decided to grant EC for FSI: 27816.29 m2, Non-FSI:23782.77 m2 and Total BUA:51599.06 m2 (Plan Approval no-CC/3045/19, Date-03.03.2020)

General Conditions:

- I. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- II. The Occupancy Certificate shall be issued by the Local Planning Authority to the project

only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.

- III. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- IV. PP has to abide by the conditions stipulated by SEAC& SEIAA.
- V. The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- VI. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- VII. All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.
- VIII. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
 - IX. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
 - X. Disposal of muck during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- XI. Arrangement shall be made that waste water and storm water do not get mixed.
- XII. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XIII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIV. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- XV. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XVI. Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- XVII. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- XVIII. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise

emission standards.

- XIX. The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- XX. Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- XXI. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XXII. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
- XXIII. Ready mixed concrete must be used in building construction.
- XXIV. Storm water control and its re-use as per CGWB and BIS standards for various applications.
- XXV. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- XXVI. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.3
- XXVII. The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/ refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- XXVIII. Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - XXIX. Separation of grey and black water should be done by the use of dual plumbing line for separation of grey and black water.
 - XXX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - XXXI. Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- XXXII. Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfil requirement.
- XXXIII. Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and

disposed of /sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.

- XXXIV. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- XXXV. Noise should be controlled to ensure that it does not exceed the prescribed standards. During night-time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- XXXVI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.

1

- XXXVII. Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfil requirement.
- XXXVIII. The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
 - XXXIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
 - XL. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - XLI. Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
 - XLII. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
 - XLIII. Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
 - XLIV. Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
 - XLV. A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.

- XLVI. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- XLVII. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- XLVIII. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
 - XLIX. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in
 - L. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
 - LI. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
 - LII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
 - LIII. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - LIV. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent

in the case filed against him, if any or action initiated under EP Act.

- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended time to time.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

(Member Secretary, SEIAA)

Copy to:

- 1. Shri Johny Joseph, Chairman, SEIAA.
- 2. Secretary, MoEF & CC
- 3. IA- Division MOEF & CC
- 4. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 5. Regional Office MoEF & CC, Nagpur
- 6. District Collector, Pune.
- 7. Commissioner, Pune Municipal Corporation.
- 8. Regional Officer, Maharashtra Pollution Control Board, Pune.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/185071/2020 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032. Date: c3/09/2021

То

M/s.Vilas Javdekar Greenscape Developers LLP, S. No. 67/2, 67/5/1, 67/5/2, Village- Kharadi, Taluka Haveli, Dist. Pune.

> Subject : Environment Clearance for Expansion proposal for Proposed Residential and Commercial Project at S. No. 67/2, 67/5/1, 67/5/2, Village- Kharadi, Taluka Haveli, Dist. Pune by M/s.Vilas Javdekar Greenscape Developers LLP

Reference : Application no. SIA/MH/MIS/185071/2020

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-3 in its 119th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 228th meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Proposal Number	SIA/MH/MIS/185071/2	SIA/MH/MIS/185071/2020					
Name of Project	Amendment & Expansion	on proposal for Proposed Residential					
	and Commercial Project	ct At S. No. 67/2, 67/5/1, 67/5/2,					
	village Kharadi, Taluka	village Kharadi, Taluka Haveli, Dist. Pune, Maharashtra by					
	M/s Vilas Javdekar Gree	M/s Vilas Javdekar Greenscape Developers LLP					
Project category	8(a), B2						
Type of Institution	Private						
Project Proponent	Name	M/s. Vilas Javdekar Greenscape					
		Developers LLP					
	Regd. Office address	306, Siddharth Towers, Sangam					
		Press Road, Kothrud, Pune-					
		411038					
	Contact number	020-67648000					
	e-mail	sarvesh.javdekar@javdekars.co					
		m					
Consultant	Sneha Hi-Tech Produ	cts Pvt. Ltd.					
Applied for	Expansion and Amendm	ent in existing project					
Details of previous EC	EC No. SIA/MH/MIS/	134570/2020 dated 31.03.2020 for					
-	Total Built-up area of 51	1,599.06 sq.m.by M/s Vilas Javdekar					
	Lifestyle Developers Pv	t. Ltd.					
Location of the project	Proposed Residential and	d Commercial Project At S. No.					
	-	age Kharadi, Taluka Haveli, Dist.					

······································	1 7		Mahara		745T T	72057340			
	d Longitude			32'58.3	5"N, Longitude:	73°57′42	.49"E		
Total Plot			26,000.00 3,385						
Deductions Net Plot ar	<u></u>		22,615						
	SI area(m ²)	62,32					······		
		52,50							
	ion-FSI area(m2)				· · · · · · · · · · · · · · · · · · ·				
Proposed TI			322.20	tained f	or previous EC fo	r Total h	uilt uporgo		
TBUA (m ²)approved by Planning Authority till date					oproval no. CC/30				
r laining At	morny in date				sanction is in proc		atta		
Ground cov	erage (m ²) & %	58.10		Surrent	Sundalon is in prov				
Total Projec		Rs. 31							
CER as per				Locati	on	Cost	Duration		
CC circular						(Rs.)			
Dated 01/05	/2018								
							· · · · · · · · · · · · · · · · · · ·		
	Building Configura						Reason for		
	followinglegends:1					St,Lowe	Modificatio		
	G,UpperGround=U						n/ Change		
	C/ Existing Buildir			the second s	onfiguration	TTelehe	-		
Building Name	Configuration	Height (m)	Build Name		Configuration	Height (m)			
Building A	B+LG/shops	69.95		ling A	B+ Ground		Building A		
0	+UG/shops+21				(parking)+1 st				
	upper Floors				(resi+ parking))			
					+21 upper floors	3			
					(resi)				
Building B	B+LG+UG+21upp	69.95	Buildi	ng B	B+ Ground (shop		Building B		
	er Floors				+ parking) $+1$				
					(shops + parking				
					+21 upper floor (resi.)	s			
Building	St+10 upper Floors	33.15	Buildi	<u></u>		d 67.00	Building		
(MHADA)	St+10 upper Floors	55.15	punu	IIZ	D' UIUui		(MHADA)		
			MHA	-	1	+			
			(MHA	-	(comm. Shops -				
((MHA	-	(comm. Shops - parking) +1	st			
((MHA	-	(comm. Shops -	st)			
			(MHA	-	(comm. Shops - parking) +1 (comm. Shops	st)			
	-	-		-	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground	st) s d 69.95			
	-	-		.DA)	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1	st) s d 69.95			
	-	-		.DA)	(comm. Shops - parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking	st) s d 69.95 st)			
Buildings D	-	-		.DA)	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor	st) s d 69.95 st)	Building D		
Buildings D	-	-	Build	DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.)	st) s d 69.95 st) s	Building D		
Buildings D	-	-		DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground	st) s d 69.95 st) s d 69.95	Building D		
	-	-	Build	DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground (parking) + 1	st) s d 69.95 st) s d 69.95 st d 69.95			
Buildings D	-	-	Build	DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground (parking) + 1 (resi. +parking)	st) s d 69.95 st) s d 69.95 st) s d 69.95	Building D		
Buildings D	-	-	Build	DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor	st) s d 69.95 st) s d 69.95 st) s d 69.95	Building D		
Buildings D Buildings E	-	-	Build	DA) lings D	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground (parking) + 1 (resi. +parking)	st) s d 69.95 st) s d 69.95 st) s d 69.95	Building D		
Buildings D		-	Build	DA) lings D ngs E	(comm. Shops parking) +1 (comm. Shops +20 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor (resi.) B+ Ground (parking) + 1 (resi. + parking +21 upper floor	st) s d 69.95 st) s d 69.95 st) s d 69.95	Building D Building E		

Building C		-	Building		parking) (comm. parking) upper (resi.)	Shops + +21 floors		Building C
Clubhouse		-	Clubhous		Stilt+ 1 st podium)	Floor (on	7	Club house
Gymnasium - (club house in previous EC)	tre state.	-	Gymnasi	um	Ground f	loor only	3.2	Gymnasium (club house in previous EC)
Total number of te	enements				Bldg. B Bldg. C Bldg. D Bldg. E Inclusiv Comme Total T = 881 n Popula Residen 747x5 = Inclusiv Comme Club ho	os. tion- tial (A,B,0 = 3735 nos	ts: 147 ts: 84 ts: 172 ts: 172 g bldg.: : ps): 54 : 827 nc C,D,E) - s. g- 80x5 1 nos. nos.	nos. 9 s. + 54 nos.
Water Budget							(0) (0)	
	Season (CM			<u> </u>		let Season	(CMD)	
Fresh Water		383 200			Water			383
Recycled (flushing) Recycled water (Ga		40			led (flush	(Gardeni	n (r)	200
Swimming Pool	ruening)	<u> </u>			ming Poc	·····	ng)	0
Total		623		otal	ining i oc	<u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		583
Waste water Genera	ition	545			e water generation		545	
Water Storage	Residenti	L		- usee	indien ge	menation		1 010
Capacity for	[hting Tank		575	5 m ³			
Firefighting/			· · · · · · · · · · · · · · · · · · ·	-				
UGT		ater tank		575	5 m ³			
Source of water		nker water		<u></u>		1 10		
Rainwater Harvesting (RWH)	table:	he Ground	P	Post m		1-12 m E - 8-9 m B		
		no. of RW		JA				
		nd Quantit			1 = 37			
	recharge	·····			s., 1.5 X	1.5 X 2.5 1	n.	
	Details of	UGT tanks	II N	VA				

	any:					
Sewage and Wastewater	Sewage generation CMD:	in	545			
	STP technology:		MBBR			
	Capacity of STP		580 KLD For Residential+MHADA +			
	(CMD):		Commer			
Solid Waste	Туре	Quan	tity(kg/d)	Treatmen	t/disposal	
Management	Dry waste:	15 kg				
during	Wet waste:	10 kg				
Construction Phase	Construction waste	At act	tual	extent.	on site at maximum	
		ļ			led over to local bo	
Solid Waste	Туре		tity(kg/d)		t/disposal	
Management during Operation	Dry waste:	921		Agency	over to Authorized	
Phase	Wet waste:	1324		Treated in	n OWC	
	Hazardous waste:	NA				
	Biomedical waste	NA			and the second	
	E-Waste	7.15		Handed o	over to Authorized	
					recycler for further handling disposal purpose.	
	STP Sludge (dry)	116 k	g/day	Used as n	nanure for gardenir	
		p	lumber of 1 lanted:		325	
				trees to be cut:	31 nos.	
				trees to be	0 nos.	
			ansplanted		0 nos.	
Power		tr	ansplanted		0 nos. MSEDCL	
Power		tr S	ansplanted ource of po During Co.	l: ower supply: nstruction		
Power		L tr	ource of po During Co hase (Der	l: ower supply: nstruction nand Load): eration phase	MSEDCL	
Power		L tr	ource of po ource of po During Co hase (Der During Op Connected	l: ower supply: nstruction nand Load): eration phase d load): eration phase	MSEDCL 78.25 KW	
Power	······	L tr S D P D C ((C ()	ource of po Ouring Co Phase (Der Ouring Op Connected Ouring Op	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad):	MSEDCL 78.25 KW 2349.37 KW	
Power		L tr S D P D C ((C ()	ource of po ource of po During Co Phase (Der During Op Connected During Op Demand 1	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad):	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW	
Power		L tr S C P C ((C () T	ource of po ource of po During Con During Op Connected During Op Demand 1 Transform	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad):	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA,	
Power		L tr	ansplanted ource of po During Con- hase (Der During Op Connected During Op Demand 1 Transformed	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad):	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA	
		L tr S D P C C () C C C C C C C C T T T F	ource of po ource of po During Co bhase (Der During Op Connected During Op Demand 1 Transformo OG set: uel used:	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er:	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA,	
Details of		L tr S C P C (((() T T T T T T	ource of pouring Con- buring Con- base (Der During Op Connected During Op Demand 1 Transform OG set: uel used: otal Saving	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 %	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA HSD	
		L tr S C P C (((() T T T T T T	ource of pouring Con- buring Con- base (Der During Op Connected During Op Demand 1 Transform OG set: uel used: otal Saving	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 %	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA	
Details of		L tr S C P C (((() T T T T T T	ource of pouring Con- buring Con- base (Der During Op Connected During Op Demand 1 Transform OG set: uel used: otal Saving	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 % v due to Solar C	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA HSD omponent = 9.42 %	
Details of Energy saving Environmental Management plan l		L tr S C P C C C C C C C C T T T S S	ource of pouring Con- buring Con- base (Der During Op Connected During Op Demand 1 Transform OG set: uel used: otal Saving	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 %	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA HSD omponent = 9.42 %	
Details of Energy saving Environmental		L tr S C P C C C C C C C C T T T S S	ansplanted ource of po- During Co- bhase (Der During Op Connected During Op Demand 1 Transformo OG set: uel used: otal Saving aving only	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 % due to Solar C Construction	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X320 KVA HSD omponent = 9.42 %	
Details of Energy saving Environmental Management plan l		L tr S C P C C C C C C C C T T T S S	ansplanted ource of po During Con- hase (Der During Op Connected During Op Demand 1 ransform OG set: uel used: otal Savin aving only	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 % due to Solar C Construction Details	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X400 KVA, 1X320 KVA HSD omponent = 9.42 % n phase Total Cost (Rs. Lakhs	
Details of Energy saving Environmental Management plan l		L tr S C P C C C C C C C C C C C C C C C C C	ansplanted ource of po- During Co- bhase (Der During Op Connected During Op Demand 1 Transformo OG set: uel used: otal Saving aving only	l: ower supply: nstruction mand Load): eration phase d load): eration phase oad): er: g = 14.46 % due to Solar C Construction	MSEDCL 78.25 KW 2349.37 KW 5176.56 KW 3X1000 KVA +1X315 KVA 1X400 KVA, 1X400 KVA, 1X320 KVA HSD omponent = 9.42 % 	

I		r-	1			1
				Sanitation-	Mobile	of above
				toilets& l	Debris	mentioned
				Manage	ment	cost = Rs.15
				J		Lakhs)
			0 & M	Water for	r Dust	2
			Cost (Rs.	Suppres		-
			Lakhs	~ ~ ~		1.5
				Site Sanit		1.5
			per	Disinfect		
			annum)	Safet		
				Environn		2
				Monito	ring	
				Health Ch	eck up	2.5
				Environ	·····	13.20
				Manageme		10.20
				Tota		21.20
				1012	LI	21.20
Environmental						,,,,,,,, _
Management plan	Operation phas	se				
Budget during	Component	Deta	ils		Capital	O&M
Operation phase	_				cost	(Rs.in
					(Rs.	Lakhs/Y)
					Lakhs)	
	Storm Water	Conn	ection to ext	ernal line	0.3	0.1
	Sewage	STP (Operation an	d its	139.82	30.64
	treatment	maint	tenance			
	Water	Treat	ment of grou	ind water	NA	NA
	treatment		s portability			
	RWH		arging existi	ng ground	21.0	0.63
			table			
	Swimming	NA			-	0.60
	Pool					
	Solid Waste		ction Segreg		34.25	8.31
			gement of M	ISW		
	Hazardous	NA			NA	NA
	waste	ļ	·····	· · · · · · · · · · · · · · · · · · ·		
	e-waste		ction Segreg		-	0.15
		1	over to auth	orized		
		vende				_
	Green belt	1	ation of new		23.95	3.25
	development	+	tenance of ex			
	Energy saving		gy saving me		137.95	2.27
	Environmental		onitor sustai		-	4
	Monitoring		onmental In			
	Disaster	r -	gency prepa		46.5	2.37
	Management	r .	to develop a			
			ement on site			
	Basement	Venti	lation for ba	sements	130	33
	ventilation					
	Basement		atering of ba		20.0	1.0
	pumping +	and p	umping of e	xcess		

	Sewage	treat	ed water upto sewer line			
	Corporate Environment		% of Expansion cost be utilized for CER	1	29.7	-
	Responsibility	activ	ities which shall be			
	Biomedical		completed in phases	0	.5	Considered
	Waste Management	management of waste like mask, shields, PPE kits etc.		-		in solid waste
	Total	masr	, sinclus, ITE kits etc.	6	83.97	86.32
Traffic Management	Required as per DCR		Actual Provided		Area p (m ²)	ber parking
4-Wheeler	377	851			25854	.5
2-Wheeler	821		1771			
Cycle						

3. The proposal has been considered by SEIAA in its 228th meeting. PP has obtained earlier EC vide letter dated 31.03.2020 for total built up area 51599.06 m² (FSI- 27816.29 m² + Non FSI – 23782.77 m2). Amendment is due to addition of plots. Now, Proposed total BUA of 114822.20 m2 (FSI area of 62,322 m2 + Non FSI area of 52,500.20 m2). SEIAA decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. <u>SEAC Conditions-</u>

- 1. PP to submit the current photographs of existing sewer line & manhole.
- 2. PP to submit the drainage NoC, water NoC.
- 3. PP to submit the traffic report.
- 4. PP to explore the possibility to make Entry from right side & exit from left side.

B. SEIAA Conditions-

- 1. PP to provide grass pavers of suitable types & strength to increase the water permeable mother earth area up to 1/3rd of plot area as well as allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI-62322.00 m2, Non-FSI-52500.20 m2, Total BUA-114822.20 m2. (Plan approval -CC/0934121, dated-15.07.2021)

General Conditions:

a) <u>Construction Phase :-</u>

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent

authority.

- III. Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all

proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in

- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- C) General EC Conditions:-
 - I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
 - II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
 - III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
 - IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
 - V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
 - VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
 - VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar-Mh (Member Secretary

Copy to:

1. Chairman, SEIAA, Mumbai.

- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/211532/2021 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032. Date: 12-10-2021

То

M/s.Vilas Javdekar Greenscape Developers LLP, S. No. 67/2, 67/5/1, 67/5/2, village Kharadi, Taluka Haveli, Dist. Pune.

> Subject : Environment Clearance for Expansion proposal for Proposed Residential and Commercial Project At S. No. 67/2, 67/5/1, 67/5/2, village Kharadi, Taluka Haveli, Dist. Pune By M/s. Vilas Javdekar Greenscape Developers LLP

Reference : Application no. SIA/MH/MIS/211532/2021

This has reference to your communication on the above mentioned subject. The proposal was considered by the SEAC-3 in its 121st meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 230th Part B meeting of State Level Environment Impact Assessment Authority (SEIAA).

2	D'CTC	· · · * · · · · · · · 1 · · · * · · · ·	1
2.	Brief Information of the	brolect submitted	by you is as below:-
			- , ,

2. Difer information of the project submitted by you is as below.								
	. Proposal Numbe	Proposal Number SIA/MH/MIS/211532/2021						
2	2. Name of Project	Proposed expan	Proposed expansion in Residential and Commerci					
		Project						
		At S. No. 67/2,	At S. No. 67/2, 67/5/1, 67/5/2, village Kharadi, Taluka					
		Haveli, Dist. Pun	Haveli, Dist. Pune, Maharashtra.					
1	 Project category 	8(a), B2						
	I. Type of Instituti	on Private						
1	5. Project Proponer	nt Name	M/s. Vilas Javdekar Greenscape					
			Developers LLP					
		Regd.Officeaddr	ess 306, Siddharth Towers, Sangam					
			Press Road, Kothrud, Pune-					
			411038					
		Contactnumber	020-67648000					
		e-mail	<u>sarvesh.javdekar@javdekars.co</u>					
			<u>m</u>					
_	6. Consultant							
7	7. Applied for	Expansion in exi	Expansion in existing project					
8	8. Details of previous EC EC No. SIA/MH/MIS/134570/2020 dated 31.0							
		Total Built-up	area of 51,599.06 sq.m.by M/s Vilas					
		Javdekar Lifesty	le Developers Pvt. Ltd.					
9	D. Location of the	project Proposed Reside	Proposed Residential and Commercial Project At S. No.					
		67/2, 67/5/1, 67/5/2, village Kharadi, Taluka Havel						
		Pune, Maharasht	Pune, Maharashtra.					
	10. Latitude and Lor	ngitude Latitude: 18°32':	58.35"N, Longitude: 73°57'42.49"E					
-								

-		+								
•									· ·	
									·	
			·							·
	1997 - 1997 -							1	<u>-</u>	·. · · · · · · · · · · · · · · · · · ·
11.	Total Plot Are	· · · · · · · · · · · · · · · · · · ·		000 m^2						· · · · · · · · · · · · · · · · · · ·
12.	Deductions(n			70 m^2		· · · · · · · · · · · · · · · · · · ·				
13.	Proposed FSI area(m ²)		22,530 m ²							
14.			93,178.07 m ²						· · · ·	
15.	Proposed area(m2)	52,331.49 m ²								
16.	Proposed TBUA (m ²)		1,45	5,509.56	m^2					
17.	TBUA (m ²)ap Planning Au date		Approval Obtained for Total built up area – 93,178.0 Sq.m. – Approval no. CC/0934121 dated 15.07.2021							
18.	Ground coverage (m ²) & %			10%		· · ·				
19.	Total Project	Cost (Rs.)	Rs.	374 Cr	<u> </u>	······································				
20.	CER as per MoEF & CC circular	Activity	·	· · ·		Location		Cost	(Rs.)	Duration
	Dated 01/05/2018 cost of Rs. 172						·			
21.	Details of Bu									Reason
21.	Details of Bu <pleaseusefo werGround=I</pleaseusefo 	llowinglegen	ds:Fl	oor=F,Pa		- ·			=St,Lo	for Modific tion/Cha
21.	<pleaseusefo werGround=1</pleaseusefo 	llowinglegen LG,UpperGro	ids:Fl ound=	oor=F,Pa =UG,Bas	eme	nt=B,Shop	s=Sh>	>	=St,Lo	
21.	<pleaseusefo werGround=1 Previous EC/</pleaseusefo 	llowinglegen LG,UpperGro	ids:Fl ound= ilding	oor=F,Pa =UG,Bas g	Pro Bu	oposed Cor	s=Sh>	ation figu	Heigh t	for Modific tion/Cha
21.	<pleaseusefo werGround=I Previous EC/ Building</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shop	ilding	oor=F,Pa =UG,Bas g Height	Pr Bu Na	oposed Cor	s=Sh> figur Con ratio B+C	ation figu on dr+2	Heigh	for Modific tion/Change
21.	<pleaseusefo werGround=1 Previous EC/ Building Name</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shop +UG/shops 21	ilding ilding ion	oor=F,Pa =UG,Bas g Height (m)	Pr Bu Na	nt=B,Shops oposed Cor iilding ame	s=Sh> nfigur Con ratio	ation figu on dr+2	Heigh t (m)	for Modific tion/Ch nge Change in nomenc
21.	<pleaseusefo werGround=1 Previous EC/ Building Name</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shop +UG/shops	ilding ilding ion	oor=F,Pa =UG,Bas g Height (m)	Pr Bu Na	nt=B,Shops oposed Cor iilding ame	s=Sh> figur Con ratio B+C	ation figu on dr+2	Heigh t (m)	for Modific tion/Change nge Change in nomenc ature configu
21.	<pleaseusefo werGround=1 Previous EC/ Building Name</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shop +UG/shops 21	ilding ilding ion	oor=F,Pa =UG,Bas g Height (m)	Pr Bu Na	nt=B,Shops oposed Cor iilding ame	s=Sh> figur Con ratio B+C	ation figu on dr+2	Heigh t (m)	for Modific tion/Change Change in nomenc
21.	<pleaseusefo werGround=1 Previous EC/ Building Name</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shop +UG/shops 21	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m)	Pr Bu Na Bu	nt=B,Shops oposed Cor iilding ame	s=Sh> figur Con ratio B+C	ation figu on Gr+2 oors	Heigh t (m)	for Modific tion/Change nge Change in nomenc ature configu ation remains same.
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Con ration B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same.
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Com ratio B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Com ratio B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Com ratio B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Com ratio B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper	ilding ilding ion os ;+ rs	oor=F,Pa =UG,Bas g Height (m) 69.95	Pr Bu Na Bu	oposed Cor nilding ame nilding A	s=Sh> Com ratio B+C 2 Fl	ation figu on dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A Building B</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper Floors	ilding ion ;+ ;+	oor=F,Pa =UG,Bas <mark>g Height</mark> (m) 69.95	Pr Bu Na Bu	oposed Cor iilding ame iilding A	s=Sh> Com ratio B+C 2 Fl B+C 2 Fl	ation figu on dr+2 oors dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains same.
21.	<pleaseusefo werGround=J Previous EC/ Building Name Building A Building B</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper Floors St+10 upp	ilding ion ;+ ;+	oor=F,Pa =UG,Bas g Height (m) 69.95	Pri Bu Bu Bu Bu	oposed Cor iilding ame iilding A iilding B	s=Sh> ratio B+C 2 Fl B+C 2 Fl	ation figu on dr+2 oors dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains same. Revised
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A Building B</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper Floors	ilding ion ;+ ;+	oor=F,Pa =UG,Bas <mark>g Height</mark> (m) 69.95	Pri Bu Bu Bu Bu	oposed Cor iilding ame iilding A	s=Sh> Com ratio B+C 2 Fl B+C 2 Fl	ation figu on dr+2 oors dr+2 oors	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains same. Revised
21.	<pleaseusefo werGround=I Previous EC/ Building Name Building A Building B Building B</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper Floors St+10 upp	ilding ion ;+ ;+	oor=F,Pa =UG,Bas <mark>g Height</mark> (m) 69.95	Pr Bu N2 Bu Bu Bu	oposed Cor ilding ame ilding A ilding A ilding B ilding M	s=Sh> rational B+C 2 Fl B+C 2 Fl B+C 9 flo	ation figu on dr+2 oors dr+2 oors	Heigh t (m) 68.95 69.90	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains same. Revised configu ation
21.	<pleaseusefo werGround=J Previous EC/ Building Name Building A Building B</pleaseusefo 	llowinglegen LG,UpperGro Existing Bui Configurati B+LG/shops 21 upper Floor B+LG+UG 21upper Floors St+10 upp	ilding ion ;+ ;+	oor=F,Pa =UG,Bas <mark>g Height</mark> (m) 69.95	Pr Bu N2 Bu Bu Bu	oposed Cor iilding ame iilding A iilding B	s=Sh> rational B+C 2 Fl B+C 2 Fl B+C 9 flo	ation figu on dr+2 oors dr+2 oors dr+2 oors dr+1 pors dr+2	Heigh t (m) 68.95	for Modific tion/Change nge Change in nomenc ature configu ation remains same. Change in nomenc ature configu ation remains same. Revised configu

							1	
	Buildings	s E	-	Buildings E	B+Gr+2 9 9 floors	91.12	New building addition	
	Building	C -	-	Building C	B+Gr+2 9 floors	91.95	New building addition	
	Clubhous	- Se	-	Clubhouse	Stilt+1st Floor (on podium)	7.00	Clubhou se	
	Gymnasi (club ho in previ EC)	use	-	Gymnasium	Ground floor only	3.20	New building addition	
	Multi- purpose l (Amenity Building)	,	-	Multi- purpose hall (Amenity Building)		6.80	New building addition	
22.	Total number of tenements				Tenements-Bldg. A Tenements: 172Bldg. B Tenements: 147Bldg. C Tenements: 112Bldg. D Tenements: 228Bldg. E Tenements: 228MHADA - 89Commercial (Shops)-56 noTotal Tenements: 976 nos56 nos. = 1032 nosPopulationResidential (A,B,C,D,E) - $887x5 = 4435$ nos.MHADA - 89x5 = 445 nosCommercial - 461 nos.Club house+gym - 85 nos.Multipurpose hall - 223Work from Home Lounge44 nos.Total - 5693 nos			
23	Water Budget	Dry Season (CMI	D)		Wet Season (C			
	1	Fresh Water		455	Fresh Water	45	5	
		Recycled (flushin		240	Recycled (flushing)	24	0	
		Recycled water (0	Gardening)	70	Recycled wate (Gardening)			
		Swimming Pool		7	Swimming Pool	0		

	Ţ	Total		765	Tota	1	695	
		Waste water		650	Wast	te wate	r 650	
		Generation			gene	ration		
24	WaterSt	Residential						
	orage Capacit	Fire Fighting Tank		600 m ³	· ·			
	y for Firefigh	Fresh water tank	· · · · · · · · · · · · · · · · · · · ·	683 m ³			-	
	ting/ UGT	L	<u> </u>					
.5	Sourceo fwater	PMC/Tanker water						
26	Rainwa	Level of the Ground	water table:		Pre	nonsoon-l	1-12 m BGI	
20	ter Harvest						– 8-9 m BGL	
	ing (RWH)							
		Size and no. of Quantity:	RWH tank(s) and		NA	<u>, , , , , , , , , , , , , , , , , ,</u>		
		Quantity and size of	recharge pits:		09 n	os., 1.5 X	1.5 X 2.5 m.	
	1	Details of UGT tanks			NA			· · · ·
27	Sewage	Sewage generation in			650			
	and	STP technology:			MBI			
	Wastew	Capacity of STP (CM	MD):		685			For
	ater					dential+M mercial		+
28	Solid	Туре	Quantit	y(kg/d)		Treatmen	t/disposal	
	Waste	Drywaste:	15 kg/da					
	Manage	Wetwaste:	10 kg/da				•	
	ment	Constructionwaste	At actua	ıl		Utilized	on site	at
	during Constru					maximun Rest han	n extent. ded over to lo	cal
	ction				•	body		Cal
29	Solid	Туре	Quantity	v(kg/d)		Treatmen	t/disposal	
.,	Waste	Dry waste:	1132 kg			Handed	over	to
	Manage			· •			ed Agency	
•	during	Wet waste:	1624 kg	/day		Treated in	n OWC	
	Operati	Hazardous waste:	NA			-	· <u>.</u> ·	
	on	Biomedical waste	NA NA		· ·			
	Phase	E-Waste	9 kg/da			Handed	over	to
				,				for &
	5.	ļ				disposal	-	
		STP Sludge (dry)	137 kg/	day		Used a gardenin	s manure	for
30	Green Be	elt		· · · · · · · · · · · · · · · · · · ·			· - · · · · · · · · · · · · · · · · · ·	
	Developr	nent	Total R	G area (m ²)	:	26	500.00 m^2	
			Existing	g trees on p	lot:	48	nos.	
				r of trees to				
				r of trees to	be cut		nos.	
	1		Number	r of tre	es to	be 0	nos.	

			transplan	ted:		
31	Power			power supply:	M	SEDCL
			•	Construction Pha	nse 78	.25 KW
			(Demand		·	
			During	Operation pha	ase 61	70.06 KW
			(Connect			00.55.1111
			During	Operation pha	ase 27	83.55 KW
			(Demand Transform			
			DG set:			X1000 KVA (600 KVA,
			DU 301.			(320 KVA
			Fuel used	•		
32	Details of			ing = 13.98 %		
	Energy saving			nly due to Solar Co	mponer	t = 9.37 %
33	Environmental			ction phase		
	Management plan b	oudget	Туре	Details		Total Cost
	during Construction phase	e				(Rs. Lakhs)
			Capital	Site Barrie	cading,	30.00
			Cost (R		tective	
			Lakhs)	Equipment,	Site	
					Mobile	
					Debris	cost = Rs.15
				Management		Lakhs)
			0 &	M Water for	Dust	2
			Cost (R			
			Lakhs p	1	ion ,	1.5
			annum)	Disinfection	&	
			· .	Safety		
				Environmental		2
				Monitoring		
				Health Check	nb – – – – – – – – – – – – – – – – – – –	2.5
				Management C	الم	13.20
				Total	~11	21.20
				10(41		21.20
34	Environmental					
34	Management plan		ation phase			
34	Management plan Budget during		ation phase ponent	Details	Capit	
34	Management plan				cost	(Rs.in
34	Management plan Budget during				cost (Rs.	(Rs.in Lakhs/Y)
34	Management plan Budget during	Com	ponent	Details	cost (Rs. Lakh	(Rs.in Lakhs/Y) s)
34	Management plan Budget during	Com		Details Connection to	cost (Rs.	(Rs.in Lakhs/Y)
34	Management plan Budget during	Com	ponent	Details Connection to external line	cost (Rs. Lakh 0.3	(Rs.in Lakhs/Y) s) 0.1
34	Management plan Budget during	Com Storm Sewa	n Water	Details Connection to external line STP Operation	cost (Rs. Lakh	(Rs.in Lakhs/Y) s) 0.1
34	Management plan Budget during	Com	n Water	Details Connection to external line STP Operation and its	cost (Rs. Lakh 0.3	(Rs.in Lakhs/Y) s) 0.1
34	Management plan Budget during	Com Storm Sewa treatm	n Water ge nent	Details Connection to external line STP Operation and its maintenance	cost (Rs. Lakh 0.3	(Rs.in Lakhs/Y) s) 0.1 6 30.62
34	Management plan Budget during	Com Storm Sewa treatm Water	ponent n Water ge nent	Details Connection to external line STP Operation and its maintenance Treatment of	cost (Rs. Lakh 0.3	(Rs.in Lakhs/Y) s) 0.1
34	Management plan Budget during	Com Storm Sewa treatm	ponent n Water ge nent	Details Connection to external line STP Operation and its maintenance	cost (Rs. Lakh 0.3	(Rs.in Lakhs/Y) s) 0.1 6 30.62

	· · · · · · · · · · · · · · · · · · ·			
		existing ground water table		
	Swimming	NA	-	0.60
	Pool		20.5	
	Solid Waste	Collection Segregation and	38.5	8.8
		management of MSW	· · · · · · · · · · · · · · · · · · ·	
	Hazardous waste	NA	NA	NA
	e-waste	Collection Segregation and		0.15
1		hand over to		
		authorized vendors		
	Green belt	Plantation of	23.95	3.25
	development	new trees and		
		maintenance of	-	
		existing trees	10670	0.50
	Energy saving	Energy saving measures	126.70	2.52
	Environmental	To monitor	-	4
	Monitoring	sustainability of		
		Environmental		
	Disasta	Infrastructure	165	2 27
	Disaster	Emergency	46.5	2.37
	Management	preparedness		
		plan to develop and implement		
		on site		
	Basement	Ventilation for	130	33
	ventilation	basements		
	Basement	Dewatering of	20.0	1.0
	pumping +	basements and		· · ·
	Sewage	pumping of		
	pumping	excess treated		
		water upto		
		sewer line	170 5	
	Corporate	0.75 % of	172.5	-
	Environment Responsibility	Expansion cost shall be utilized		
	Responsionity	for CER		- ·
		activities which		
		shall be done		
		completed in		
		phases		
	Biomedical	Handling	0.5	Considered
	Waste	segregation and		in solid
	Management	management of		waste
		waste like mask,		
м.		shields, PPE kits		
		etc.		- <u></u>
	Total		750.71	87.04
Traffic	Required as	Actual Provided	Area	per parking

	Management	per DCR		(m ²)
	4-Wheeler	555	609	Within range of 32 m ² to 35 m ²
	2-Wheeler	2547	2587	-
	Cycle			
36.	Details of Court cases/ litigations w.r.t .the project and project location if any.	No		

3. The proposal has been considered by SEIAA in its 230^{th} Part B meeting. SEIAA noted that, PP obtained earlier EC for total construction area of 51,599.06 m² (FSI -27,816.29 m² + Non FSI - 23,782.77 m2) vide letter dated 31.03.2020. Now, due to addition of new plot PP has applied for amendment. Now, Proposed Total BUA is 145509.56 m2. SEIAA decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to provide Fire hydrants along with necessary equipment on top of the podium and basement. Also PP to explore to provide separate stair case which go direct to the podium for fire man.
- 2. It is noted that, proposed plantation is shown on amenity plot which will may handover to local body. PP to provide mandatory RG in their plot.
- 3. PP to submit the Water NoC, Fire NoC.
- 4. PP to increase road weidth near all the assembly points.
- 5. PP to provide minimum 25 % of total parking arrangement with electric charging facility by providing charging points at suitable places.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI-93178.07 m2, Non-FSI-52331.49 m2, Total BUA-145509.56 m2. (Plan approval- CC/0934121, dated-15.07.2021).

General Conditions:

a) <u>Construction Phase :-</u>

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and

health aspects of people, only in the approved sites with the approval of competent authority.

- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. A dequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of

all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi

language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in

- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar Mhaiskar 21 (Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.

- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.

A.....

BUDGETARY PROVISION FOR EMP

Pollution Control & Other Environment Infrastructure	Capital Cost In Rs. Lakhs/annum
During Construction Phase:	
Water for Dust Suppression	2
Site Sanitation, Disinfection & Safety	10
Environmental Monitoring	2
Health Check up	2
Environment Management Cell	8.4
Total (A)	24.4

Sr. No.	Pollution Control & Other Environment Infrastructure	Capital Cost In Rs. Lakhs	Annual O & M Cost In Rs. Lakhs/annum
	During Operation Phase:		•
1	Rain Water Harvesting	8.00	0.25
2	Sewage Treatment Plant	84.07	17.90
3	Organic Waste Composting	21.75	4.52
4	Tree Plantation	6.65	3.00
5	Energy saving	112.03	2.13
6	Environment Management Cell	-	6.48
7	Basement ventilation	50.00	3.30
8	Environment Monitoring	-	4.00
9	Basement + sewage pumping	3.00	0.30
	Total (B)	285.50	41.88

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet **Cinema, Near Sion Circle,** Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I No:- Format1.0/CC/UAN No.0000121089/CE/2202001254 To. **M/s VILAS JAVDEKAR GREENSCAPE**

DEVELOPERS LLP S.No.67/2 & 67/5/1,67/5/2, Kharadi, Taluka Haveli, Dist Pune

Date: 20/02/2022

Your Service is Our Duty

Sub: Consent to Establish for expansion in residential & commercial construction project under Red Category.

- Ref: 1. Consent to Establish granted vide no. Format1.0/BO/JD (WPC)/ UAN-087253/CE/CC-2007000879 dtd 13.07.2020
 - Minutes of 16th Consent Committee Meeting held on 30.12.2021

Your application NO. MPCB-CONSENT-0000121089

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- Consent to establish is granted for period upto commissioning of the project 1. or 13.07.2025 whichever is earlier
- The capital investment of the project is Rs.230(Total CI of Project is Rs 374 2. Cr). Cr. (As per C.A Certificate submitted by industry).
- The Consent to Establish is valid for expansion in residential & commercial 3. construction project named as M/s. Vilas Javdekar Greenscape Developers LLP, Sr. No.67/2, 67/5/1, 67/5/2, Kharadi, Tal Haveli, Dist Pune on Total Plot Area of 26,000 SgMtrs for proposed total construction BUA of 1,45,509.56 SqMtrs including utilities and services.

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Consent to establish dtd 13.07.2020	11500.00	51599.06
2	Environmental clearance dtd 31.03.2020	11500.00	51599.06

Conditions under Water (P&CP), 1974 Act for discharge of effluent: 4.

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	650	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
S-1	DG Set-600 KVA	01	As per Schedule -II
S-2	DG Set-320 KVA	01	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
	Bio degradable waste	1624 Kg/Day	Icomposting tacility /	Converted to Manure and used for gardening
	Non Bio degradable waste	1132 Kg/Day	ISodrodation	Handed over to local recycler for recycling
3	STP Sludge	6 Kg/Day	llewatering	Handed over to local recycler for recycling

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	96	Ltr/A	Reprocessing	To Authorized Reprocessor

- 8. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
- 10. Project Proponent shall install online monitoring system for the parameter pH, SS, BOD and flow at the outlet of STP.
- 11. Project Proponent shall provide Organic waste digester with composting facility or biodigestor with composting facility.
- 12. Project Proponent shall comply the Construction and Demolition Waste Management Rules, 2016 which is notified by Ministry of Environment, Forest and Climate Change dtd.29/03/2016.
- 13. The project proponent shall make provision of charging of electric vehicles in atleast 40 % of total available parking area.
- 14. The project proponent shall take adequate measures to control dust emission and noise level during construction phase.

- 15. This consent is issued with overriding effect on earlier consent to establish granted vide No Format1.0/BO/JD (WPC)/ UAN-087253/CE/CC-2007000879 dtd 13.07.2020.
- 16. PP shall obtain Environmental Clearance from competent authority for the proposed expansion in Construction Project. PP shall not take effective steps towards the expansion in construction without obtaining Environmental Clearance.
- 17. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to E.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	460000.00	TXN2109000476	06/09/2021	Online Payment

Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune II
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have proposed to provide Sewage Treatment Plant of 685 CMD capacity based in MBBR Technology for treatment of domestic effluent
 - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	рН	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	695.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have proposed to provide the Air pollution control (APC)system and also proposed to erect following stack (s) and to observe the following fuel pattern-

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM
S-1	DG Set-600 KVA	Acoustic Enclosure	5.0	HSD	120 Ltr/Hr
S-2	DG Set-320 KVA	Acoustic Enclosure	4.0	HSD	64 Ltr/Hr

2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5) Conditions for utilities like Kitchen, Eating Places, Canteens:-

- a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
- b) The toilet shall be provided with exhaust system connected to chimney through ducting.
- c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
- d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

Sr. No.		Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2E	Rs 10	15 Days	Compliance of Consent	•	Upto Commissioning of
		Lakhs		Conditions	the project	the project

SCHEDULE-III Details of Bank Guarantees:

Sr.	-			Purpose of BG	Compliance Period	Validity Date
-----	---	--	--	------------------	----------------------	------------------

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.

Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	n Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture		
	NA							
	BG Return details							
Srno.	Srno. Consent (C2E/C2O/C2R) BG imposed Purpose of BG Returned							
	NA							

SCHEDULE-IV

Conditions during construction phase

A	During construction phase, applicant shall provide temporary sewage and MSW treatment and disposal facility for the staff and worker quarters.
В	During construction phase, the ambient air and noise quality shall be maintained and should be closely monitored through MoEF approved laboratory.
	Noise should be controlled to onsure that it does not exceed the

Noise should be controlled to ensure that it does not exceed the prescribed standards. During night time the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.

- b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
- d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f) D.G. Set shall be operated only in case of power failure.
- g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.
- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before commissioning of the project.

This certificate is digitally & electronically signed.


MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

Infrastructure/RED/L.S.I No:- Format1.0/CC/UAN No.0000161703/CO/2304002107 To, M/s. Vilas Javdekar Greenscape Developers LLP, 'Part CTO' Yashwin Orizzonte (Building A, B & MHADA), S.No. 67/2 ,67/5/1,67/5/2 ,Kharadi, Tal Haveli, Dist Pune





Sub: Consent to Operate (Part-I) for residential and commercial construction under Red Category

- Ref: 1. Consent to Establish for expansion vide no. Format1.0/CC/UAN No.0000121089/CE/2202001254 dtd 20.02.2022
 - 2. Minutes of 1st Consent Committing Meeting of 2023-24 held on 19.04.2023

Your application NO. MPCB-CONSENT-0000161703

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal ofAuthorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundry Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I,II,III & IV annexed to this order:

- 1. The Consent to Operate(Part-I) is granted for period upto 31.03.2024
- 2. The capital investment of the project is Rs.207.03 Cr. (As per C.A Certificate submitted by industry).
- 3. The Consent to Operate is valid for residential & commercial construction project named as M/s. Vilas Javdekar Greenscape Developers LLP, 'Part CTO' Yashwin Orizzonte (Building A, B & MHADA), S.No. 67/2 ,67/5/1,67/5/2 ,Kharadi, Tal Haveli, Dist Pune on Total Plot Area of 26000 SqMtrs for completed (part-I) total construction BUA of 63,384.39 SqMtrs out of Total Construction BUA of 1,45,509.56 SqMtrs as per EC granted dated 12.10.2021 including utilities and services

Sr.No	Permission Obtained	Plot Area (SqMtr)	BUA (SqMtr)
1	Environmental Clearance dtd 12.10.2021	63384.39	145509.56
2	Consent to Establish dtd 20.02.2022	63384.39	145509.56

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal
1.	Trade effluent	Nil	NA	NA

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	181	As per Schedule - I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Stack No.	Description of stack /	Number of	Standards to be
	source	Stack	achieved
S-1	DG Set-320 kVA	01	As per Schedule -II

6. Conditions under Solid Waste Rules, 2016:

Sr No	Type Of Waste	Quantity & UoM	Treatment	Disposal
1	Biodegradable Waste		OWC with Composting	As Manure
2	Non Biodegradable Waste	1132 Kg/Day	Segregation	To Local Body
3	STP Sludge	18 Kg/Day	Dewatering	As Manure

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No.	Quantity	UoM	Treatment	Disposal
1	5.1 Used or spent oil	3	Ltr/M	Reprocessing	To Authorized Reprocesser

- 8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
- 9. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.
- 10. Project Proponent shall install online monitoring system for the parameter pH, SS, BOD and flow at the outlet of STP.
- 11. Project Proponent shall operate the Organic waste digester with composting facility or biodigestor with composting facility effectively
- 12. The project proponent shall make provision of charging of electric vehicles in atleast 30 % of total available parking area.
- 13. The Project Proponent shall comply with the Environmental Clearance obtained vide No SIA/MH/ MIS/211532/2021 dtd 12.10.2021 for construction project on total plot area of 26000 Sq.mt and proposed total Construction BUA 1,45,509.56 SqM

14. PP shall submit an affidavit in Boards prescribed format within 15 days regarding compliance of C to O & Environmental Clearance.
This consent is issued as per communication letter dated 03/11/2022 which is approved by competent authority of the board.

Received Consent fee of -

Sr.	No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
]	1	414060.00	TXN2302001309	08/02/2023	Online Payment

Copy to:

- 1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- A] As per your application, you have provided MBBR based Sewage Treatment Plants (STPs) of combined capacity 685 CMD for treatment of domestic effluent of 181 CMD.
 - B] The Applicant shall operate the sewage treatment plant (STP) to treat the sewage so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
1	рН	5.5-9.0
2	BOD	10
3	COD	50
4	TSS	20
5	NH4 N	5
6	N-total	10
7	Fecal Coliform	less than 100

- C] The treated domestic effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be utilized on land for gardening and connected to the sewerage system provided by local body.
- 2) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or and extension or addition thereto.
- 3) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 4) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act,1974 and as amended, and other provisions as contained in the said act.

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	201.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00

5) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1) As per your application, you have provided the Air pollution control (APC)system and erected following stack (s) and to observe the following fuel pattern-

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S-1	DG Set-320 kVA	Acoustic Enclosure	3.50	HSD 64 Ltr/Hr	1	SO2	30.72 Kg/Day

2) The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards.

Total Particular matter	Not to exceed	150 mg/Nm3

- 3) The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacemenalteration well before its life come to an end or erection of new pollution control equipment.
- 4) The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

5) Conditions for utilities like Kitchen, Eating Places, Canteens:-

- a) The kitchen shall be provided with exhaust system chimney with oil catcher connected to chimney through ducting.
- b) The toilet shall be provided with exhaust system connected to chimney through ducting.
- c) The air conditioner shall be vibration proof and the noise shall not exceed 68 dB(A).
- d) The exhaust hot air from A.C. shall be attached to Chimney at least 5 mtrs. higher than the nearest tallest building through ducting and shall discharge into open air in such a way that no nuisance is caused to neighbors.

	SCHEDULE-III Details of Bank Guarantees:					
Sr. No.	Consent(C2E/ C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Operate (Part-I)	Rs 10 Lakhs	15 Days	Compliance of Consent Conditions & Operation and maintenance of Pollution Control Systems	Continious	31.07.2024

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Amount of BG imposed	Submission Period	of PC	Amount of BG Forfeiture	bu
		NA			

BG Return details

Srno. Consent (C2E/C2O/C2R) BG imposed Purpose of BG Amount of BG Returned



SCHEDULE-IV

General Conditions:

- 1 The applicant shall provide facility for collection of samples of sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2 The firm shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act 1986 and Solid Waste Management Rule 2016, Noise (Pollution and Control) Rules, 2000 and E-Waste (Management & Handling Rule 2011.
- 3 Drainage system shall be provided for collection of sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No sewage shall be admitted in the pipes/sewers downstream of the terminal manholes. No sewage shall find its way other than in designed and provided collection system.
- 4 Vehicles hired for bringing construction material to the site should be in good condition and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- 5 Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- 6 Solid Waste The applicant shall provide onsite municipal solid waste processing system & shall comply with Solid Waste Management Rule 2016 & E-Waste (M & H) Rule 2011.
- 7 Affidavit undertaking in respect of no change in the status of consent conditions and compliance of the consent conditions the draft can be downloaded from the official web site of the MPCB.
- 8 Applicant shall submit official e-mail address and any change will be duly informed to the MPCB.
- 9 The treated sewage shall be disinfected using suitable disinfection method.

- 10 The firm shall submit to this office, the 30th day of September every year, the environment statement report for the financial year ending 31st march in the prescribed Form-V as per the provision of rule 14 of the Environmental (Protection) Second Amended rule 1992.
- 11 The applicant shall make an application for renewal of the consent at least 60 days before date of the expiry of the consent.

This certificate is digitally & electronically signed.



Over 16.5K Cos **Registered** in Sept, Total at 22.3L: MCA

Our Bureau

New Delhi: Over 16,570 companies were registered in September taking the total number of companies registered in India to 22.32 lakh, the ministry of corporate affairs said in a newsletter Friday.

The companies registered in September had an authorised share capital of ₹3,981.09 crore. Of these, 1032 were one-person companies which had authorised share capital of ₹42.43 crore.

As of September-end, more than 14.14 lakh were active companies and more than 2.36 lakh had been incorporated within the last 18 months and hence were not due for annual statutory filings. Of the total 22.32 lakh. over 7.73 lakh companies were closed, 6.944 were under liquidation and 36,110 were in the process of being struck off from register and 2,298 companies have been given the dormant status under the Companies Act.

WHAT'S AT STAKE



Companies registered in Sept had an

authorised share capital of ₹3,981 crore. Of these. 1032 were one-person companies

The ministry stated that 21,202 pending cases were pending with the National Company Law Tribunal (NCLT) while 1,826 cases were pending with the National Company Law Appellate Tribunal (NCLAT).

According to data shared by the ministry, from June 1, 2016 and till August 31, 2021, NCLT has dealt with a total of 78,912 cases out of which 57,710 cases were disposed of. Out of the disposed cases, 20,313 pertained to the Insolvency and Bankruptcy Code (IBC), and the remainder ca-

PUBLIC NOTICE

We, M/s. Vilas Javdekar Greenscape Developers LLP hereby bring to the kind notice of general Public that Environment Department, Government of Maharashtra has been accorded Expansion in Environmental Clearance for our Residential And Commercial project located at plot bearing S. No. 67/2, 67/5/1 67/5/2, Village Kharadi, Taluka Haveli, Dist Pune, Maharashtra vide letter dated **12 October 2021** bearing file No. SIAMH/MIS/211532/2021 The copies of the clearance letter are available with Maharashtra Pollution Control Board and may also be seen on the Website of the Department of Environment, Government of Maharashtra at http://parivesh.nic.in/

M/s. Vilas Javdekar Greenscape Developers LLP

KERALA STATE CO-OPERATIVE BANK LTD

Office, Co-Bank Towers, Palayam, Thiruyananthapuram - 695033 Notice Inviting Request for Proposal No. 10338/IT/KB/2021-2022 18-10-2021

Kerala State Co-operative Bank Ltd (Kerala Bank) invites bids under Three Cover System from eligible bidders for Selection of Network System Integrator for setting up WAN connectivity with SD-WAN for the bank. The bid details may be seen and bids submitted through the portal https://www.etenders.kerala.gov.in of the Govt of Kerala.

2021_KSCB_445927_1
16-10-2021
10-12-2021 4pm
Sd/- Chief Executive Officer

E-TENDER NOTICE NO Sealed Online B-1 / C Engineer, Public Works (Se Invites bids for Given works / C Tender Format. As per CAT/2017/Pra.Kra-08/Bldg-

GO

Public V

Mumbai Circular No. CAT/2 Bids document can be Executive Engineer reserve reasons. Conditional bids w The detailed Tender Notice 1. Web- www.mahapwd.cc 2. https://mahatenders.go (Any changes in the NIT w

Vimaka-Pune-Jahi-159-20

GLAND PHARMA LIMITED



Corporate Identification Number: L24239TG1978PLC002276 Registered Office: Sy. No. 143 - 148, 150 and 151, Near Gandi N Dundigal - Gandi Maisamma (M), Medchal-Malkajgiri District. Tel: +91 84556 99999; Website: www.glandpharma.com; E-m

EXTRACT OF UNAUDITED CONSOLIDATED FOR THE QUARTER AND HALF YEAR ENDED

		Quarter ended	A STATE OF LEAST OF
Particulars	30 Sep 21	30 Jun 21	30 Sep 20
	Unaudited	Unaudited	Unaudited
Revenue from operations	10,804.69	11,539.00	8.315.00
Profit before tax	4,006.65	4,718.40	2,926.29
Profit for the period/year	3,020.81	3,506,52	2,188.57
Total comprehensive income (after taxes)	3,012.79	3,503.76	2,178.83
Paid up equity share capital (Face value of ₹1/- each) Other equity	164.23	163.90	154.95
Earnings per equity share (Face value of ₹1/- each) (Not annualised for the quarter and half year)			ne Artever Local de
Basic (₹)	18.37	21.41	14.12
Diluted (₹)	18.37	21.37	14.12

महाराष्ट्र टाइम्स । पुणे । शनिवार, २३ ऑक्टोबर २०२१

महाराष्ट्र

नगरचा नाशिकला 'ताप'

म. टा. खास प्रतिनिधी, नाशिक

नगर जिल्ह्यातील वाढत्या करोना संसगांचा फैलाव नाशिक जिल्ह्यातील सिन्नर, निफाड आणि येवला या तालुक्यांमध्ये होत आहे. सोबतच हा वाढता संसर्ग नाशिक महापालिकेच्या आगामी निवडणुकीसाठीही धोकादायक ठरण्याची शक्यता आहे. नगर जिल्ह्याच्या जवळ असलेल्या या तीन तालुक्यांमध्ये करोनाबाधितांच्या वाढत्या संख्येमुळे चार महिन्यांवर येवून ठेपलेली नाशिक महापालिकेची निवडणूक लांबणीवर पडण्याची शक्यता आहे.

महापालिकेची निवडणूक फेब्रुवारी २०२२ मध्ये होत असून, करोनाचे निबंध शिथिल झाल्याने लोकप्रतिनिधी निवडणुकीच्या कामाला लागले आहेत, तर दुसरीकडे निवडणुकीसाठी प्रशासनही कामाला लागले असून, प्रारूप आराखडा तयार करण्याचे काम सुरू आहे. शहरातील जनजीवन पूर्वपदावर येत असताना लगतच्या नगर जिल्ह्यातील करोनाबाधितांच्या वाढत्या

SBI

काश्याकूट बाबत अंतिम निर्णय लवकरच होणार

संमेलनाच्या समिती प्रमुखांची आज बैठक

नाशिक : नाशिकमध्ये होणारे साहित्य संमेलन स्थगित केले असले तरीही संमेलनाच्या समित्यांचे काम सुरू आहे. या समित्यांच्या कामाचा आढावा घेण्यासाठी समितीचे प्रमुख व दोन उपप्रमुख अशांची बैठक आज, शनिवारी (दि. २३) विश्वास क्लब हाउस, विश्वास बॅकेसमोर, गंगापूर रोड येथे दुपारी चार वाजता होणार आहे. सर्व समितीप्रमुख व उपप्रमुखांच्या बैठकी कामाच्या नियोजनाचा आढावा घेण्यात येणार आहे. या वेळी समिती प्रमुख व दोन उपप्रमुख अशा तीन व्यक्तींना प्रेझेंटेशनसह उपस्थित रहाण्यास सांगण्यात आले आहे. यात चाळीस समित्यांनी आजवर केलेल्या कामाचा लेखाजोखा, येत्या दिवसांत काय काम करणार त्याची यादी, तसेच येणाऱ्या अडचणी याचा आढावा घेतला जाणार आहे. त्यानंतर समित्यांकडून आलेल्या अडचणींचे निरसन करण्याचे काम हाती घेतले जाणार आहे. समित्यांना बाहेरून येणाऱ्या एजन्सींकडून काय अपेक्षा आहे. बाहेरून येणाऱ्या एजन्सींकडून काय कामे करून घ्यायची याची माहिती समित्यांचे प्रमुख समिती समन्वयकांना देणार आहेत. ही माहिती नियोजनासाठी उपयुक्त ठरणार आहे. सुक्ष नियोजनावर भर दिला जात आहे.

: संमेलनाचे स्थळ गोखले टूऐवजी भुजबळ नॉलेज णार आहे. या पार्श्वभूमीवर गादी संस्थेचे पदाधिकारी जातेगावकर, शंकर बोन्हाडे ाय करंजकर यांनी साहित्य ाचे अध्यक्ष कौतिकराव ठाले ची भेट घेतली.

मेलनाचे वेळापत्रक आणि ति चर्चा झाली. साहित्य तीन ते पाच डिसेंबर प्रत घ्यावे, अशी विनंती नी केली, मात्र, बैठकीत ठोस निर्णय झाला नाही. अडचणी लक्षात घेऊन व्या तारखांबाबत लवकर कळविण्यात येईल,' असे नी पदाधिकाऱ्यांना सांगितले.

इत लहानग्याचीं तासांत सुटका

: एका व्यावसायिकाच्या तीन मुलाचे अपहरण करणाऱ्या हिला रिक्षाचालकास कळवा नी टिटवाळ्यातून अटक या मुलाची सुखरूप सुटका भीक मागण्यासाठी तसेचे करण्याकरिता या महिलेने उानग्याचे अपहरण केल्याची गेलिस चौकशीनंतर उघड अपहरणानंतर तिने या मुलाला घरामध्येच डांबूनही ठेवले लिसांनी केवळ १२ तासांत या 1 उकल केली. नूरजहाँ साबीर से या महिलेचे नाव आहे.

ो बनवण्याचा व्यवसाय करणारे र्ग्रीय व्यावसायिक कळव्यातील व परिसरात राहतात, त्यांचा षांचा मुलगा बुधवारी सायंकाळी ोच्या आवारात खेळत होता. ठी त्याचे अपहरण करण्यात रात्री ८ वाजता कळवा पोलिस त गुन्हा दाखल झाल्यानंतर ग़ंनी तत्काळ त्याचा शोध सुरू पोलिस उपनिरीक्षक एम. बी. ा यांच्या पथकाने रिक्षा क्रमांक अन्य माहिती प्राप्त करत ळ्यातील बनेली गावात राहणारी गलक नूरजहाँ साबीर शेख (२५) तिच्या घरातून अटक केले. तसेच । ताब्यातून या लहानग्याची

जाहीर सुचना

आम्ही मे, विलास जावडेकर ग्रीनस्केप डेव्हलपर्स एलएलपी सर्वसाधारण जनतेस कळवू इच्छितो कि महाराष्ट्र सरकारच्या पर्यावरण मंडळाने आमच्या सर्वे नं ६७/२, ६७/५/१, ६७/५/२, गाव, खराडी, तालूका हवेली, जिल्हा पुणे, महाराष्ट्र येथील निवासी आणि व्यावसायीक प्रकल्पाला दिनांक १२ ऑक्टोबर २०२१ रोजी क्रमांक SIA/MH/MIS/211532/2021 अन्वये पर्यावरणाच्या दृष्टिकोनातून मान्यता दिली आहे. सदर मान्यता पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाच्या कार्यालयामध्ये तसेच पर्यावरण विभाग महाराष्ट्र शासन यांच्या <u>https://parivesh.nic.in</u> या संकेतस्थळावर उपलब्ध आहे. **मे. विलास जावडेकर ग्रीनस्केप डेव्हलपर्स एलएलपी**

जाहीर नोटींस

तमाम लोकांस कळविण्यात येते की, खालील परिशिष्टात वर्णन केलेली मिळकत ही श्री. सोहराव इरूचच चिनॉय राहणार : सिरीन इस्टेट, बेकर हिल, व्हेस्मा शोरूमच्या मागे, कोंढवा रोड, वानवडी, पुणे ४११०४० यांची खोदी मालकी वहिवाटीची आहे. सदर मिळकत ही कायम खूष खरेदी घेण्यासंदर्भात सदर मालकांशी आमचे अशिलांची बोलणी चालू आहेत. सदर मिळकत ही निर्वेध व निजोखमी असून, त्या विकण्याचा सदर मालकांस पूर्ण हक्क व अधिकार असल्याचा भरवसा सदर मालकांनी आमचे अशिलास दिला आहे.

तरी सदरील मिळकती मध्ये इतर कोणाचाही कसल्याही प्रकारे मालकी हक, दावा, अधिकार अगर हितसंबंध असल्यास त्यांनी ही जाहीर नोटीस प्रसिद्ध झाल्यापासून १० (दहा) दिवसांचे आत आम्हांस लेखी कळवावे व समक्ष मेट घेऊन मूळ कागदपत्रानिशी खात्री पटवाची. अन्यथा सदरील मिळकत निर्वेध व निजोखमी असून, इतर कोणाचाही काहीही हक, हितसंबंध नाही व असल्यास तो त्यांनी सोडून दिला आहे, असे समजून सदरचा खरेदी व्यवहार आमचे अशिल पूर्ण करतील. मागावून कोणाचाही कसल्याही प्रकारची तक्रार चालणार नाही.

परिशिष्ट

तुकडी पुणे, पोट तुकडी तालुका हवेली, जिल्हा पुणे व मे. दुय्यम निबंधक साहेब, हवेली क्र. १ ते २७ यांच्या हद्दीतील व पिंपरी चिंचवड महानगरपालिकेच्या कार्यकक्षेतील गाव मौजे किवळे, तालुका हवेली, जिल्हा पुणे येथील सर्व्हे नं. ९६ हिस्सा नं. २/२ एकूण क्षेत्र २ हेक्टर ८० आर यांसी आकार रु. १२=७२ पैसे विद्यमान मालकांचे क्षेत्र २ हेक्टर ४४.१३ आर या पैकी खरेदी देण्यांचे क्षेत्र १७० आर यासी चतु:सीमा येणे प्रमाणे :-पूर्वेस : १८ मीटर डी.पी.रस्ता दक्षिणेस : पंग हाऊस

पश्चिमेस : सर्व्हे नं. ९५ ची मिळकत उत्तरेस : सर्व्हे नं. ९६ पैकी कस्तुरी हौसिंग सोसायटी येणे प्रमाणे सदरची नोटीस दिली असे. पुणे, दि. २२/१०/२०२१ अडट्होकेट रुग्णसंख्येने नाशिककरांची झोप मात्र उडवली आहे. नगर जिल्ह्यातील ६१ गावांमध्ये लॉकडाउन घोषित करण्यात आला असताना, नगर जिल्ह्याला लागून असलेल्या सिन्नर, येवला आणि निफाड तालुक्यांतही संसर्ग फैलावत आहे. या तालुक्यांच्या माध्यमातून नगरचा नाशिकशी थेट संपर्क असल्याने आणि या तीन तालुक्यांतील नागरिकांचा नाशिकमध्ये थेट वावर असल्याने शहरात करोनाची तिसरी लाट येऊ शकते.

उपाययोजना कागदावरच

नगरला लागून असलेल्या या तीन तालुक्यांमध्ये निबंध असले तरी ते कागदावरच आहेत. नगरमधून बाधित नाशिकमध्ये येऊन संसर्ग वाढीस कारणीभूत ठरू नयेत यासाठी जिल्ह्याच्या प्रवेशद्वारांवर बॅरिकेडिंग करून येणाऱ्या वाहनधारकांची कडक तपासणी केली जाणे गरजेचे आहे. नागरिकांनी देखील मास्क, सामाजिक अंतर आणि सॅनिटायझरचा वापर या त्रिसूत्रीचा अवलंब करण्यास भाग पाडायला हवे.

स्टेट बँक ऑफ इंडिया शाखा- कृषी विकास शाखा, सातारा

ताबा नोटीस

ज्याअर्थी खाली सही करणार अधिकृत अधिकारी भारतीय स्टेट बैंक, शाखा- कृषी विकास शाखा, सातारा यांना सिक्युरिटायझेशन ॲन्ड रिकन्ट्रवशन ऑफ फायनान्शिअल ॲसेट्स ॲन्ड एन्फोर्समेंट ऑफ सिक्युरिटी इन्टरेस्ट ॲक्ट (एन्फोर्समेंट) नियम 200२ च्या कलम १३ (१२) व सिक्युरिटी इंटरेस्ट ॲक्ट (एन्फोर्समेंट), नियम 2002 च्या रूल ९ अन्वये खाली दिलेल्या तपशिलाप्रमाणे पुढील कर्ण्यार यांना सदर कायद्याच्या कलम १३ (२) नुसार मागणी नोटीस पाठवून नोटीसीत नमूद केतेली कर्ज, याज, याची होणारी देव रक्कम तरोच नोटीस तारखेनंतर होणारा/ झालेला खर्च इ. एकुण रक्कमेची मागणी केली होती. संबंधित तपशिल खाली नमुद केलेला आहे. कर्जदार यांनी पैसे न भरत्व्यामुळे सर्व सामान्य जनतेस व विशेषतः कर्जदारास सुचना देण्यात येते की, खाली सही करणार अधिकृत अधिकारी यांनी त्यावरील कल्म १३ (४) नियमान्वये प्रदान झालेल्या अधिकाराचा वापर करून खाली वर्णन केलेत्या मालमत्तेचा खाली दिलेल्या तारखेस प्रतिकारमक ताबा घेतला आहे. खाली उल्लेखलेले कर्जदार आणि सामान्य जनता यांना जाहिर सावधानतेची सुचना करण्यात येते की, त्यांनी खाली उल्लेखलेल कर्जदार आवहार करू नये. जर असा कोणताही व्यवहार केला गेता तर तो भारतीय स्टेट बैंक, कृषी विकास शाखा, होलारा या शाखेच्या संबंधित मालमत्तेवरील खाली उल्लेखिलेल्या एक्कमेचा (कर्ज रक्कम, व्याज, होणारा व झालेला खर्च इ. सह) बोजासह असेल.

कर्जवारांचे नाव-- सौ. मीना यशवंत पाटील पत्ता- मु. पो. पाली, ता. कराड, जि. सातारा

- येचे स्वकम- रू. २४,७८,५३१/- व त्यावरील दि. २७/०७/२०२१ अखेर झालेले
 - + होणारे व्याज व खर्च इत्यादीः

मिळकतीचे वर्षान - मोजे सातारा येथील पेठ सदरबझार येथील सर्हे नं. ४६५बी/३/१४७ या मधिल प्लॉट क्र. १४४ यावर उमारण्यात आलेली इमारत नामे रॉयल प्लाझा अपार्टमेंट यामधील पहील्या आणि दुसऱ्या मजल्यावरील निवासी सदनिका क्र. पिटी-३, (पेंट हाऊस) याचे क्षेत्र ४३.१६ चौ. मी. (बिल्टअप) ही सौ. मीना यशवंत जाघव यांचे मालकीची संपुर्ण निवासी सदनिका मिळकत याच्या चतु:सिमा- पुर्वेसः डक्ट, पॅसेज आणि जीना, दक्षिणेसः फ्लॅट नं. पीटी-१, पश्चिमेसः फ्लॅट नं. १४३ सि. स. नं. ४६५ बी/३/१४६, उत्तरेसः सार्वजनिक रस्ता.

मागणी नोटीसची तारीख- २७/०७/२०२१

प्रतिकात्मक ताबा घेतल्याची तारीख- २१/१०/२०२१

२. कर्जवारांचे नाव- श्री. प्रकाश जनार्धन नलावडे, सौ. सुजाता प्रकाश नलावडे दोघे रा. यशोधन अपार्टमेंट, पलॅंट नं. ८, सिट्रीएस नं. १३१ए/१ए, वशवंतराव चव्हाण कॉलेजच्या समोर, सातारा, ता. जि. सातारा

येचे स्वकम- रू. १९,०९,९२०/- व त्यावरील दि. २७/०७/२०२१ अखेर झालेले + होणारे व्याज व खर्च इत्यादी.

मिळकतीचे वर्णन – श्री. प्रकाश जनार्धन तलवडे, व सौ. सुजाता प्रकाश नलवडे यांचे मालकीची मौजे वनवासवाडी (खेड) ता. जि. सातारा येथील रि. स. नं. १०५/३ (जुना), रि. स. नं. ६/३ (नवा) या मधील प्लॉट नं. १ व २ यावर उमारण्यात आलेली इमारत नामे संगम कॉम्प्लेक्स, या मधील पहील्या मजल्यावरील निवासी सदनिका क्र. एफ–३ आणि एफ–४ याचे एकूण क्षेत्र १०३.७३ चौ. मी. बिल्टअप यासी चतुःसिमा– पुर्वेसः ओपन स्पेस व एलॅट नं. एफ–३ आणि डक्ट, दक्षिणेसः ओपन स्पेस व एस्ता, पश्चिमेसः ओपन स्पेस व रस्ता, उत्तरेसः ओपन स्पेस.

मागणी नोटीसची तारीख- २७/०७/२०२१ प्रतिकात्मक ताबा घेतल्याची तारीख- २१/१०/२०२१

ठिकाण- सातारा दि. २२/१०/२०२१



Office of the Chief Fire Officer Pune Municipal Corporation Out W.No : FB/ 1516 Date : 9(8)24

(384/21)

To, Sameer Valimbe Architects, Erandwane,Pune.

<u>Sub:- Fire NOC For Getting Environment Clearance from the "State Environment Impact</u> <u>Assessment Authority, Govt. of Maharashtra" for the project At S No. 67/2 + 67/5/1, 67/5/2,</u> <u>Kharadi, Pune</u>.

Ref:- i) E.C. Submission Dt.06/05/2021. (Proposal No.SIA/MH/MIS/211532/2021) ii) Your office's Application Dt. 06/08/2021.

Dear Sir,

As per the above reference (i) purpose of getting E.C. certificate for the project by the "State Environment Impact Assessment Authority, Govt. Of Maharashtra".

As per the above reference (ii), you are requesting for Fire Dept.'s clearance for extending height and built up area of the building.

Table

Building	Heigh(Mtrs)	Built up area(in Sq.Mtrs)	Propose Use Of The Buildings
Wing A	68.95 Mtrs.	17362.72 Sq.Mtrs.	Mix purpose (comm.+ resi.)
Wing B	69.90 Mtrs.	15237.20 Sq.Mtrs.	Mix purpose (comm.+ resi.)
Wing C	91.95 Mtrs.	13352.60 Sq.Mtrs.	Mix purpose (comm.+ resi.)
Wing D	91.12 Mtrs.	21836.87 Sq.Mtrs.	Residential Purpose
Wing E	91.12 Mtrs.	23711.97 Sq.Mtrs.	Residential Purpose
Gym	4.20 Mtrs.	180.00 Sq.Mtrs.	commercial purpose
Club House	7.00 Mtrs.	234.26 Sq.Mtrs.	commercial purpose
Multipurpose Hall	16.80 Mtrs.	1300.31 Sq.Mtrs.	commercial purpose
Inclusive Housing	58.975 Mtrs.	5066.00 Sq.Mtrs.	Mix purpose (comm.+ resi.)

The proposal (propose height, use & built up area of the building) will be above as per as the application, check list and architectural drawings submit to this office under reference (ii) above.

As per the resolution No. 6/206, Dt. 14.06.2021 of Hon. Municipal Commissioner, Pune Municipal Corporation, scrutiny fee is paid by challan No.1285, Dt. 07.08.2021, Rs.2,91,100/-.

Consider the above and scrutinized the building plans submitted to this office under reference (ii) above, this office is satisfied with the propose building plans in view of fire prevention & protection for the propose height, built up area and use mentioned in the table above. Layout & Section plans of the proposal with stamped by this department is attached herewith.

This clearance is giving only for the purpose to getting Environment Clearance from the "State Environment Impact Assessment Authority, Govt. Of Maharashtra". Provisional Fire NOC for the purpose of getting commencement certificate from Building Permission Department Of PMC, should be taken separately from this Department.

(Ramesh B. Gangad) Assi. Divisional Fire Officer **Pune Municipal Corporation**

(Prashar **Chief Fire Officer Pune Municipal Corporation**

Encl: Layout & Section plans of the proposal with stamped.

Scanned with CamScanner

(GYN	1)						
R	-	48	х	45	=	216	0.00	LTRS
-	-	50.00	LTRS	10				
=	210	0.00	Line					
	21	60.00	X	1.50	=	324	0.00	LTRS
=	32	40.00	LTRS					
A	DC	ALCI	ULATI	ONS	(G)	(M)		
D	PET		UPANC		UP	ANCY		
	EA		AD PER		NOS		м	F
d4	.00		3		48		24	24
14	.00				48		24	24
MULT	REC	UIR	EMEN	T- ((GYN	1)		
INICI	48 (MALE	24 NC	S. FEN	ALE	= 2	24 N	0S.)
TOTAL	IMER	CIAL (COMPLI MARK	EXES,	SHO	PPIN	G MAI	LLS,
				REQ	-			POSE
-	F	EMALE 50		MALE	FEN	MALE	M	F
V	1.00	um2)	_	1		1	1	1
FLOC	-	_	_	1	-	-	1	-
	-		-	0	1		-	-
GROUND F	TE							
GROUND P		VIEINI	AREA	IN				
2ND FLOO			SQ 177	M 62.72				
3RD FLOC				37.20				
4TH FLO					9	1	9TH	FLOOP
5TH FLO	,				3.00	1	8TH	<u>Floo</u> f
6TH FLO					3.00	1	7TH	FLOOP
7TH FLO 8TH FLO					3.00	1		FLOOF
9TH FLO					00			
10TH FL		91.12			003	1 12		FLOOF
11TH FL	-	85.05			03.	5 1		FLOOP
12TH FL	+	Do		_	03.0	1	3TH	FLOO
13TH FL	100				3.0	1	2TH	FLOO
14TH FL 15TH FL	C				3.00	1	1TH	FLOOP
15TH FL					3 00	1	OTH	FLOOF
17TH FI					00 8			LOOR
18TH F	1				00			LOOR
19TH F		++			200			
20TH F		++			E U			FLOOF
21TH		++			020			FLOOF
22ND TOTAL	4				0 2		5TH	FLOOP
TOTAL	-				00 2		4TH	FLOOP
1	-				2 00 3 00 3 00 3 00 3 00 3 00 3 00 3 00		3RD	FLOO
F	+				00	1	2ND	FLOO
	1						PODI	UML
					5	385	LUU	FLOO

STAMP OF APPROVAL 01/19
1) DIAN DEDUCING ADDRESS
1) PLAN PREVIOUSLY APPROVED NO.CC/1748/19 DATED-05.11.2019
2) PLAN PREVIOUSLY APPROVED NO.CC/0411/20
DATED-24.08.2020 1) PLAN PREVIOUSLY APPROVED NO. CC/1483/20
DATED-24.12.2020
असे प्रमाणित करण्यात येते की, संदर आराखड्यांची
आग्नसुरक्षा उपावयाजन का कुल्हा रहा गांव करण कवत 'शासनाच्या असल्याचे विस्तृन आले ायुन, हे प्रप्राजीकरण कवत 'शासनाच्या पर्यावरण आधाल मुल्यांचन सलितीची मंजुरी वेणेकामी' देण्यात
रोत आहे
प्रवल्पातील इमारतीचे बांधकाम करवानजीकरिए अग्निशमन
वलाचे प्राथमिक ना हरवात प्रनाणाल जसल्य खीरेज वांधकाम परवानगी देण्यात येऊ नये.
मुख्य अशिशमन अधिकारी
कि पूर्ण महनगरपालिका
U
,
I/WE UNDERSIGNED HEREBY CONFIRM THAT I/WE WOULD ABIDE BY
PLANS APPROVED BY AUTHORITY / COLLECTOR. I/WE WOULD
EXECUTE THE STRUCTURE AS PER APPROVED PLANS. ALSO I/WE WOULD EXECUTE THE WORK UNDER SUPERVISION OF PROPER
TECHNICAL PERSON SO AS TO ENSURE THE QUALITY AND SAFETY AT THE WORK SITE.
NAME OWING INVERIAR OPEENSCAPE DEVELOPERS ILP
NAME
THROUGS PARTNER MR. ADITYA JAVDEKAR & OTHER
PROJECT
REVISED COMMERCIAL & RESIDENTIAL LAYOUT OF BUILDING
ON S.NO.67/2+67/5/1,S.NO.67/5/2,AT KHARADI, PUNE.
NAME AND SIGNATURE OF ARCHITECT
-+1.1
Alim
SAMEER VALIMBE
CA/92/14618
VOUSSOIRS
ARCHITECT AND INTERIOR DESIGNERS.
10 JANHAVI APPI BHONDE COLONNY ND OVE
10 JANHAVI APPT., BHONDE COLONY, NR. OLD KARNATAK H. SC., ERANDAVANA PUNE-4 TEL;-4140639

Scanned with CamScanner



कार्यकारी अभियंता कार्यालय बंडगार्डन पाणी पुरवठा पुणे महानगरपालिका जावक क्र 430 दिनांक 8071202

PROVISIONAL ENVIRONMENT CERTIFICATE

प्रती,

श्री. विलास जावडेकर ग्रीनस्केप डेव्हलपर्स एल एल पी तर्फे भागीदार श्री. आदीत्य जावडेकर व इतर (आर्किटेक्ट श्री समिर वाळींबे) ३०६, सिध्दार्थ टॉवर्स, संगम प्रेस रोड कोथरुड, पुणे ४११ ०३८

> विषय :- श्री. विलास जावडेकर ग्रीनस्केप डेव्हलपर्स एल एल पी तर्फे भागीदार श्री. आदीत्य जावडेकर व इतर यांनी सर्व्हे नं. ६७/२+६७/५/१, स.न.६७/५/२,खराडी, पुणे येथील होणाऱ्या प्रकल्पासाठी पर्यावरण नाहरकत प्रमाण पत्रासाठी पाणी पुरवठा विभागाचे अभिप्राय बाबत.

संदर्भ :- बंडगार्डन पाणी पुरवठा, आ. क्र. ३१३९ दिनांक १/०२/२०२०. य आ क्र. ४०५ दि १४/०६/२१

संदर्भाकीत पत्रान्वये विषयांकीत नियोजित प्रकल्पास पर्यावरण नाहरकत पत्र मिळणेसाठी पाणी पुरवठा विभागाचा ना– हरकत दाखल्याची मागणी आपण केली आहे. . पुर्वी सदर मिळकतीकरीता संदर्भ क्र १ अन्वये १६०.०४ के.एल.डी. करिता नाहरकत पत्र देण्यात आले होते.आता संदर्भ क्र २ अन्वये सदर प्रकल्पासाठी ४६२.०० के.एल.डी. इतक्या पाण्याची गरज असल्याचे संदर्भाकीत पत्रात नमूद केले आहे

- विषयांकीत मिळकतीवरील प्रकल्पास भोगवटा पत्र प्राप्त झाल्यानंतर भोगवटा असणाऱ्या प्रकल्पास यांचे प्रमाणात पाणी पुरवठा करणे करीता नळजोड प्रस्ताव सादर करणार.
- २) विकसकाने स्वखर्चाने मनपाचे सुचनेनुसार जलवाहिनी विकसित करणार.
- ३) एस.टी.पी बाबत स्वतंत्र माहिती खात्यास सादर करणार व त्याद्वारे पुर्नवापर होणाऱ्या पाण्याबाबतचा सविस्तर तपशील देणार.
- 8) जागेवर बांधकाम चालू करणेपूर्वी मिळकतीमधील मनपाच्या नळजोडावरील थकबाकी भरून सदर नळजोड बंद करणार.
- ५) इमारतीचे पिण्याचे पाणी, वापराचे पाणी व फ्लशिंगचे पाणी इ.कारणासाठी प्रत्येक प्रकल्पातील सदनिका/ऑफीसेस साठी स्वतंत्र व्यवस्था करणार.
- ६) सदर प्रकल्पाकरीता पाण्याचे उपलब्धेनुसार होणारा पाणी पुरवठा वगळता जादा पाण्याची व्यवस्था विकसक स्वतःकरावी लागेल.
- ७) अंतर्गत वापरण्यात येणा-या फिटींग्ज् डिस्चार्ज ५ लिटर प्रति मिनिटापेक्षा कमी ठेवणार.
- ८) सर्व कामे सक्षम कन्सलटंट यांचेकडून डिझाईन करून त्यांचे सुपरव्हिजन अंतर्गत पुर्ण करणार.
- ९) व्यापारी पाणी वापरासाठी स्वतंत्र संपवेल बांधणार.
- 9०) तत्कालीन पाण्याच्या परिस्थितीनुसार मनपा कडील नियमानुसार व धोरणानुसार या पुढील कार्यवाही तत्कालीन वेळी निश्चित करण्यात येईल.
- ११) भोगवटा पत्र प्राप्त झाल्यानंतर व भोगवटा पत्राच्या सदनिका/ऑफीसेसच्या प्रमाणात त्यावेळच्या प्राप्त धोरणानुसार पाणी पुरवठा उपलब्ध केला जाईल.
- १२) ले आऊट मनपा मान्य झाल्यानंतर सी.सी. ची एक प्रत व ले आऊटची एक प्रत खात्यास सादर करावी लागेल.
- १३) प्रस्तुत प्रकरणी सदर परिसरात आजमितीस मनपा मार्फत काही भागात अत्यल्प स्वरुंपात पाणी पुरवठा करण्यात येत आहे. तसेच सदर परिसरात जलवाहिनी विकसनाची कामे झालेनंतर व मनपा मार्फत पाणी पुरवठा करण्याचे नियोजन त्यावेळच्या परिस्थितीनुसार करणेत येईल.

१४)सदर प्रकरणी अपुऱ्या पाणी पुरवठ्याबाबत विकसक हे खात्याकडे सादर केलेल्या हमीपत्रास

(श्री. परमार पी. के यांचे नोटरी रजिस्टर क्र 114/23 दिनांक २५/०६/२०२१) अधीन राहणार आहे कळावे.

1199

कनिष्ठ अभियंता बंडगार्डन पाणी पुरवठा पुणे भहानगरपालिका

उप अभियंता

बंडगार्डन पाणी पुरवठा पुणे महानगरपालिका भि कार्यकारी अभियंता बडगाडन पाणी पुरवठा पुणे महानगरपालिका

Scanned with CamScanner



भारत सरकार जल शक्ति मंत्रालय जल संसाधन, नदी विकास और गंगा संरक्षण विभाग केन्द्रीय भूमि जल प्राधिकरण Government of India Ministry of Jal Shakti Department of Water Resources, River Development & Ganga Rejuvenation Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र) NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION

Project Name:	Vilas Javdekar Greenscape Developers Llp (yashwin Orizzonte)						
Project Address:	Plot No. 67/2, 67/5/1, 67/5/2, Village- Kharadi, Tal- Haveli,						
Town:	Pune	Block:	Pune City				
District:	Pune	State:	Maharashtra				
Pin Code:							
Communication Address:	306, Siddharth Tower, San Maharashtra - 411038	gam Press Roa	d, Kotharud, Pune City, Pune,				
Address of CGWB Regional Office :	Central Ground Water Boa Maharashtra - 440001	rd Central Regi	on, N.s. Building, Civil Lines, Nagpur,				

			0014			00/470	07		1 - A						
1.	NOC No.:		CGW	CGWA/NOC/INF/ORIG/2022/17327											
2.	Application	n No.:	21-4/	21-4/8103/MH/INF/2022						ory: E 2020)	Sa	Safe			
4.	Project Sta	atus:	New	Project			~	NOC Type: N			New				
6.	Valid from	1:	16/12	2/2022	7.	Valid ι	ıp to:	15/	15/12/2027						
8.	Ground Wa	ater Abst	tractior	n Permitted:		10	\mathbb{Z}								
Fresh Water Saline Water								De	waterin	g		Total			
m³/day m³/year		ear	m³/day	m³/year		r	m³/day m³/		n³/year	m	m³/day		m³/year		
	10.00	3650	.00		2										
9.	Details of g	ground w	ater al	ostraction /Dew	atering	g struc	tures								
			Tot	al Existing No	.:0					То	tal Prop	osed N	lo.:1		
				DW DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu	
	Abstraction	Structur	e*	0 0	0	0	0	0	0	0	1	0	0	0	
*DV	/- Dug Well; D0	CB-Dug-cu	m-Bore	Well; BW-Bore We	ell; TW-T	ube We	ll; MP-Mir	ne Pit;MPu	u-Mine Pu	umps					
10.	Ground Wa	Ground Water Abstraction/Restoration Charges paid (Rs.):									365	0.00			
			the second	·		•		-		-					

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011 Phone: (011) 23383561 Fax: 23382051, 23386743 Website: cgwa-noc.gov.in

> पानी बचाये – जीवन बचाये SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

Mandatory conditions:

1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.

2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.

3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.

4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.

5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.

6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab

7) The firm shall report compliance of the NOC conditions online in the website (www.cqwa-noc.gov.in) within one year from the date of issue of this NOC.

8) Industries abstracting ground water in excess of 100 m 3 /d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.

9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.

10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

General conditions:

11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).

12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).

13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.

14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.

15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.

16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water

17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.

18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.

19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.

20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.

21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.

22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.

23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.

24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.

25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCE list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.

26) In case of new infrastructure projects having ground water abstraction of more than 20 m3/day, the firm/entity shall ensure implementation of dual water supply system in the projects.

27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.

28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.

29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)